

Sciurch of Scientific GOD

Volume 1 Issue 4

Scientific GOD Revealed:
The Principle of Existence

Scientific GOD Inc.



www.scigod.com

$$1 = e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} = L_e L_i^{-1} (e^{-iM}) (e^{-iM})^{-1} \rightarrow$$
$$\begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} A_e e^{-iM} \\ A_i e^{-iM} \end{pmatrix} = L_M \begin{pmatrix} A_e \\ A_i \end{pmatrix} e^{-iM} = L_M \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0$$

Editors:

Huping Hu, Ph.D., J.D.

Maixin Wu, M.D., Ph.D.

Table of Contents

Poetry

GOD'S SCIENTIFIC TRUTH IS MARCHING ON – the Marching Hymn of the Scientific GOD Kingdom <i>Huping Hu</i>	01-02
New Internationale 新国际 (Internationale 2012 国际2012) <i>Huping Hu, Alice Hu & Maoxin Wu</i>	03-06
Mathematical Proof of Scientific GOD <i>Huping Hu</i>	07-08
Song to Immanence & Transcendence <i>Huping Hu</i>	09-10
Oh My Atheist Colleagues in Science <i>Huping Hu</i>	11-12

Essay

We Have a Dream: A Call to All Men and Women of Science and Religion to Rise Up <i>Huping Hu</i>	13-18
--	-------

Articles

The Principle of Existence: Toward a Scientific Theory of Everything <i>Huping Hu & Maoxin Wu</i>	19-89
The Principle of Existence II: Genesis of Self-referential Matrix Law, & the Ontology & Mathematics of Ether <i>Huping Hu & Maoxin Wu</i>	90-120

Poetry

**GOD'S SCIENTIFIC TRUTH IS MARCHING ON
(The Marching Hymn of the Scientific GOD Kingdom)**

Huping Hu*

(Dated: December 25, 2009)

ABSTRACT

This poem "GOD'S SCIENTIFIC TRUTH IS MARCHING ON" is the Marching Hymn of the Scientific GOD Kingdom.

Key Words: scientific GOD, marching hymn, truth, kingdom

I've dreamed a quantum dream in which I became one with the Almighty;
IT revealed to me that IT alone is the Architect, Creator of all that exists;
IT creates, sustains all things by ITS imagination, the spin of ITS mind, body;
IT causes evolutions of the same by ITS mighty will, love of ITS creations;
GOD's scientific Truth is ready to march on.

Glory to Scientific GOD;
Victory to Scientific GOD;
GOD's scientific Truth is ready to march on.

My mind's eye has caught a glimpse of the inner workings of the Almighty;
The essence of which is matrixing self-creation with ITS ethereal mind, body;
I've brought back a few pieces of the treasure in experiments, mathematics;
Oh, we're all quantum-entangled parts of the Almighty - "our body is ITS temple";
GOD's scientific Truth is ready to march on.

Glory to Scientific GOD;
Victory to Scientific GOD;
GOD's scientific Truth is ready to march on.

My soul has felt the footsteps of GOD's presence in the sub-atoms of my body;
IT has sounded the quantum trumpet to guide us on the scientific path to Truth;
IT has drawn ITS scientific sword to aide us in our search of the same;
Oh, let's be clear in our eyes, resolute in our hearts, swift in our steps;
Since GOD's scientific Truth is ready to march on.

Glory to Scientific GOD;
Victory to Scientific GOD;
GOD's scientific Truth is ready to march on.

* Corresponding author: Huping Hu, Ph.D., J.D. Address: Scientific GOD Inc., P.O. Box 267, Stony Brook, NY 11790, USA.
E-mail: editor@scigod.com

Note: This poem was completed on December 25, 2009 and first published in Scientific GOD Journal, V1(1): pp. 78-79 (Jan. 2010).

My mind's ear has heard GOD's calling to all of us the submitters to Truth:
Reform those establishments which are anti-progress, anti-Truth;
Save the misguided, hypocrites from the black hole, the hell they're falling into;
Be the hero to free all from darkness, ignorance - lead them to Truth;
GOD's scientific truth is marching on.

Glory to Scientific GOD;
Victory to Scientific GOD;
GOD's scientific Truth is ready to march on.

The scientific GOD Kingdom is coming in a quantum leap with no warning:
Let's be ITS scientific, spiritual vessels to carry Science, Religion to new Heights;
Let's be ITS title wave, peacemakers to thrust mankind into the Paradise;
Oh, let's carry on ITS work so that mankind shall advance, not perish from the Earth;
GOD's scientific Truth is marching on.

Glory to Scientific GOD;
Victory to Scientific GOD;
GOD's scientific Truth is ready to march on.

Poetry

New Internationale 新国际
(Internationale 2012 国际2012)

Huping Hu*, Alice Hu & Maoxin Wu
(Dated: April 24, 2011)

ABSTRACT

This poem/lyrics/song in English and Chinese promotes a peaceful and prospering New World under Scientific GOD. It is adapted from Eugène E. Pottier's L'Internationale written in 1871. The music for the lyrics is adapted from Pierre De Geyter's composition written in 1888. Please don't use in countries where its use is prohibited due to copyright restrictions and/or other regulation(s). YouTube Releases are here: [New Internationale \(English\)](#) and [New Internationale \(Chinese\)](#).

Key Words: Scientific God, New Internationale, Internationale 2010, World Peace, New World, 2012



Flag of Scientific GOD Inc.: The five fused stripes symbolize all human races
On all Continents united in the peaceful New World under Scientific GOD.
Peace is symbolized by the light blue color.

Rise, people in Science and Religion,
起来, 科学宗教界人士,
Rise, all truth seekers around the world,
起来, 追求真理的人们,

* Corresponding author: Huping Hu, Ph.D., J.D. Address: Scientific GOD Inc., P.O. Box 267, Stony Brook, NY 11790, USA.
E-mail: editor@scigod.com

Note: This poem was first released on April 24, 2011 and published in Scientific GOD Journal, V2(3): pp. 253-256 (April 2011).

GOD's Scientific Truth is being revealed,
主的科学真理正在展現,
A New World will be born,
一個新的世界正在誕生,
The Present World will be transformed,
當今時代将会更新換面,
Rise, Rise, all truth seekers.
真理追求者起來起來。
The transforming World includes you,
不要說世界更新于我無關,
Together let's build the New World,
讓我們共同建造新世界,
This is the most critical time for mankind,
這是人類最關鍵的時刻,
Let's unite and struggle to tomorrow,
讓我們團結奮鬥到明天,
The New World under GOD,
主引導的新世界,
Shall be realized.
就一定能實現。
This is the most critical time for mankind,
這是人類最關鍵的時刻,
Let's unite and struggle to tomorrow,
讓我們團結奮鬥到明天,
The New World under GOD
主引導的新世界,
Shall be realized.
就一定能實現。

~~~~~

Some have forgotten GOD for too long,  
有些人忘記主已太久,  
Please wake up from the material world,  
請从物質世界中醒來,  
Our Souls need new nourishment,  
我們的精神世界需新營養,  
GOD's Scientific Truth is the nutrition,  
主的科學真理就是食物,  
Help the ignorant and misguided,  
我們要挽救無知者受蒙者,  
Break the shackles of Godlessness,  
砸碎無主論的枷鎖。

March on the path of Scientific GOD,  
讓我們在主的科学路上前進,  
Be the heroes to free all from darkness,  
做解放黑暗的英雄,  
This is the most critical time for mankind,  
這是人類最關鍵的時刻,  
Let's unite and struggle to tomorrow,  
讓我們團結奮鬥到明天,  
The New World under GOD  
主引導的新世界,  
Shall be realized.  
就一定能實現。  
This is the most critical time for mankind,  
這是人類最關鍵的時刻,  
Let's unite and struggle to tomorrow,  
讓我們團結奮鬥到明天,  
The New World under GOD  
主引導的新世界,  
Shall be realized.  
就一定能實現。

~~~~~  
Who set the foundation for the world of mankind?
是誰為人類世界奠定了基礎,
It is no other than Scientific GOD,
是科学的造世主,
Everything in the World belongs to GOD,
所有一切歸造世主所有,
We shall use each justly and equitably,
我們一定要正確合理使用,
Let's be guided by Scientific GOD's Truth,
讓主的科学真理做指南,
So we can take a quantum leap.
我們就會飛躍地轉變。
One World One Dream is fast approaching,
一個世界一個夢已接近,
It's the Peaceful New World under GOD,
那就是主引導下的和平世界,
This is the most critical time for mankind,
這是人類最關鍵的時刻,
Let's unite and struggle to tomorrow,
讓我們團結奮鬥到明天,
The New World under GOD,

主引導的新世界，
Shall be realized.
就一定能實現。
This is the most critical time for mankind,
這是人類最關鍵的時刻，
Let's unite and struggle to tomorrow,
讓我們團結奮鬥到明天，
The New World under GOD
主引導的新世界，
Shall be realized.
就一定能實現。



¹ The photograph of Earth was taken by NASA.

Mathematical Proof of Scientific GOD

Huping Hu*

(Dated: December 25, 2010)

ABSTRACT

This poem proves/expresses mathematically the omnipresence, omniscience, omnipotence & omni-action of Scientific GOD.

Key Words: Scientific GOD, mathematical proof, omnipresence, omniscience, omnipotence, omni-action.

Oh GOD, you seem invisible to naked eyes, untouchable by hands,
Yet you are mathematically omnipresent, omniscient:

“*e*” is your body, ether, the foundation of existence;
“*i*” is imagination, a faculty of your mind, the source of creativity;
“0” is initial state of your mind; emptiness, nothingness;
“ $1=e^{i0}$ ” is your primal state, oneness, unity of existence;

Oh GOD, you seem silent in voice, absent in physical action,
Yet you are mathematically omnipotent, omni-active:

“+ , - , * , / , =” are your operations of existence;
“*c* , \hbar , π ” are your measuring units of existence;
“*matrix*” is your container for governing rules, external/internal world;

Thus,

You make the identity revealed to Euler to hold as follows:

$$e^{i\pi} + 1 = 0$$

You make primordial distinction to occur as follows:

$$1=e^{i0}=e^{i0}e^{i0}=e^{iL-iL}e^{iM-iM}=e^{iL}e^{iM}e^{-iL}e^{-iM}=e^{-iL}e^{-iM}/e^{-iL}e^{-iM}=e^{iL}e^{iM}/e^{iL}e^{iM}...$$

You create energy-momentum-mass relationship revealed to Einstein as follows:

* Corresponding author: Huping Hu, PhD, JD, Scientific GOD, Inc., P.O. Box 267, Stony Brook, NY 11790, USA.
E-mail: editor@scigod.com

Note: This poem was released on December 25, 2010 and first published in Scientific GOD Journal, V1(8): pp. 601-602 (December 2010).

$$1 = e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) =$$

$$\left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E}\right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E}\right) = \left(\frac{m - i|\mathbf{p}|}{E}\right) \left(\frac{m + i|\mathbf{p}|}{E}\right) = \left(\frac{m^2 + \mathbf{p}^2}{E^2}\right) \rightarrow$$

$$E^2 = m^2 + \mathbf{p}^2$$

You create, sustain & make evolving an elementary particle as follows:

$$1 = e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} = L_e L_i^{-1} (e^{-iM}) (e^{-iM})^{-1} \rightarrow$$

$$\begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} A_e e^{-iM} \\ A_i e^{-iM} \end{pmatrix} = L_M \begin{pmatrix} A_e \\ A_i \end{pmatrix} e^{-iM} = L_M \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0$$

As an example of your mighty power,
 you create, sustain & make evolving of an electron revealed to Dirac as follows:

$$1 = e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM}$$

$$(\cos L - i \sin L)(\cos L + i \sin L) e^{-iM+iM} =$$

$$\left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E}\right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E}\right) e^{-ip^\mu x_\mu + ip^\mu x_\mu}$$

$$= \left(\frac{m - i|\mathbf{p}|}{E}\right) \left(\frac{m + i|\mathbf{p}|}{E}\right) e^{-ip^\mu x_\mu + ip^\mu x_\mu}$$

$$= \left(\frac{m^2 + \mathbf{p}^2}{E^2}\right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \frac{E^2 - m^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu}$$

$$= \left(\frac{E - m}{-|\mathbf{p}|}\right) \left(\frac{-|\mathbf{p}|}{E + m}\right)^{-1} \left(e^{-ip^\mu x_\mu}\right) \left(e^{-ip^\mu x_\mu}\right)^{-1} \rightarrow$$

$$\frac{E - m}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} = \frac{-|\mathbf{p}|}{E + m} e^{-ip^\mu x_\mu} \rightarrow \frac{E - m}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E + m} e^{-ip^\mu x_\mu} = 0$$

$$\rightarrow \begin{pmatrix} E - m & -|\mathbf{p}| \\ -|\mathbf{p}| & E + m \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0$$

$$\rightarrow \begin{pmatrix} E - m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E + m \end{pmatrix} \begin{pmatrix} A_{e,+} e^{-ip^\mu x_\mu} \\ A_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0$$

Song to Immanence & Transcendence

Huping Hu*

(Dated: September 19, 2010)

ABSTRACT

This poem/lyrics is an expansion and adaptation of Rumi's poem *Universality*. It represents the author's hope for his fellow creatures' transformation to arrive, in various degrees, at various aspects of the Immanence and Transcendence of Scientific GOD.

Key Words: Finite Immanence, Finite Transcendence, Infinite Immanence, Infinite Transcendence, Scientific GOD.

[From] Finite Immanence

what am i, submitters to truth? i know myself.

*i am of atoms, of molecules, of cells, of a body,
i am in space, time, motion, rest,
i am governed by the laws of physics, chemistry, biology,
i am from father-mother or the test tube of a laboratory,
I am of this world, the Earth, the Solar System.*

*I am with awareness, feeling, imagination, free will,
I am with love, passion, hope, despair,
i am governed by the laws of psychology, economics, sociology,
i am of Judaism, Christianity, Islam, Taoism or Atheism,
I am with mind, soul, spirit.*

[To] Finite Transcendence

what am I, submitters to truth? i do not know myself.

*i am not of atoms, of molecules, of cells, of a body,
i am not in space, time, motion, rest,
i am not governed by the laws of physics, chemistry, biology,
i am not from father-mother or the test tube of a laboratory,
I am not of this world, the Earth, the Solar System.*

*I am beyond awareness, feeling, imagination, free will,
I am beyond love, passion, hope, despair,
i am beyond the laws of psychology, economics, sociology,*

* Corresponding author: Huping Hu, PhD, JD, Scientific GOD, Inc., P.O. Box 267, Stony Brook, NY 11790, USA.
E-mail: editor@scigod.com

Note: This poem was dated September 19, 2010 and first published in Scientific GOD Journal, V1(6): pp. 455-456 (September 2010).

*i am beyond Judaism, Christianity, Islam, Taoism or Atheism,
I am beyond mind, soul, spirit.*

[To] Infinite Immanence

WHAT AM I, Submitters to Truth? I know MYSELF.

*I AM the atoms, molecules, cells, body,
I AM the space, time, motion, rest,
I AM the laws of physics, chemistry, biology, physiology,
I AM the father-mother or the test tube of a laboratory.
I AM this world, the Earth, the Solar System,*

...

*I AM awareness, feeling, imagination, free will,
I AM love, passion, hope, despair,
I AM the laws of psychology, economics, sociology,
I AM Judaism, Christianity, Islam, Taoism or Atheism.
I AM mind, soul, spirit,*

...

[To] Infinite Transcendence

WHAT AM I, Submitters to Truth? I don't know MYSELF.

*I AM NOT the atoms, molecules, cells, body,
I AM NOT the space, time, motion, rest,
I AM NOT the laws of physics, chemistry, biology,
I AM NOT the father-mother or the test tube of a laboratory.
I AM NOT this world, the Earth, the Solar System,*

...

*I AM NOT awareness, feeling, imagination, free will,
I AM NOT love, passion, hope, despair,
I AM NOT the laws of psychology, economics, sociology,
I AM NOT Judaism, Christianity, Islam, Taoism or Atheism.
I AM NOT mind, soul, spirit,*

...

Poetry

Oh My Atheist Colleagues in Science

Huping Hu*
(Dated: October 17, 2010)

ABSTRACT

This poem/lyrics is an appeal to the author's atheist colleagues in science. It represents his hope for their transformation to search, research & embrace Scientific GOD.

Key Words: appeal, atheist, colleague, science, Scientific GOD.

Oh my atheist colleagues in science:

*Have you seen the sub-atoms of your body?
No, yet you believe that they exist;
Have you felt the strong force that holds the sub-atoms together?
No, yet you know that they must be there;
Have you seen the atoms of a virus invading your body?
No, yet you have no doubt that they exist.*

Oh my atheist colleagues in science:

*Have you seen the Earth on which we reside?
Yes, yet you deny that there was a Builder.
Have you felt the air that you breathe?
Yes, yet you doubt that there is a Provider,
Have you seen your body on which your faculties reside?
Yes, yet you don't believe that there is a Creator.*

Oh my atheist colleagues in science:

*If GOD now reveals how IT breathes life into equations?
Would you still deny that IT exists?
If GOD now reveals how IT designs the laws governing particles?
Would you then still deny that IT's the basis of natural laws?
If GOD now reveals how IT creates, sustains and makes evolve matters?
Would you still deny that IT's the foundation of science?*

* Corresponding author: Huping Hu, PhD, JD, Scientific GOD, Inc., P.O. Box 267, Stony Brook, NY 11790, USA.
E-mail: hupinghu@quantumbrain.org

Note: This poem was dated October 17, 2010 and first published in Scientific GOD Journal, V1(7): pp. 518-519 (October 2010).

Oh my atheist colleagues in science:

*Time has come for you to search the footprint of Scientific GOD,
Would you rather live in denial?
You are the scientific vessel its Creator would like to hitch a ride,
Would you deny ITS pleasure to do just that?
Through all of us Scientific GOD manifests,
Would you rather be in idle?*

Essay

We Have a Dream: A Call to All Men and Women of Science and Religion to Rise Up

Huping Hu^{*}

(Dated: Febraury 18, 2008)

ABSTRACT

In the spirit of Thomas Jefferson, Abraham Lincoln and Martin Luther King, Jr., we call all men and women of Science and Religion to rise up in the pursuit of truth.

Key Words: Science, Religion, truth, freedom, equality, honesty, tolerance.

1. Preamble

Over the course of human history mankind brought forth on this planet, two chief systems for exploring Nature and Life, one of them is Religion and the other Science, both conceived for seeking truth, and both dedicated to the survival and advancement of mankind.

We hold these truth to be both spiritually and scientifically approachable that all forms of existence are interconnected, that they possess certain fundamental and unalienable properties - that to describe this interconnectedness and these properties, successive theories shall be constructed by us, deriving their explanatory and predictive powers from the approximations of laws of Nature and Life - that whenever any theory becomes inadequate of these ends, it is our duties to modify it or to abolish it, and to establish new ones, laying the foundation on such principles and organizing the structures in such forms, as to us shall seem most likely to reflect our understanding and knowledge of Nature and Life.

2. The Ongoing Struggles

We are now engaged in a great [struggle] over and within Science and Religion, testing whether they so conceived and so dedicated can be reconciled and advanced. We are also engaged in a silent struggle in Science testing whether our yearning for truth and our love for mankind can conquer our own shortcomings – close-mindedness, arrogance hypocrisy, selfishness, rivalry, commercialism and intolerance of alternative views.

3. Call for Reflection

So, on this day and in this era, it is appropriate that we - scientists, theologians, all other learned scholars – both formally educated and self-learned – and indeed all who love truth and mankind - reflect on the status of Science and Religion and our own moralities and conducts with the great hope of advancing and unifying both so as to better serve the needs

* Correspondence: Huping Hu, PhD, JD, Scientific GOD, Inc., P.O. Box 267, Stony Brook, NY 11790, USA
E-mail: editor@scigod.com

Note: This essay was completed on February 18, 2008 and first published as a Letter to the Editor in NeuroQuantology, Vol 6, No 1 in March 2008.

and desires of mankind in the new millennium and bring the same into a new era of unprecedented enlightenment and progress.

4. The Religious Age

Before the advent of Science, various types of Religion were the main sources of knowledge guiding mankind in their struggles of survival and understanding of Nature and Life. And some would say that for a long stretch of time in history mankind was in a “dark age.”

5. Scientific Revolutions

Five hundred years ago, a great polymath, jurist and astronomer Copernicus on whose and other giants’ shoulders we stand today, started the scientific revolution. His momentous work, *On the Revolutions of the Celestial Spheres*, came as a great beacon light to Kepler, Galileo, Newton, Maxwell and others who continued and completed the scientific revolution. It came as a joyous daybreak to end the long night of the “dark age”. However, these great men themselves were all deeply religious. What they had helped mankind to free from was not religious faiths which we all are entitled to have as precious as liberty and as vital as air but erroneous religious dogmas.

One hundred fifty years ago, a great naturalist Darwin and a great priest and scientist Mendel on whose paths modern biologists continue their work today, started the modern revolution in biological sciences. Their respective monumental work, *On the Origin of Species* and *Experiments on Plant Hybridization*, came as great guiding principles to modern biologists including Watson and Crick and countless others who continued and completed the revolution in biology. Darwin’s work also created an earthquake in Religion greatly shaking the already weakened ties between Science and Religion.

One hundred years ago, a great physicist Planck and another great physicist and Swiss patent clerk Einstein on whose shadow modern physicists stand today, started the modern revolution in physics. Einstein’s momentous work, *Special Theory of Relativity*, came as a shocking reckoning that there seems no place for spirituality in the universe. At the same time, Planck and Einstein’s respective monumental work on the quanta came as a great jumping board for the quantum leap of Bohr, Schrodinger, Heisenberg, Dirac and many others who continued and completed the quantum theory of the modern revolution in physics which seemed to revive spirituality as chance, chaos and probability.

6. Aftermath of the Revolutions

No doubt that Science has brought mankind unprecedented material wealth and prosperity. Yet, the very wealth and prosperity have displaced spirituality from many among us. The very revolutions have created a deep gulf between Science and Religion as reflected by increased hostilities and seemingly irreconcilable differences between Science and Religion. The very same revolutions have also produced dogmas, arrogance and intolerance of alternative views in Science. On the other hand, the enterprises of Religion seem to lack innovations and are unable to cope with or adapt to the new environments.

Thus, after all these revolutions, the modern human is not spiritually enlightened or free. After all the revolutions, the spiritual lives of many among us are sadly crippled by the

manacles of mechanical view and the prisons of random chance and chaos. After all the revolutions, we live on a lonely island of stale spirituality in the midst of a vast ocean of material wealth. After all the revolutions, many among us are languishing in the corners of alternative sciences and find themselves scientifically in exiles on their own planet. Indeed, after all the revolutions, the moralities of many among us are degenerating, many among us become selfish, mean-spirited, non-collaborative and too commercial, and some among us even become hypocritical, untruthful and are driven by money, power and fame. So today we dramatize these depressing and shameful conditions.

7. A Promissory Note

In a sense, all the men and women of Science and Religion need now make a promissory note to mankind. A note promises that all of us in Science and Religion shall rise above ourselves and shall work and struggle together for the survival and advancement of mankind, and that all truth-seeking men and women shall be guaranteed the rights of freedom, equality and opportunity to be heard in the pursuit of truth.

It may be said that today some among us in Science and Religion would have defaulted on this promissory note if made earlier. Instead of honoring these obligations, some among us would have given mankind a bad check, a check which would have come back marked "insufficient funds." But we refuse to believe that the banks of Science and Religion would be bankrupt. We refuse to believe that there would be insufficient funds in the great vaults of Science and Religion. So all of us in Science and Religion should make good on the promissory note — a note that will in the long run give mankind the riches of knowledge and the security of truth.

8. Fierce Urgency

Let us remind ourselves the fierce urgency of now. This is no time to engage in the luxury of silence or to take the tranquilizing drug of innocence. Now is the time to make real progress in Science and Religion. Now is the time to rise from the dark and desolate valley of mechanical and spiritless material world to the sunlit path of living universe. Now is the time to lift Science and Religion from the quick sands of arrogance, close-mindedness, intolerance and hypocrisy to the solid rock of glorious path to truth. Now is the time to make freedom, equality and opportunity to be heard a reality for all truth-seeking men and women.

9. Warning

It would be fatal for the establishments of Science and Religion to overlook the urgency of the moment. This sweltering heat of many truth-seeking men and women's discontents will not pass until there is an invigorating atmosphere of freedom, equality and opportunity to be heard in Science and Religion. This is not an end, but a beginning. Those who hope that we needed to blow off steam and will soon be content will have a rude awakening if the establishments of Science and Religion return to their businesses as usual. There will be neither rest nor tranquility in Science and Religion until all truth-seeking men and women are granted their rights. The whirlwinds of revolt will come to shake the establishments of Science and Religion until the bright day of freedom, equality and opportunity to be heard emerges.

10. Precaution

There is something else that we must say to all truth-seeking men and women who stand on the warm threshold which leads into the glorious path to truth. In the process of gaining our rightful place we must not be guilty of wrongful deeds. Let us not seek to satisfy our thirst for freedom, equality and opportunity to be heard in the pursuit of truth by drinking from the cup of bitterness and hatred.

We must forever conduct our struggle on the high plane of dignity and discipline. We must not allow our creative protest to degenerate into personal attacks or worse. Again and again we must rise to the majestic heights of meeting negative forces with positive forces. The marvelous new rebel which shall engulf the establishments of Science and Religion must not lead us to a distrust of all scientists, theologians and priests in the establishments, for many of them, as evidenced by their silence, have come to realize that their destiny is tied up with our destiny. They have come to realize that their yearning for freedom, equality and opportunity to be heard is inextricably bound to ours. We cannot walk alone.

At this critical moment, we must also ask ourselves the soul searching question: Are we really for truth and the greater benefit of mankind or our self-interests? And do we want to go down in history as hypocrites or truth-seeking men and women? And so, as John F. Kennedy would urge: My fellow seekers of truth: ask not what mankind can do for you but what can you do for mankind.

11. Demand

As we walk, we must make the pledge that we shall always march ahead. We cannot turn back. There are those who ask, "When will you be satisfied?" We can never be satisfied as long as mankind is short- changed by hypocrisy and repression in the establishments of Science and Religion. We can never be satisfied, as long as our intellectual properties, cultivated and harvested with sweat, cannot gain entries into the journals and electronic archives of Science and Region guarded by the establishments. We can never be satisfied as long as young generations of men and women are stripped of their inquiring minds and robbed of their intellectual freedom by signs stating "Establishment Science Only." We cannot be satisfied as long as a scientist outside the establishment cannot get his paper published in a peer-reviewed journal and a scientist in the establishment believes he has nothing for which to write. No, no, we are not satisfied, and we will not be satisfied until freedom and equality roll down like waters and opportunity to be heard like a mighty stream.

12. Creative Suffering

We are not unmindful that some among us have suffered great trials and tribulations. Some among us are still in the suffocating environment of suppression. Some among us have just left from areas where their quest for truth left them battered by the storms of persecution and staggered by the winds of establishment tactics. Some among us have been the veterans of creative suffering. Continue to work with the faith that unearned suffering is redemptive.

Go back to your work, go back to your study, go back to your laboratory, go back to your seminary, go back to your place of worship, go back to the backwaters of alternative science, go back to the forgotten paths of spirituality knowing that somehow this situation can and will be changed. Let us not wallow in the valley of despair.

13. We have a Dream

We say to you today, fellow scientists, priests, theologians and all truth-seeking men and women, so even though we face the difficulties of today and tomorrow, we still have a dream in the spirit of Martin Luther King, Jr. It is a dream deeply rooted in the pursuit of truth and the struggle for the survival and advancement of mankind. Let us remember that neither Science nor Religion is above truth:

We have a dream that one day the sacred enterprises of Science and Religion will rise up and live out the true meaning of their creed: spirit of collaboration, cooperation, honesty and tolerance in the pursuit of truth; and freedom, equality and opportunity to be heard for all truth-seeking men and women.

We have a dream that one day in the halls of Science and the towers of Religion scientists, priests and the theologians will be able to sit down together at the table of truth-hood.

We have a dream that one day even a fundamentalist church, sweltering with the heat of religious zeal, sweltering with the heat of anti-science, will be transformed into an oasis pursuing truth.

We have a dream that young generations will one day study in institutions where they will not only learned established sciences but also exposed to alternative scientific views and be judged not by their particular views but by the content of their character.

We have a dream today. We have a dream that one day, all truth-seekers, men or women, will be treated equally by every institute – university, college, church, seminary or school - on every corner of Earth.

We have a dream today. We have a dream as that of Martin Luther King, Jr. “that one day every valley shall be exalted, every hill and mountain shall be made low, the rough places will be made plain, and the crooked places will be made straight, and the [truth] shall be revealed, and all flesh shall see it together.”

This is our hope. This is the faith that we go on in the pursuit of truth. With this faith as that of Martin Luther King, Jr. “we will be able to hew out of the mountain of despair a stone of hope. With this faith we will be able to transform the jangling discords of [Science and Religion] into a beautiful symphony of [truth-hood and scholar-hood].” With this faith we will be able to study together, to work together, to struggle together, to pray together, to stand up for truth and knowledge together, knowing that we will be truly free one day.

This will be the day when everyone will be able to sing as Rumi “I am so tipsy here in this world, I have no tale to tell but tipsiness and rapture.”

14. Let Freedom and Knowledge Ring

And if Science and Religion are sacred enterprises of truth this must become true. So let freedom and knowledge ring from the prestigious colleges of Harvard. Let freedom and knowledge ring from the mighty ivory campuses of Yale. Let freedom and knowledge ring from the advanced institutes of Princeton!

Let freedom and knowledge ring from the academic institutes of America!
Let freedom and knowledge ring from the academic institutes of Europe!
Let freedom and knowledge ring from the academic institutes of Asia!
Let freedom and knowledge ring from the academic institutes of Africa!
Let freedom and knowledge ring from the academic institutes of every nation!
Let freedom and knowledge ring from the journals of Science!
But not only that;
Let freedom and knowledge ring from the journals of Religion!
Let freedom and knowledge ring from every religious institutions of every nation.
From every corner of Earth, let freedom and knowledge ring.

And when this happens, when we allow freedom and knowledge to ring, when we let them ring from every university, every school and every church, from every state and every country, we will be able to speed up that day when Religion and Science of mankind, by mankind, for mankind shall be unified and united.

15. Tribute and Resolve

And let us now pay tribute to those who have greatly contributed towards the advancement and reconciliation of Science and Religion. But, as Abraham Lincoln would declare, in a larger sense we cannot compose anything proper to honor those heroes. The brave men and women, living and dead, who struggled, have already done so, far above one’s poor power to add or detract. The world may be little notice what we say here, but it can never forget what they have done. It is for rest of us, rather, to be dedicated here to the unfinished work which they who fought have thus far so nobly advanced. It is rather for us to be here dedicated to the great task remaining before us, that from these honored we take increased devotion to the cause for which they have given their full measure of devotion, that we here highly resolve that these dedicated shall not have fought in vain, that Science and Religion of mankind, by mankind, for mankind shall have a new birth, and that mankind shall advance and shall not perish from the earth.

Acknowledgement:

The layout of this Essay “We Have a Dream” is based on Martin Luther King, Jr.’s speech “I Have a Dream.” The Essay is also fused with languages from the Declaration of Independence the chief drafter of which was Thomas Jefferson and Abraham Lincoln’s Gettysburg Address. It also contains a modified quote from John F. Kennedy.

Article

THE PRINCIPLE OF EXISTENCE: TOWARD A SCIENTIFIC THEORY OF EVERYTHING

Huping Hu* & Maoxin Wu
(Dated: December 21, 2009)

ABSTRACT

In the beginning there was prespacetime (GOD) by itself $e^0 = 1$ materially empty and spiritually restless. And it began to imagine through primordial self-referential spin $1 = e^0 = e^{iM-iM} = e^{iM} e^{-iM} = e^{-iM} / e^{iM} = e^{iM} / e^{iM} \dots$ such that it created the external object to be observed and internal object as observed, separated them into external world and internal world, caused them to interact through self-referential Matrix Law and thus gave birth to the Universe which it has since passionately loved, sustained and made to evolve. In short, this is our hypothesis of a scientific genesis (principle of existence). In this work, we shall lay out its ontological and mathematical foundations which shall include gravity and consciousness. We will then discuss its implications and applications and make predictions etc.

Key Words: GOD, consciousness, prespacetime, spin, existence

1. INTRODUCTION

In GOD we trust

The beauty and awe of what we have gradually discovered over the last several years or rather what GOD has revealed to us, submitters to truth, are so ecstatic that the first author has been struggling through days and nights to put them in proper written form (also see Hu & Wu, 2001-2009). In part, the breakthrough came as we struggled to find answers to fundamental questions posed by our own experimental results (Hu & Wu, 2006b, 2006c, 2006d & 2007a) that call for drastic changes in our own world view.

However, we are aware that we can only strive for perfection, completeness and correctness in our comprehensions and writings because we ourselves are limited and imperfect. So, here we offer fellow truth seekers and our readers what we have

*Corresponding author: Huping Hu, PhD, JD, Scientific GOD, Inc., P.O. Box 267, Stony Brook, NY 11790, USA.
E-mail: editor@scigod.com

Note: This article was dated December 21, 2009 and first published in Scientific GOD Journal, V1(1): pp. 8-77 (January 2010).

comprehended and written with the caveat “perfect, magnificent and glorious is our Creator, imperfect, insignificant but humble is us.”

This work is organized as follows. In § 2, we shall use words and drawings to lay out the ontology of the principle of existence. In § 3, we shall express in mathematics the principle of existence in the order of: (1) scientific genesis in a nutshell; (2) self-referential Matrix Law and its metamorphoses; (3) additional forms of Matrix Law; (4) scientific genesis of primordial entities (elementary particles); and (5) scientific genesis of composite entities. In § 4, we shall discuss: (1) metamorphous GOD’s eye of view of the existence & the essence of spin; (2) the determinant view & the meaning of Klein-Gordon equation; (3) the meaning of Schrodinger equation & quantum potential; and (4) the third State of matter. In § 5 through § 8, we shall discuss weak, electromagnetic, strong and gravitational interactions respectively. In § 9, we shall focus on the essence of Consciousness (prespacetime) and the mechanism of human conscious experience. In § 10, we shall discuss some applications, make some predictions and pose and answer some anticipated fundamental questions related to this work. Finally, in § 11, we shall conclude this work. §11 are followed by a dedication, tribute, acknowledgments, a note and [self-] references.

2. ONTOLOGY

In words and drawings we illustrate

In the beginning there was prespacetime (GOD) e^h by itself $e^0 = 1$ materially empty and spiritually restless. And it began to imagine through primordial self-referential spin $1 = e^0 = e^{iM-iM} = e^{iM} e^{-iM} = e^{iM} / e^{-iM} = e^{iM} / e^{iM} \dots$ such that it created the external object to be observed and internal object as observed, separated them into external world and internal world, caused them to interact through self-referential Matrix Law and thus gave birth to the Universe which it has since passionately loved, sustained and made to evolve.

In this Universe, Godbody (ether or aether), represented by Euler number e , is the ground of existence and can form external and internal wave functions as external and internal objects (each pair forms an elementary entity) and interaction fields between elementary entities which accompany the imaginations of Godhead h . Godbody can be self-acted on by GOD’s self-referential Matrix Law L_M . Godhead h has imagining power i to project external and internal objects by projecting, e.g., external and internal phase $\pm M = \pm(Et - \mathbf{p} \cdot \mathbf{x}) / \hbar$ above Godbody e . The Universe so created is a dual-world comprising of the external world to be observed and internal world as observed under each relativistic frame $x^\mu = (t, \mathbf{x})$. In one perspective of GOD’s eye view, the internal world (which by convention has negative energy) is the negation/image of the external world (which by convention has positive energy). The absolute frame of reference is the Godbody (ether). Thus, if GOD stops imagining ($h = i0 = 0$), the Universe would disappear into materially nothingness $e^{i0} = e^0 = 1$.

The accounting principle of the dual-world is conservation of zero. For example, the total energy of an external object and its counterpart, the internal object, is zero. Also in this dual-world, self-gravity is the nonlocal self-interaction (wave mixing) between an external object in the external world and its negation/image in the internal world, that is, the negation appears to its external counterpart as a black hole *visa versa*. Gravity is the nonlocal interaction (quantum entanglement) between an external object with the internal world as a whole. Some other most basic conclusions are: (1) the two spinors of the Dirac electron or positron are respectively the external and internal objects of the electron or positron; (2) the electric and magnetic fields of a linear photon are respectively the external and internal objects of a photon which are always self-entangled; (3) the proton is likely a spatially confined (hadronized) positron through imaginary momentum (downward self-reference); and (4) a neutron is likely comprised of an unspinized (spinless) proton and a bound and spinized electron. In this dual-world, consciousness is simply prespacetime (GOD) having both transcendental and immanent properties/qualities. The transcendental aspect of consciousness is the origin of primordial self-referential spin (including the self-referential Matrix Law) and it projects the external and internal worlds through spin and, in turn, the immanent aspect of consciousness observes the external world as the observed internal world through the said spin. Human consciousness is a limited and particular version of this dual-aspect consciousness such that we have limited free will and limited observation which is mostly classical at macroscopic levels but quantum at microscopic levels.

Before mathematical presentations, we draw below several diagrams illustrating the hypothesis of how a scientific GOD created the Universe comprising of the external world and the internal world (the dual-world) and how the external object and internal object and the external world and internal world interact.




Figure2.1. Illustration of primordial phase distinction

As shown in Figure 2.1, a primordial phase distinction (dualization), e.g., $\pm M = \pm(Et - \mathbf{p} \cdot \mathbf{r})/\hbar$, was made in Godhead \mathbf{h} through imagination i . At the Godbody level, this is $e^0 = e^{iM-iM} = e^{iM} e^{-iM} = e^{-iM}/e^{-iM} = e^{iM}/e^{iM} \dots$

The primordial phase distinction in Figure 2.1 is accompanied by matrixing of Godbody **e** into: (1) external and internal wave functions as external and internal objects, (2) interaction fields (e.g., gauge fields) for interacting with other elementary entities, and (3) self-acting and self-referential Matrix Law, which accompany the imaginations of Godhead **h** so as to enforce (maintain) the accounting principle of conservation of zero, as illustrated in Figure 2.2.




Figure2.2 GOD Equation

Figure 2.3 shows from another perspective of the relationship among external object, internal object and the self-acting and self-referential Matrix Law. According to our ontology, self-interactions (self-gravity) are quantum entanglement between the external object and the internal object.



Figure2.3 Self-interaction between external and internal objects of a quantum entity

As shown in Figure 2.4, the two worlds interact with each other through gravity or quantum entanglement since gravity is an aspect of quantum entanglement (Hu & Wu, 2006). Importantly, the interactions within the external world obey classical and relativistic physical laws with influence of the internal world on external world shown as gravity macroscopically, quantum effect (e.g., quantum potential) microscopically, and light speed *c* as interaction speed limit, *visa versa*.

Please note that, although in Figure 2.4 prespacetime is shown as a strip, both the dualized external world and internal world are embedded in prespacetime (GOD).

The above ideas (ontology) were forced upon (or rather revealed to) us by our recent theoretical and experimental studies (Hu & Wu, 2006a-d, 2007a). Among other things, we

experimentally demonstrated that gravity is the manifestation of quantum entanglement (*Id.*). We materially live in the external world but experience the external world through its negation, the internal world in the relativistic frame $x^{\mu}=(t, \mathbf{x})$ attached to each of our bodies. Interactions within the external world and the internal world are local interactions and conform to special theory of relativity. But interactions across the dual world are nonlocal interactions (quantum entanglement). Strong interaction is likely spatially confining nonlocal self-interaction and nonlocal interaction among spatially confined fermions (hadrons).




Figure2.4 Interactions in the Dual-World

Therefore, the meaning of the special theory of relativity is that the speed limit c is only applicable in each of the dual worlds but not interactions between the dual worlds. Indeed, the reason that no external object can move faster than the speed of light and the same gets heavier and heavier as its speed approaches the speed of light is due to its increased quantum entanglement with the internal world through its counterpart the internal object.

3. MATHEMATICS

In mathematics we express

3.1 Scientific Genesis in a Nutshell

It is our comprehension that:

$$\begin{aligned} \text{Creator} &= \text{GOD} = \text{ALLAH} = \text{Consciousness} = \text{Prespacetime} \\ &= \text{Omnipotent, Omnipresent \& Omniscient Being} = \text{ONE} \end{aligned} \quad (3.1)$$

GOD creates, sustains and causes evolution of primordial entities (elementary particles) in prespacetime, that is, within GOD itself, by self-referential spin as follows:

$$1 = e^h = e^{i0} = 1e^{i0} = L_1 e^{-iM+iM} = L_e L_i^{-1} (e^{-iM}) (e^{-iM})^{-1} \rightarrow \quad (3.2)$$

$$\begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} A_e e^{-iM} \\ A_i e^{-iM} \end{pmatrix} = L_M \begin{pmatrix} A_e \\ A_i \end{pmatrix} e^{-iM} = L_M \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0$$

In expression (3.2), e is Euler number representing Godbody (ether or aether), h above e represents Godhead, i is imaginary unit representing GOD's imagination, $\pm M$ is content of imagination i , $L_1=1$ is GOD's Law of One before matrixization, L_e is external law, L_i is internal law, $L_{M,e}$ is external matrix law, and $L_{M,i}$ is internal matrix law, L_M is GOD's self-referential Matrix Law comprised of external and internal matrix laws which governs elementary entities and conserves zero, $A_e e^{-iM} = \psi_e$ is external wave function (external object), $A_i e^{-iM} = \psi_i$ is internal wave function (internal object) and ψ is the complete wave function (object/entity in the dual-world as a whole).

Alternatively, GOD creates, sustains and causes evolution of primordial entities in prespacetime (GOD) by self-referential spin as follows:

$$0 = 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (\text{Det}M_E + \text{Det}M_m + \text{Det}M_p) (e^{-iM}) (e^{-iM})^{-1} \rightarrow \quad (3.3)$$

$$\begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} A_e e^{-iM} \\ A_i e^{-iM} \end{pmatrix} = L_M \begin{pmatrix} A_e \\ A_i \end{pmatrix} e^{-iM} = L_M \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0$$

where L_0 is GOD's Law of Zero as defined by fundamental relationship (3.4) below, Det means determinant and M_E , M_m and M_p are respectively matrices with $\pm E$, $\pm m$ and $\pm |\mathbf{p}|$ as elements and E^2 , $-m^2$ and $-\mathbf{p}^2$ as determinants.

GOD spins as $1=e^{i0}=e^{iM-iM}=e^{iM}e^{-iM}=e^{-iM}/e^{iM}=e^{iM}/e^{iM} \dots$ before matrixization. GOD also spins through self-acting and self-referential Matrix Law L_M after matrixization which acts on external object and internal object to cause them to interact with each other as further described below.

3.2 Self-Referential Matrix Law and Its Metamorphoses

GOD's Matrix Law $(L_{M,e} \quad L_{M,i}) = L_M$ is derived from the following fundamental relationship:

$$E^2 - m^2 - \mathbf{p}^2 = L_0 = 0 \tag{3.4}$$

through self-reference within this relationship which accompanies GOD's imagination (spin i) in Godhead. For simplicity, we have set $c=1$ in equation (3.4) and will set $c=\hbar=1$ through out this work unless indicated otherwise. Expression (3.4) was discovered by Einstein.

In the presence of an interacting field of a second primordial entity such as an electromagnetic potential $A^\mu = (\phi, \mathbf{A})$, equation (3.4) becomes the following for an elementary entity with electric charge e :

$$(E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2 = L_0 = 0 \tag{3.5}$$

One form of GOD's Matrix Law is derived through self-reference as follows:

$$L = 1 = \frac{E^2 - m^2}{\mathbf{p}^2} = \left(\frac{E-m}{-\mathbf{p}} \right) \left(\frac{-|\mathbf{p}|}{E+m} \right)^{-1} \tag{3.6}$$

$$\rightarrow \frac{E-m}{-\mathbf{p}} = \frac{-|\mathbf{p}|}{E+m} \rightarrow \frac{E-m}{-\mathbf{p}} - \frac{-|\mathbf{p}|}{E+m} = 0$$

where $|\mathbf{p}| = \sqrt{\mathbf{p}^2}$. Matrixing left-land side of the last expression in (3.6) such that

$\text{Det}(L^M) = E^2 - m^2 - \mathbf{p}^2 = 0$ so as to satisfy the fundamental relationship (3.4) in the determinant view, we have:

$$\begin{pmatrix} E-m & -|\mathbf{p}| \\ -\mathbf{p} & E+m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \tag{3.7}$$

Indeed, expression (3.7) can also be obtained from expression (3.4) through self-reference as follows:

$$0 = E^2 - m^2 - \mathbf{p}^2 = Det \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + Det \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + Det \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} \quad (3.8)$$

Matrixing expression (3.8) by removing determinant sign *Det*, we have:

$$\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} = \begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.9)$$

After fermionic spinization:

$$|\mathbf{p}| = \sqrt{\mathbf{p}^2} = \sqrt{-Det(\boldsymbol{\sigma} \cdot \mathbf{p})} \rightarrow \boldsymbol{\sigma} \cdot \mathbf{p} \quad (3.10)$$

where $\boldsymbol{\sigma} = (\sigma_1, \sigma_2, \sigma_3)$ are Pauli matrices:

$$\sigma_1 = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \quad \sigma_2 = \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix} \quad \sigma_3 = \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix} \quad (3.11)$$

expression (3.7) becomes:

$$\begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M = E - \boldsymbol{\alpha} \cdot \mathbf{p} - \beta m = E - H \quad (3.12)$$

where $\boldsymbol{\alpha} = (\alpha_1, \alpha_2, \alpha_3)$ and β are Dirac matrices and $H = \boldsymbol{\alpha} \cdot \mathbf{p} + \beta m$ is the Dirac Hamiltonian. Expression (3.12) governs fermions in Dirac form such as Dirac electron and positron and we propose that expression (3.7) governs the third state of matter (unspinized or spinless entity/particle) with electric charge e and mass m such as a meson or a meson-like particle. Bosonic Spinization of expression (3.7) $|\mathbf{p}| = \sqrt{\mathbf{p}^2} \rightarrow \mathbf{s} \cdot \mathbf{p}$ shall be discussed later.

If we define:

$$Det_{\sigma} \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} = (E-m)(E+m) - (-\boldsymbol{\sigma} \cdot \mathbf{p})(-\boldsymbol{\sigma} \cdot \mathbf{p}) \quad (3.13)$$

We get:

$$Det_{\sigma} \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} = (E^2 - m^2 - \mathbf{p}^2) I_2 = 0 \quad (3.14)$$

Thus, fundamental relationship (3.4) is also satisfied under the determinant view of expression (3.13). Indeed, we can also obtain the following conventional determinant:

$$Det \begin{pmatrix} E-m & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E+m \end{pmatrix} = (E^2 - m^2 - \mathbf{p}^2)^2 = 0 \quad (3.15)$$

One kind of metamorphosis of expressions (3.6) - (3.14) is respectively as follows:

$$L = 1 = \frac{E^2 - \mathbf{p}^2}{m^2} = \left(\frac{E - |\mathbf{p}|}{-m} \right) \left(\frac{-m}{E + |\mathbf{p}|} \right)^{-1} \quad (3.16)$$

$$\rightarrow \frac{E - |\mathbf{p}|}{-m} = \frac{-m}{E + |\mathbf{p}|} \rightarrow \frac{E - |\mathbf{p}|}{-m} - \frac{-m}{E + |\mathbf{p}|} = 0$$

$$\begin{pmatrix} E - |\mathbf{p}| & -m \\ -m & E + |\mathbf{p}| \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.17)$$

$$0 = E^2 - m^2 - \mathbf{p}^2 = Det \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + Det \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + Det \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} \quad (3.18)$$

$$\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} = \begin{pmatrix} E - |\mathbf{p}| & -m \\ -m & E + |\mathbf{p}| \end{pmatrix} \quad (3.19)$$

$$\begin{pmatrix} E - \sigma \cdot \mathbf{p} & -m \\ -m & E + \sigma \cdot \mathbf{p} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.20)$$

$$Det_{\sigma} \begin{pmatrix} E - \sigma \cdot \mathbf{p} & -m \\ -m & E + \sigma \cdot \mathbf{p} \end{pmatrix} = (E - \sigma \cdot \mathbf{p})(E + \sigma \cdot \mathbf{p}) - (-m)(-m) \quad (3.21)$$

$$Det_{\sigma} \begin{pmatrix} E - \sigma \cdot \mathbf{p} & -m \\ -m & E + \sigma \cdot \mathbf{p} \end{pmatrix} = (E^2 - \mathbf{p}^2 - m^2) I_2 = 0 \quad (3.22)$$

Expression (3.17) is the unspinned Matrix Law in Weyl (chiral) form and it is connected to

expression (3.7) by Hadamard matrix $H = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 & 1 \\ 1 & -1 \end{pmatrix}$:

$$H \begin{pmatrix} E - m & -|\mathbf{p}| \\ -|\mathbf{p}| & E + m \end{pmatrix} H^{-1} = \begin{pmatrix} E - |\mathbf{p}| & -m \\ -m & E + |\mathbf{p}| \end{pmatrix} \quad (3.23)$$

Expression (3.20) is spinned Matrix Law in Weyl (chiral) form and it is connected to expression (3.12) by 4x4 Hadamard matrix:

$$H \begin{pmatrix} E-m & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E+m \end{pmatrix} H^{-1} = \begin{pmatrix} E-\sigma \cdot \mathbf{p} & -m \\ -m & E+\sigma \cdot \mathbf{p} \end{pmatrix} \quad (3.24)$$

Another kind of metamorphosis of expressions (3.6) - (3.14) is respectively as follows:

$$L = 1 = \frac{E^2}{m^2 + \mathbf{p}^2} = \left(\frac{E}{-m+i|\mathbf{p}|} \right) \left(\frac{-m-i|\mathbf{p}|}{E} \right)^{-1} \quad (3.25)$$

$$\rightarrow \frac{E}{-m+i|\mathbf{p}|} = \frac{-m-i|\mathbf{p}|}{E} \rightarrow \frac{E}{-m+i|\mathbf{p}|} - \frac{-m-i|\mathbf{p}|}{E} = 0$$

$$\begin{pmatrix} E & -m-i|\mathbf{p}| \\ -m+i|\mathbf{p}| & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.26)$$

$$0 = E^2 - m^2 - \mathbf{p}^2 = Det \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + Det \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + Det \begin{pmatrix} 0 & -i|\mathbf{p}| \\ i|\mathbf{p}| & 0 \end{pmatrix} \quad (3.27)$$

$$\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + \begin{pmatrix} 0 & -i|\mathbf{p}| \\ i|\mathbf{p}| & 0 \end{pmatrix} = \begin{pmatrix} E & -m-i|\mathbf{p}| \\ -m+i|\mathbf{p}| & E \end{pmatrix} \quad (3.28)$$

$$\begin{pmatrix} E & -m-i\sigma \cdot \mathbf{p} \\ -m+i\sigma \cdot \mathbf{p} & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.29)$$

$$Det_{\sigma} \begin{pmatrix} E & -m-i\sigma \cdot \mathbf{p} \\ -m+i\sigma \cdot \mathbf{p} & E \end{pmatrix} = EE - (-m-i\sigma \cdot \mathbf{p})(-m+i\sigma \cdot \mathbf{p}) \quad (3.30)$$

$$Det_{\sigma} \begin{pmatrix} E & -m-i\sigma \cdot \mathbf{p} \\ -m+i\sigma \cdot \mathbf{p} & E \end{pmatrix} = (E^2 - m^2 - \mathbf{p}^2) I_2 = 0 \quad (3.31)$$

Indeed, $Q = m + i\sigma \cdot \mathbf{p}$ is a quaternion and $Q^* = m - i\sigma \cdot \mathbf{p}$ is its conjugate. So we can rewrite expression (3.29) as:

$$\begin{pmatrix} E & -Q \\ -Q^* & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.32)$$

Expression (3.26) is connected to expression (3.7) by unitary matrix $HS = \frac{1}{\sqrt{2}} \begin{pmatrix} 1 & i \\ 1 & -i \end{pmatrix}$:

$$HS \begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} (HS)^{-1} = \begin{pmatrix} E & -m-i|\mathbf{p}| \\ -m+i|\mathbf{p}| & E \end{pmatrix} \quad (3.33)$$

Similarly, expression (3.12) is connected to expression (3.29) by 4x4 matrix HS :

$$HS \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} (HS)^{-1} = \begin{pmatrix} E & -m-i\boldsymbol{\sigma} \cdot \mathbf{p} \\ -m+i\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \quad (3.34)$$

Yet another kind of metamorphosis of expressions (3.6), (3.7) & (3.12) is respectively as follows:

$$L = \mathbf{1} = \frac{E^2 - m^2}{\mathbf{p}^2} = \begin{pmatrix} E+m \\ -|\mathbf{p}| \end{pmatrix} \begin{pmatrix} -|\mathbf{p}| \\ E-m \end{pmatrix}^{-1} \quad (3.35)$$

$$\rightarrow \frac{E+m}{-|\mathbf{p}|} = \frac{-|\mathbf{p}|}{E-m} \rightarrow \frac{E+m}{-|\mathbf{p}|} - \frac{-|\mathbf{p}|}{E-m} = 0$$

$$\begin{pmatrix} E+m & -|\mathbf{p}| \\ -|\mathbf{p}| & E-m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.36)$$

$$\begin{pmatrix} E+m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E-m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M = E - \boldsymbol{\alpha} \cdot \mathbf{p} + \beta m \quad (3.37)$$

If $m=0$, we have from expressions (3.6) - (3.14):

$$L = \mathbf{1} = \frac{E^2}{\mathbf{p}^2} = \begin{pmatrix} E \\ -|\mathbf{p}| \end{pmatrix} \begin{pmatrix} -|\mathbf{p}| \\ E \end{pmatrix}^{-1} \quad (3.38)$$

$$\rightarrow \frac{E}{-|\mathbf{p}|} = \frac{-|\mathbf{p}|}{E} \rightarrow \frac{E}{-|\mathbf{p}|} - \frac{-|\mathbf{p}|}{E} = 0$$

$$\begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.39)$$

$$0 = E^2 - \mathbf{p}^2 = Det \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + Det \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} \quad (3.40)$$

$$\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} = \begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \quad (3.41)$$

After fermionic spinization $|\mathbf{p}| \rightarrow \boldsymbol{\sigma} \cdot \mathbf{p}$, expression (3.39) becomes:

$$\begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.42)$$

which governs massless fermion (neutrino) in Dirac form.

After bosonic spinization:

$$|\mathbf{p}| = \sqrt{\mathbf{p}^2} = \sqrt{-(\text{Det}(\mathbf{s} \cdot \mathbf{p} + I_3) - \text{Det}(I_3))} \rightarrow \mathbf{s} \cdot \mathbf{p} \quad (3.43)$$

expression (3.39) becomes:

$$\begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.44)$$

where $\mathbf{s} = (s_1, s_2, s_3)$ are spin operators for spin 1 particle:

$$s_1 = \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & -i \\ 0 & i & 0 \end{pmatrix} \quad s_2 = \begin{pmatrix} 0 & 0 & i \\ 0 & 0 & 0 \\ -i & 0 & 0 \end{pmatrix} \quad s_3 = \begin{pmatrix} 0 & -i & 0 \\ i & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} \quad (3.45)$$

If we define:

$$\text{Det}_s \begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} = (E)(E) - (-\mathbf{s} \cdot \mathbf{p})(-\mathbf{s} \cdot \mathbf{p}) \quad (3.46)$$

We get:

$$\text{Det}_s \begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} = (E^2 - \mathbf{p}^2) I_3 - \begin{pmatrix} p_x^2 & p_x p_y & p_x p_z \\ p_y p_x & p_y^2 & p_y p_z \\ p_z p_x & p_z p_y & p_z^2 \end{pmatrix} \quad (3.47)$$

To obey fundamental relationship (3.4) in determinant view (3.46), we shall require the last term in (3.47) acting on the external and internal wave functions respectively to produce null result (zero) in source-free zone as discussed later. We propose that expression (3.39)

governs massless particle with unobservable spin (spinless). After bosonic spinization, the spinless and massless particle gains its spin 1.

Another kind of metamorphosis of expressions (3.18) - (3.22) when $m=0$ is respectively as follows:

$$0 = E^2 - \mathbf{p}^2 = Det \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + Det \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} \quad (3.48)$$

$$\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} = \begin{pmatrix} E-|\mathbf{p}| & 0 \\ 0 & E+|\mathbf{p}| \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.49)$$

$$\begin{pmatrix} E-\boldsymbol{\sigma}\cdot\mathbf{p} & 0 \\ 0 & E+\boldsymbol{\sigma}\cdot\mathbf{p} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.50)$$

$$\begin{pmatrix} E-\mathbf{s}\cdot\mathbf{p} & 0 \\ 0 & E+\mathbf{s}\cdot\mathbf{p} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.51)$$

$$Det_s \begin{pmatrix} E-\mathbf{s}\cdot\mathbf{p} & 0 \\ 0 & E+\mathbf{s}\cdot\mathbf{p} \end{pmatrix} = (E-\mathbf{s}\cdot\mathbf{p})(E+\mathbf{s}\cdot\mathbf{p}) \quad (3.52)$$

$$Det_s \begin{pmatrix} E-\mathbf{s}\cdot\mathbf{p} & 0 \\ 0 & E+\mathbf{s}\cdot\mathbf{p} \end{pmatrix} = (E^2 - \mathbf{p}^2) I_3 - \begin{pmatrix} p_x^2 & p_x p_y & p_x p_z \\ p_y p_x & p_y^2 & p_y p_z \\ p_z p_x & p_z p_y & p_z^2 \end{pmatrix} \quad (3.53)$$

Again, we shall require the last term in expression (3.53) acting on external and internal wave functions respectively to produce null result (zero) in source-free zone in order to satisfy fundamental relationship (3.4) in the determinant view (3.52) as further discussed later.

Importantly, if $E=0$, we have from expression (3.4):

$$-m^2 - \mathbf{p}^2 = 0 \quad (3.54)$$

Thus, if GOD allows timeless forms of Matrix Law, we can derive, for example, from (3.7) and (3.17) the following:

$$\begin{pmatrix} -m & -|\mathbf{p}| \\ -|\mathbf{p}| & +m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.55)$$

$$\begin{pmatrix} -|\mathbf{p}| & -m \\ -m & +|\mathbf{p}| \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.56)$$

The above forms further degenerate, if $m=0$, as in the case of a massless particle.

Further, if $|\mathbf{p}|=0$, we have from expression (3.4):

$$E^2 - m^2 = 0 \quad (3.57)$$

Thus, if GOD allows spaceless forms of Matrix Law, we can derive, for example, from (3.7) and (3.17) the following:

$$\begin{pmatrix} E-m & 0 \\ 0 & E+m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.58)$$

$$\begin{pmatrix} E & -m \\ -m & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.59)$$

The significance of these forms of Matrix Law shall be elucidated later. We suggest for now that the timeless forms of Matrix Law govern external and internal wave functions (self-fields) which play the roles of timeless gravitons, that is, they mediate time-independent interactions through space (momentum) quantum entanglement. On the other hand, the spaceless forms of Matrix Law govern the external and internal wave functions (self-fields) which play the roles of spaceless gravitons, that is, they mediate space (distance) independent interactions through proper time (mass) entanglement.

The above metamorphoses of GOD's self-referential Matrix Law are derived from one-tier matrixization (self-reference) and two-tier matrixization (self-reference) based on the fundamental relationship (3.4). The first-tier matrixization makes distinctions in time (energy), proper time (mass) and undifferentiated space (total momentum) that involve scalar unit 1 and imaginary unit (spin) i . Then the second-tier matrixization makes distinction in three-dimensional space (three-dimensional momentum) based on spin σ , s or other spin structure if it exists.

3.3 Additional Forms of Matrix Law

If GOD allows partial distinction within first-tier self-referential matrixization, we obtain, for example, the following additional forms of Matrix Law $(L_{M,e} \quad L_{M,i}) = L_M$:

$$\begin{pmatrix} \sqrt{E^2 - m^2} & -|\mathbf{p}| \\ -|\mathbf{p}| & \sqrt{E^2 - m^2} \end{pmatrix} \quad (3.60) \quad \begin{pmatrix} \sqrt{E^2 - m^2} & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & \sqrt{E^2 - m^2} \end{pmatrix} \quad (3.61)$$

$$\begin{pmatrix} \sqrt{E^2 - m^2} - |\mathbf{p}| & 0 \\ 0 & \sqrt{E^2 - m^2} + |\mathbf{p}| \end{pmatrix} \quad (3.62) \quad \begin{pmatrix} \sqrt{E^2 - m^2} - \boldsymbol{\sigma} \cdot \mathbf{p} & 0 \\ 0 & \sqrt{E^2 - m^2} + \boldsymbol{\sigma} \cdot \mathbf{p} \end{pmatrix} \quad (3.63)$$

$$\begin{pmatrix} \sqrt{E^2 - \mathbf{p}^2} & -m \\ -m & \sqrt{E^2 - \mathbf{p}^2} \end{pmatrix} \quad (3.64) \quad \begin{pmatrix} \sqrt{E^2 - \mathbf{p}^2} - m & 0 \\ 0 & \sqrt{E^2 - \mathbf{p}^2} + m \end{pmatrix} \quad (3.65)$$

$$\begin{pmatrix} E & -\sqrt{m^2 + \mathbf{p}^2} \\ \sqrt{m^2 + \mathbf{p}^2} & E \end{pmatrix} \quad (3.66) \quad \begin{pmatrix} E - \sqrt{m^2 + \mathbf{p}^2} & 0 \\ 0 & E + \sqrt{m^2 + \mathbf{p}^2} \end{pmatrix} \quad (3.67)$$

$$\begin{pmatrix} \sqrt{E^2 - m^2 - \mathbf{p}^2} & 0 \\ 0 & \sqrt{E^2 - m^2 - \mathbf{p}^2} \end{pmatrix} \quad (3.68)$$

Bosonic versions of expressions (3.61) and (3.63) are obtained by replacing $\boldsymbol{\sigma}$ with \mathbf{S} .

If GOD creates spatial self-confinement of an elementary entity through imaginary momentum \mathbf{p}_i (downward self-reference such that $m^2 > E^2$) we have:

$$m^2 - E^2 = -\mathbf{p}_i^2 = -p_{i,1}^2 - p_{i,2}^2 - p_{i,3}^2 = (i\mathbf{p}_i)^2 = -\text{Det}(\boldsymbol{\sigma} \cdot i\mathbf{p}_i) \quad (3.69)$$

that is:

$$E^2 - m^2 - \mathbf{p}_i^2 = 0 \quad (3.70)$$

Therefore, allowing imaginary momentum (downward self-reference) for an elementary entity, we can derive the following Matrix Law in Dirac-like form:

$$\begin{pmatrix} E - m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E + m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.71)$$

$$\begin{pmatrix} -m & -\boldsymbol{\sigma} \cdot \mathbf{p}_i \\ -\boldsymbol{\sigma} \cdot \mathbf{p}_i & +m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.72)$$

Also, we can derive the following Matrix Law in Weyl-like (chiral-like) form:

$$\begin{pmatrix} E - |\mathbf{p}_i| & -m \\ -m & +|\mathbf{p}_i| \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.73)$$

$$\begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p}_i & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p}_i \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.74)$$

Bosonic versions of expressions (3.72) and (3.74) are obtained by replacing σ with \mathbf{s} . It is likely that the above additional forms of self-referential Matrix Law govern different particles in the particle zoo as discussed later.

3.4 Scientific Genesis of Primordial Entities (Elementary Particles)

Therefore, GOD creates, sustains and causes evolution of a free plane-wave fermion such as an electron in Dirac form as follows:

$$\begin{aligned}
 1 &= e^h = e^{i0} = 1e^{i0} = Le^{-iM+iM} = \frac{E^2 - m^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \\
 &\left(\frac{E-m}{-\mathbf{p}} \right) \left(\frac{-|\mathbf{p}|}{E+m} \right)^{-1} \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1} \rightarrow \\
 \frac{E-m}{-\mathbf{p}} e^{-ip^\mu x_\mu} &= \frac{-|\mathbf{p}|}{E+m} e^{-ip^\mu x_\mu} \rightarrow \frac{E-m}{-\mathbf{p}} e^{-ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E+m} e^{-ip^\mu x_\mu} = 0 \\
 \rightarrow \begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} &= \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 \\
 \rightarrow \begin{pmatrix} E-m & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} A_{e,+} e^{-ip^\mu x_\mu} \\ A_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} &= \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0
 \end{aligned}
 \tag{3.75}$$

that is:

$$\begin{pmatrix} (E-m)\psi_{e,+} = \sigma \cdot \mathbf{p} \psi_{i,-} \\ (E+m)\psi_{i,-} = \sigma \cdot \mathbf{p} \psi_{e,+} \end{pmatrix} \text{ or } \begin{pmatrix} i\partial_t \psi_{e,+} - m\psi_{e,+} = -i\sigma \cdot \nabla \psi_{i,-} \\ i\partial_t \psi_{i,-} + m\psi_{i,-} = -i\sigma \cdot \nabla \psi_{e,+} \end{pmatrix}
 \tag{3.76}$$

where substitutions $E \rightarrow i\partial_t$ and $\mathbf{p} \rightarrow -i\nabla$ have been made so that components of L_M can act on external and internal wave functions. Equation (3.76) also has free spherical wave solution in the form:

$$\psi = \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix}
 \tag{3.77}$$

Alternatively, GOD creates, sustains and causes evolution of a free plane-wave fermion

such as the electron in Dirac form as follows:

$$\begin{aligned}
 0 &= 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (E^2 - m^2 - \mathbf{p}^2) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \quad (3.78) \\
 &\left(\text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} \right) \begin{pmatrix} e^{-ip^\mu x_\mu} \\ e^{-ip^\mu x_\mu} \end{pmatrix}^{-1} \rightarrow \\
 &\left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} \right) \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = 0 \\
 &\rightarrow \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} A_{e,+} e^{-ip^\mu x_\mu} \\ A_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0
 \end{aligned}$$

GOD creates, sustains and causes evolution of a free plane-wave antifermion such as a positron in Dirac form as follows:

$$\begin{aligned}
 1 &= e^h = e^{i0} = 1e^{i0} = L e^{+iM-iM} = \frac{E^2 - m^2}{\mathbf{p}^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \quad (3.79) \\
 &\left(\frac{E-m}{-|\mathbf{p}|} \right) \left(\frac{-|\mathbf{p}|}{E+m} \right)^{-1} \begin{pmatrix} e^{+ip^\mu x_\mu} \\ e^{+ip^\mu x_\mu} \end{pmatrix}^{-1} \rightarrow \\
 &\frac{E-m}{-|\mathbf{p}|} e^{+ip^\mu x_\mu} = \frac{-|\mathbf{p}|}{E+m} e^{+ip^\mu x_\mu} \rightarrow \frac{E-m}{-|\mathbf{p}|} e^{+ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E+m} e^{+ip^\mu x_\mu} = 0 \\
 &\rightarrow \begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} a_{e,-} e^{+ip^\mu x_\mu} \\ a_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \\
 &\rightarrow \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} A_{e,-} e^{+ip^\mu x_\mu} \\ A_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0
 \end{aligned}$$

or

$$0 = 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (E^2 - m^2 - \mathbf{p}^2) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \quad (3.80)$$

$$\begin{aligned} & \left(\text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} \right) \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \rightarrow \\ & \left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} \right) \begin{pmatrix} a_{e,-} e^{+ip^\mu x_\mu} \\ a_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} a_{e,-} e^{+ip^\mu x_\mu} \\ a_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} = 0 \\ & \rightarrow \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} A_{e,-} e^{+ip^\mu x_\mu} \\ A_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \end{aligned}$$

Similarly, GOD creates, sustains and causes evolution of a free plane-wave fermion in Weyl (chiral) form as follows:

$$1 = e^h = e^{i0} = 1e^{i0} = L e^{-iM+iM} = \frac{E^2 - \mathbf{p}^2}{m^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \tag{3.81}$$

$$\left(\frac{E-|\mathbf{p}|}{-m} \right) \left(\frac{-m}{E+|\mathbf{p}|} \right)^{-1} \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1} \rightarrow$$

$$\frac{E-|\mathbf{p}|}{-m} e^{-ip^\mu x_\mu} = \frac{-m}{E+|\mathbf{p}|} e^{-ip^\mu x_\mu} \rightarrow \frac{E-|\mathbf{p}|}{-m} e^{-ip^\mu x_\mu} - \frac{-m}{E+|\mathbf{p}|} e^{-ip^\mu x_\mu} = 0$$

$$\rightarrow \begin{pmatrix} E-|\mathbf{p}| & -m \\ -m & E+|\mathbf{p}| \end{pmatrix} \begin{pmatrix} a_{e,l} e^{-ip^\mu x_\mu} \\ a_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0$$

$$\rightarrow \begin{pmatrix} E-\boldsymbol{\sigma} \cdot \mathbf{p} & -m \\ -m & E+\boldsymbol{\sigma} \cdot \mathbf{p} \end{pmatrix} \begin{pmatrix} A_{e,l} e^{-ip^\mu x_\mu} \\ A_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0$$

that is:

$$\begin{pmatrix} (E - \boldsymbol{\sigma} \cdot \mathbf{p}) \psi_{e,l} = m \psi_{i,r} \\ (E + \boldsymbol{\sigma} \cdot \mathbf{p}) \psi_{i,r} = m \psi_{e,l} \end{pmatrix} \quad \text{or} \quad \begin{pmatrix} i\partial_t \psi_{e,l} + i\boldsymbol{\sigma} \cdot \nabla \psi_{e,l} = m \psi_{i,r} \\ i\partial_t \psi_{i,r} - i\boldsymbol{\sigma} \cdot \nabla \psi_{i,r} = m \psi_{e,l} \end{pmatrix} \tag{3.82}$$

Alternatively, GOD creates, sustains and causes evolution of a free plane-wave fermion in Weyl (chiral) form as follows:

$$\begin{aligned}
 0 &= 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (E^2 - m^2 - \mathbf{p}^2) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = & (3.83) \\
 & \left(\text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + \text{Det} \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} \right) \begin{pmatrix} e^{-ip^\mu x_\mu} \\ e^{-ip^\mu x_\mu} \end{pmatrix}^{-1} \rightarrow \\
 & \left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} \right) \begin{pmatrix} a_{e,l} e^{-ip^\mu x_\mu} \\ a_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} E-|\mathbf{p}| & -m \\ -m & E+|\mathbf{p}| \end{pmatrix} \begin{pmatrix} a_{e,l} e^{-ip^\mu x_\mu} \\ a_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = 0 \\
 & \rightarrow \begin{pmatrix} E-\boldsymbol{\sigma}\cdot\mathbf{p} & -m \\ -m & E+\boldsymbol{\sigma}\cdot\mathbf{p} \end{pmatrix} \begin{pmatrix} A_{e,l} e^{-ip^\mu x_\mu} \\ A_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0
 \end{aligned}$$

GOD creates, sustains and causes evolution of a free plane-wave fermion in another form as follows:

$$\begin{aligned}
 1 &= e^h = e^{i0} = 1e^{i0} = L e^{-iM+iM} = \frac{E^2}{m^2 + \mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} = & (3.84) \\
 & \left(\frac{E}{-m+i\varepsilon|\mathbf{p}|} \right) \left(\frac{-m-i|\mathbf{p}|}{E} \right)^{-1} \begin{pmatrix} e^{-ip^\mu x_\mu} \\ e^{-ip^\mu x_\mu} \end{pmatrix}^{-1} \rightarrow \frac{E}{-m+i|\mathbf{p}|} e^{-ip^\mu x_\mu} = \\
 & \frac{-m-i|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} \rightarrow \frac{E}{-m+i|\mathbf{p}|} e^{-ip^\mu x_\mu} - \frac{-m-i|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} = 0 \\
 & \rightarrow \begin{pmatrix} E & -m-i|\mathbf{p}| \\ -m+i|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} a_e e^{-ip^\mu x_\mu} \\ a_i e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0 \\
 & \rightarrow \begin{pmatrix} E & -m-i\boldsymbol{\sigma}\cdot\mathbf{p} \\ -m+i\boldsymbol{\sigma}\cdot\mathbf{p} & E \end{pmatrix} \begin{pmatrix} A_e e^{-ip^\mu x_\mu} \\ A_i e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0 \\
 & \rightarrow \begin{pmatrix} E & -Q \\ -Q^* & E \end{pmatrix} \begin{pmatrix} A_e e^{-ip^\mu x_\mu} \\ A_i e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0
 \end{aligned}$$

that is:

$$\begin{pmatrix} E\psi_e = (m + i\boldsymbol{\sigma} \cdot \mathbf{p})\psi_i \\ E\psi_i = (m - i\boldsymbol{\sigma} \cdot \mathbf{p})\psi_e \end{pmatrix} \quad \text{or} \quad \begin{pmatrix} i\partial_t \psi_e = m\psi_i + \boldsymbol{\sigma} \cdot \nabla \psi_i \\ i\partial_t \psi_i = m\psi_e - \boldsymbol{\sigma} \cdot \nabla \psi_i \end{pmatrix} \quad (3.85)$$

Alternatively, GOD creates, sustains and causes evolution of a free plane-wave fermion in another form as follows:

$$\begin{aligned} 0 = 0e^h = 0e^{i0} = L_0 e^{-iM+iM} &= (E^2 - m^2 - \mathbf{p}^2) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \\ & \left(\text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -i|\mathbf{p}| \\ i|\mathbf{p}| & 0 \end{pmatrix} \right) \begin{pmatrix} e^{-ip^\mu x_\mu} \\ e^{-ip^\mu x_\mu} \end{pmatrix}^{-1} \rightarrow \\ & \left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + \begin{pmatrix} 0 & -i|\mathbf{p}| \\ i|\mathbf{p}| & 0 \end{pmatrix} \right) \begin{pmatrix} a_e e^{-ip^\mu x_\mu} \\ a_i e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} E & -m - i|\mathbf{p}| \\ -m + i|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} a_e e^{-ip^\mu x_\mu} \\ a_i e^{-ip^\mu x_\mu} \end{pmatrix} = 0 \\ & \rightarrow \begin{pmatrix} E & -m - i\boldsymbol{\sigma} \cdot \mathbf{p} \\ -m + i\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} A_e e^{-ip^\mu x_\mu} \\ A_i e^{-ip^\mu x_\mu} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0 \\ & \rightarrow \begin{pmatrix} E & -Q \\ -Q^* & E \end{pmatrix} \begin{pmatrix} A_e e^{-ip^\mu x_\mu} \\ A_i e^{-ip^\mu x_\mu} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0 \end{aligned} \quad (3.86)$$

GOD creates, sustains and causes evolution of a linear plane-wave photon as follows:

$$1 = e^h = e^{i0} = 1e^{i0} = L e^{-iM+iM} = \frac{E^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \quad (3.87)$$

$$\begin{aligned} & \left(\frac{E}{-|\mathbf{p}|} \right) \left(\frac{-|\mathbf{p}|}{E} \right)^{-1} \begin{pmatrix} e^{-ip^\mu x_\mu} \\ e^{-ip^\mu x_\mu} \end{pmatrix}^{-1} \rightarrow \\ & \frac{E}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} = \frac{-|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} \rightarrow \frac{E}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} = 0 \end{aligned}$$

$$\rightarrow \begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0$$

$$\rightarrow \begin{pmatrix} E & -\mathbf{s}\cdot\mathbf{p} \\ -\mathbf{s}\cdot\mathbf{p} & E \end{pmatrix} \begin{pmatrix} \mathbf{E}_{0e,+} e^{-ip^\mu x_\mu} \\ i\mathbf{B}_{0i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi_{photon} = 0$$

Alternatively, GOD creates, sustains and causes evolution of the linear plane-wave photon as follows:

$$0 = 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (E^2 - \mathbf{p}^2) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \quad (3.88)$$

$$\left(\text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} \right) \begin{pmatrix} e^{-ip^\mu x_\mu} \\ e^{-ip^\mu x_\mu} \end{pmatrix}^{-1} \rightarrow$$

$$\left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} \right) \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = 0$$

$$\rightarrow \begin{pmatrix} E & -\mathbf{s}\cdot\mathbf{p} \\ -\mathbf{s}\cdot\mathbf{p} & E \end{pmatrix} \begin{pmatrix} \mathbf{E}_{0e,+} e^{-ip^\mu x_\mu} \\ i\mathbf{B}_{0i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi_{photon} = 0$$

This photon wave function can be written as:

$$\psi_{photon} = \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = \begin{pmatrix} \mathbf{E} \\ i\mathbf{B} \end{pmatrix} = \begin{pmatrix} \mathbf{E}_0 e^{-i(\omega t - \mathbf{k}\cdot\mathbf{x})} \\ i\mathbf{B}_0 e^{-i(\omega t - \mathbf{k}\cdot\mathbf{x})} \end{pmatrix} = \begin{pmatrix} \mathbf{E}_0 \\ i\mathbf{B}_0 \end{pmatrix} e^{-i(\omega t - \mathbf{k}\cdot\mathbf{x})} \quad (3.89)$$

After the substitutions $E \rightarrow i\partial_t$ and $\mathbf{p} \rightarrow -i\nabla$, we have from the last expression in (3.87):

$$\begin{pmatrix} i\partial_t & i\mathbf{S}\cdot\nabla \\ i\mathbf{S}\cdot\nabla & i\partial_t \end{pmatrix} \begin{pmatrix} \mathbf{E} \\ i\mathbf{B} \end{pmatrix} = 0 \rightarrow \begin{pmatrix} \partial_t \mathbf{E} = \nabla \times \mathbf{B} \\ \partial_t \mathbf{B} = -\nabla \times \mathbf{E} \end{pmatrix} \quad (3.90)$$

where we have used the relationship $\mathbf{S}\cdot(-i\nabla) = \nabla \times$ to derive the latter equations which together with $\nabla \cdot \mathbf{E} = 0$ and $\nabla \cdot \mathbf{B} = 0$ are the Maxwell equations in the source-free vacuum.

GOD creates a neutrino in Dirac form, if GOD does, by replacing the last step of expression (3.87) with the following:

$$\rightarrow \begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 \quad (3.91)$$

GOD creates, sustains and causes evolution of a linear plane-wave antiphoton as follows:

$$1 = e^h = e^{i0} = 1e^{i0} = Le^{-iM+iM} = \frac{E^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \quad (3.92)$$

$$\left(\frac{E}{-\mathbf{p}} \right) \left(\frac{-\mathbf{p}}{E} \right)^{-1} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \rightarrow$$

$$\frac{E}{-\mathbf{p}} e^{+ip^\mu x_\mu} = \frac{-\mathbf{p}}{E} e^{+ip^\mu x_\mu} \rightarrow \frac{E}{-\mathbf{p}} e^{+ip^\mu x_\mu} - \frac{-\mathbf{p}}{E} e^{+ip^\mu x_\mu} = 0$$

$$\rightarrow \begin{pmatrix} E & -\mathbf{p} \\ -\mathbf{p} & E \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0$$

$$\rightarrow \begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} i\mathbf{B}_{0e,-} e^{+ip^\mu x_\mu} \\ \mathbf{E}_{0i,+} e^{+ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi_{antiphoton} = 0$$

This antiphoton wave function can also be written as:

$$\psi_{antiphoton} = \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = \begin{pmatrix} i\mathbf{B} \\ \mathbf{E} \end{pmatrix} = \begin{pmatrix} i\mathbf{B}_0 e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \\ \mathbf{E}_0 e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \end{pmatrix} = \begin{pmatrix} i\mathbf{B}_0 \\ \mathbf{E}_0 \end{pmatrix} e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \quad (3.93)$$

GOD creates an antineutrino in Dirac form, if GOD does, by replacing the last step of expression (3.93) with the following:

$$\rightarrow \begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} a_{e,-} e^{+ip^\mu x_\mu} \\ a_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \quad (3.94)$$

GOD creates, sustains and causes evolution of chiral plane-wave photons as follows:

$$0 = 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (E^2 - \mathbf{p}^2) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \quad (3.95)$$

$$\left(\text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} \right) \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1} \rightarrow$$

$$\left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} \right) \begin{pmatrix} a_{e,l} e^{-ip^\mu x_\mu} \\ a_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} E-|\mathbf{p}| & 0 \\ 0 & E+|\mathbf{p}| \end{pmatrix} \begin{pmatrix} a_{e,l} e^{-ip^\mu x_\mu} \\ a_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = 0$$

$$\rightarrow \begin{pmatrix} E-\mathbf{s}\cdot\mathbf{p} & 0 \\ 0 & E+\mathbf{s}\cdot\mathbf{p} \end{pmatrix} \begin{pmatrix} A_{e,l} e^{-ip^\mu x_\mu} \\ A_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0$$

that is, $\psi_{e,l}$ and $\psi_{i,r}$ are decoupled from each other and satisfy the following equations respectively:

$$\begin{pmatrix} (E - \mathbf{s}\cdot\mathbf{p})\psi_{e,l} = 0 \\ (E + \mathbf{s}\cdot\mathbf{p})\psi_{i,r} = 0 \end{pmatrix} \quad \text{or} \quad \begin{pmatrix} \partial_t \psi_{e,l} + \mathbf{s}\cdot\nabla \psi_{e,l} = 0 \\ \partial_t \psi_{i,r} - \mathbf{s}\cdot\nabla \psi_{i,r} = 0 \end{pmatrix} \quad (3.96)$$

which have the following respective solutions:

$$\psi = \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = \begin{pmatrix} \mathbf{E} + i\mathbf{B} \\ \mathbf{E} - i\mathbf{B} \end{pmatrix} = \begin{pmatrix} \mathbf{E}_0 + i\mathbf{B}_0 \\ \mathbf{E}_0 - i\mathbf{B}_0 \end{pmatrix} e^{i(\omega t - \mathbf{k}\cdot\mathbf{x})} \quad (3.97)$$

Both $\partial_t \psi_{e,l} + \mathbf{s}\cdot\nabla \psi_{e,l} = 0$ and $\partial_t \psi_{i,r} - \mathbf{s}\cdot\nabla \psi_{i,r} = 0$ produce the Maxwell equation in the source-free vacuum as shown in the second expression of (3.90).

GOD creates neutrinos in Weyl (chiral) forms, if GOD does, by replacing the last step of expression (3.95) with the following:

$$\rightarrow \begin{pmatrix} E-\sigma\cdot\mathbf{p} & 0 \\ 0 & E+\sigma\cdot\mathbf{p} \end{pmatrix} \begin{pmatrix} A_{e,l} e^{-ip^\mu x_\mu} \\ A_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0 \quad (3.98)$$

that is, $\psi_{e,l}$ and $\psi_{i,r}$ are decoupled from each other and satisfy the following equations respectively:

$$\begin{pmatrix} (E - \sigma\cdot\mathbf{p})\psi_{e,l} = 0 \\ (E + \sigma\cdot\mathbf{p})\psi_{i,r} = 0 \end{pmatrix} \quad \text{or} \quad \begin{pmatrix} \partial_t \psi_{e,l} + \sigma\cdot\nabla \psi_{e,l} = 0 \\ \partial_t \psi_{i,r} - \sigma\cdot\nabla \psi_{i,r} = 0 \end{pmatrix} \quad (3.99)$$

GOD likely creates and sustains timeless (instantaneous) external and internal wave functions (timeless graviton) of a mass m in Dirac form as follows:

$$1 = e^h = e^{i0} = 1e^{i0} = Le^{-iM+iM} = \frac{-m^2}{\mathbf{p}^2} e^{-iM+iM} = \quad (3.100)$$

$$\left(\frac{-m}{-\mathbf{p}}\right)\left(\frac{-|\mathbf{p}|}{+m}\right)^{-1} (e^{-iM})(e^{-iM})^{-1} \rightarrow$$

$$\frac{-m}{-\mathbf{p}} e^{-iM} = \frac{-|\mathbf{p}|}{+m} e^{-iM} \rightarrow \frac{-m}{-\mathbf{p}} e^{-iM} - \frac{-|\mathbf{p}|}{+m} e^{-iM} = 0$$

$$\rightarrow \begin{pmatrix} -m & -|\mathbf{p}| \\ -\mathbf{p} & +m \end{pmatrix} \begin{pmatrix} g_{D,e} e^{-iM} \\ g_{D,i} e^{-iM} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = L_M V_D = 0$$

We will determine the form of imaginary content M in expression (3.100) later.

Alternatively, GOD likely creates and sustains timeless (instantaneous) external and internal wave functions (timeless graviton) of a mass m in Dirac form as follows:

$$0 = 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (m^2 - \mathbf{p}^2) e^{-iM+iM} = \quad (3.101)$$

$$\left(\text{Det} \begin{pmatrix} -m & 0 \\ 0 & +m \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -|\mathbf{p}| \\ -\mathbf{p} & 0 \end{pmatrix} \right) (e^{-iM})(e^{-iM})^{-1} \rightarrow$$

$$\left(\begin{pmatrix} -m & 0 \\ 0 & +m \end{pmatrix} + \begin{pmatrix} 0 & -|\mathbf{p}| \\ -\mathbf{p} & 0 \end{pmatrix} \right) \begin{pmatrix} g_{D,e} e^{-iM} \\ g_{D,i} e^{-iM} \end{pmatrix} = \begin{pmatrix} -m & -|\mathbf{p}| \\ -\mathbf{p} & +m \end{pmatrix} \begin{pmatrix} g_{D,e} e^{-iM} \\ g_{D,i} e^{-iM} \end{pmatrix} = 0$$

Similarly, GOD likely creates and sustains timeless (instantaneous) external and internal wave functions (timeless graviton) of a mass m in Weyl (chiral) form as follows:

$$1 = e^h = e^{i0} = 1e^{i0} = Le^{-iM+iM} = \frac{-m^2}{\mathbf{p}^2} e^{-iM+iM} = \quad (3.102)$$

$$\left(\frac{-|\mathbf{p}|}{-m}\right)\left(\frac{-m}{+\mathbf{p}}\right)^{-1} (e^{-iM})(e^{-iM})^{-1} \rightarrow$$

$$\frac{-|\mathbf{p}|}{-m} e^{-iM} = \frac{-m}{+\mathbf{p}} e^{-iM} \rightarrow \frac{-|\mathbf{p}|}{-m} e^{-iM} - \frac{-m}{+\mathbf{p}} e^{-iM} = 0$$

$$\rightarrow \begin{pmatrix} -|\mathbf{p}| & -m \\ -m & +|\mathbf{p}| \end{pmatrix} \begin{pmatrix} g_{W,e} e^{-iM} \\ g_{W,i} e^{-iM} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = L_M V_W = 0$$

Again, we will determine the form of the imaginary content M in expression (3.102) later.

Alternatively, GOD likely creates and sustains timeless (instantaneous) external and internal wave functions (timeless graviton) of a mass m in Weyl (chiral) form as follows:

$$0 = 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (m^2 - \mathbf{p}^2) e^{-iM+iM} = \quad (3.103)$$

$$\left(\text{Det} \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & +|\mathbf{p}| \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} \right) (e^{-iM}) (e^{-iM})^{-1} \rightarrow$$

$$\left(\begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & +|\mathbf{p}| \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} \right) \begin{pmatrix} g_{W,e} e^{-iM} \\ g_{W,i} e^{-iM} \end{pmatrix} = \begin{pmatrix} -m & -|\mathbf{p}| \\ -|\mathbf{p}| & +m \end{pmatrix} \begin{pmatrix} g_{W,e} e^{-iM} \\ g_{W,i} e^{-iM} \end{pmatrix} = 0$$

GOD likely creates and sustains spaceless (space/distance independent) external and internal wave functions of a mass m in Dirac form as follows:

$$0 = 0e^h = 0e^0 = L_0 e^{-iM+iM} = (E^2 - m^2) e^{-imt+imt} = \quad (3.104)$$

$$\left(\text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} -m & 0 \\ 0 & +m \end{pmatrix} \right) (e^{-imt}) (e^{-imt})^{-1} \rightarrow$$

$$\left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -m & 0 \\ 0 & +m \end{pmatrix} \right) \begin{pmatrix} g_{D,e} e^{-imt} \\ g_{D,i} e^{-imt} \end{pmatrix} = \begin{pmatrix} E-m & 0 \\ 0 & E+m \end{pmatrix} \begin{pmatrix} g_{D,e} e^{-imt} \\ g_{D,i} e^{-imt} \end{pmatrix} = 0$$

Similarly, GOD likely creates and sustains spaceless (space/distance independent) external and internal wave functions of a mass m in Weyl (chiral) form as follows:

$$1 = e^h = e^0 = 1e^0 = L e^{-iM+iM} = \frac{E^2}{m^2} e^{-imt+imt} = \quad (3.105)$$

$$\left(\frac{E}{-m} \right) \left(\frac{-m}{E} \right)^{-1} (e^{-imt}) (e^{-imt})^{-1} \rightarrow$$

$$\frac{E}{-m} e^{-imt} = \frac{-m}{E} e^{-imt} \rightarrow \frac{E}{-m} e^{-imt} - \frac{-m}{E} e^{-imt} = 0$$

$$\rightarrow \begin{pmatrix} E & -m \\ -m & E \end{pmatrix} \begin{pmatrix} g_{W,e} e^{-imt} \\ g_{W,i} e^{-imt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = L_M V_W = 0$$

Alternatively, GOD likely creates and sustains spaceless (space/distance independent) external and internal wave functions of a mass m in Weyl (chiral) form as follows:

$$0 = 0e^h = 0e^{i0} = L_0 e^{-iM+iM} = (E^2 - m^2) e^{-imt+imt} = \quad (3.106)$$

$$\left(\text{Det} \begin{pmatrix} -E & 0 \\ 0 & +E \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} \right) (e^{-imt}) (e^{-imt})^{-1} \rightarrow$$

$$\left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} \right) \begin{pmatrix} g_{W,e} e^{-imt} \\ g_{W,i} e^{-imt} \end{pmatrix} = \begin{pmatrix} E & -m \\ -m & E \end{pmatrix} \begin{pmatrix} g_{W,e} e^{-imt} \\ g_{W,i} e^{-imt} \end{pmatrix} = 0$$

GOD likely creates, sustains and causes evolution of a spatially self-confined entity such as a proton through imaginary momentum \mathbf{p}_i (downward self-reference such that $m^2 > E^2$) in Dirac form as follows:

$$1 = e^h = e^{i0} = 1e^{i0} = L e^{+iM-iM} = \frac{E^2 - m^2}{\mathbf{p}_i^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \quad (3.107)$$

$$\left(\frac{E-m}{-|\mathbf{p}_i|} \right) \left(\frac{-|\mathbf{p}_i|}{E+m} \right)^{-1} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \rightarrow$$

$$\frac{E-m}{-|\mathbf{p}_i|} e^{+ip^\mu x_\mu} = \frac{-|\mathbf{p}_i|}{E+m} e^{+ip^\mu x_\mu} \rightarrow \frac{E-m}{-|\mathbf{p}_i|} e^{+ip^\mu x_\mu} - \frac{-|\mathbf{p}_i|}{E+m} e^{+ip^\mu x_\mu} = 0$$

$$\rightarrow \begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \quad (3.108)$$

After spinization of expression (3.108), we have:

$$\rightarrow \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p}_i \\ -\boldsymbol{\sigma} \cdot \mathbf{p}_i & E+m \end{pmatrix} \begin{pmatrix} S_{e,-} e^{+iEt} \\ S_{i,+} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \quad (3.109)$$

As discussed later, it is likely that expression (3.108) governs the confinement structure of the unspinized proton in Dirac form through imaginary momentum \mathbf{p}_i and, on the other hand, expression (3.109) governs the confinement structure of spinized proton through \mathbf{p}_i .

Alternatively, GOD likely creates, sustains and causes evolution of the spatially self-confined entity such as a proton in Dirac form as follows:

$$0 = 0e^h = 0e^{i0} = L_0 e^{iM-iM} = (E^2 - m^2 - \mathbf{p}_i^2) e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \quad (3.110)$$

$$\begin{aligned}
 & \text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & 0 \end{pmatrix} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \rightarrow \\
 & \left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + \begin{pmatrix} 0 & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & 0 \end{pmatrix} \right) \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = \begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \\
 & \rightarrow \begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{D,e} \\ \psi_{D,i} \end{pmatrix} = L_M \psi_D = 0 \\
 & \rightarrow \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p}_i \\ -\boldsymbol{\sigma} \cdot \mathbf{p}_i & E+m \end{pmatrix} \begin{pmatrix} S_{e,-} e^{+iEt} \\ S_{i,+} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{D,e} \\ \psi_{D,i} \end{pmatrix} = L_M \psi_D = 0
 \end{aligned}$$

Thus, an unspinzied and spinzied antiproton in Dirac form may be respectively governed as follows:

$$\begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,+} e^{-iEt} \\ s_{i,-} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{D,e} \\ \psi_{D,i} \end{pmatrix} = L_M \psi_D = 0 \quad (3.111)$$

$$\begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p}_i \\ -\boldsymbol{\sigma} \cdot \mathbf{p}_i & E+m \end{pmatrix} \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{D,e} \\ \psi_{D,i} \end{pmatrix} = L_M \psi_D = 0 \quad (3.112)$$

Similarly, GOD likely creates, sustains and causes evolution of a spatially self-confined entity such as a proton through imaginary momentum \mathbf{p}_i (downward self-reference) in Weyl (chiral) form as follows:

$$1 = e^h = e^{i0} = 1e^{i0} = (L)_m e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \frac{E^2 - \mathbf{p}_i^2}{m^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \quad (3.113)$$

$$\begin{aligned}
 & \left(\frac{E - |\mathbf{p}_i|}{-m} \right) \left(\frac{-m}{E + |\mathbf{p}_i|} \right)^{-1} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \rightarrow \\
 & \frac{E - |\mathbf{p}_i|}{-m} e^{+ip^\mu x_\mu} = \frac{-m}{E + |\mathbf{p}_i|} e^{+ip^\mu x_\mu} \rightarrow \frac{E - |\mathbf{p}_i|}{-m} e^{+ip^\mu x_\mu} - \frac{-m}{E + |\mathbf{p}_i|} e^{+ip^\mu x_\mu} = 0 \\
 & \rightarrow \begin{pmatrix} E - |\mathbf{p}_i| & -m \\ -m & E + |\mathbf{p}_i| \end{pmatrix} \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,r} \\ \psi_{i,l} \end{pmatrix} = L_M \psi = 0 \quad (3.114)
 \end{aligned}$$

After spinization of expression (3.114), we have:

$$\rightarrow \begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p}_i & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p}_i \end{pmatrix} \begin{pmatrix} S_{e,r} e^{+iEt} \\ S_{i,l} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,r} \\ \psi_{i,l} \end{pmatrix} = L_M \psi = 0 \quad (3.115)$$

It is likely that expression (3.114) governs the structure of the unspinzied proton in Weyl form and expression (3.115) governs the structure of spinized proton in Weyl form.

Alternatively, GOD likely creates, sustains and causes evolution of a spatially self-confined entity such as a proton in Weyl (chiral) form as follows:

$$0 = 0e^h = 0e^{i0} = L_0 e^{iM-iM} = (E^2 - m^2 - \mathbf{p}_i^2) e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \quad (3.116)$$

$$\left(\text{Det} \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \text{Det} \begin{pmatrix} -|\mathbf{p}_i| & 0 \\ 0 & +|\mathbf{p}_i| \end{pmatrix} + \text{Det} \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} \right) \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \rightarrow$$

$$\left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -|\mathbf{p}_i| & 0 \\ 0 & +|\mathbf{p}_i| \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} \right) \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = \begin{pmatrix} E - |\mathbf{p}_i| & -m \\ -m & E + |\mathbf{p}_i| \end{pmatrix} \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = 0$$

$$\rightarrow \begin{pmatrix} E - |\mathbf{p}_i| & -m \\ -m & E + |\mathbf{p}_i| \end{pmatrix} \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,r} \\ \psi_{i,l} \end{pmatrix} = L_M \psi = 0 \quad (3.117)$$

$$\rightarrow \begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p}_i & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p}_i \end{pmatrix} \begin{pmatrix} S_{e,r} e^{+iEt} \\ S_{i,l} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,r} \\ \psi_{i,l} \end{pmatrix} = L_M \psi = 0 \quad (3.118)$$

Thus, an unspinzied and spinized antiproton in Weyl form may be respectively governed as follows:

$$\begin{pmatrix} E - |\mathbf{p}_i| & -m \\ -m & E + |\mathbf{p}_i| \end{pmatrix} \begin{pmatrix} s_{e,l} e^{-iEt} \\ s_{i,r} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0 \quad (3.119)$$

$$\begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p}_i & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p}_i \end{pmatrix} \begin{pmatrix} S_{e,l} e^{-iEt} \\ S_{i,r} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0 \quad (3.120)$$

3.4 Scientific Genesis of Composite Entities

Then, GOD may create, sustain and cause evolution of a neutron in Dirac form which is comprised of an unspinzied proton:

$$\left(\begin{pmatrix} E - e\phi - m & -|\mathbf{p}_i - e\mathbf{A}| \\ -|\mathbf{p}_i - e\mathbf{A}| & E - e\phi + m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \quad (3.121)$$

and a spinized electron:

$$\left(\begin{pmatrix} E+e\phi-V-m & -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \\ -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & E+e\phi-V+m \end{pmatrix} \begin{pmatrix} S_{e,+}e^{-iEt} \\ S_{i,-}e^{-iEt} \end{pmatrix} = 0 \right)_e \quad (3.122)$$

as follows:

$$1 = e^h = e^{i0}e^{i0} = 1e^{i0}1e^{i0} = (Le^{-iM+iM})_p (Le^{-iM+iM})_e \quad (3.123)$$

$$= \left(\frac{E^2-m^2}{\mathbf{p}_i^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} \right)_p \left(\frac{E^2-m^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \right)_e =$$

$$\left(\left(\frac{E-m}{-|\mathbf{p}_i|} \right) \left(\frac{-|\mathbf{p}_i|}{E+m} \right)^{-1} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \right)_p \left(\left(\frac{E-m}{-|\mathbf{p}|} \right) \left(\frac{-|\mathbf{p}|}{E+m} \right)^{-1} \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1} \right)_e$$

$$\rightarrow \left(\frac{E-m}{-|\mathbf{p}_i|} e^{+ip^\mu x_\mu} = \frac{-|\mathbf{p}_i|}{E+m} e^{+ip^\mu x_\mu} \right)_p \left(\frac{E-m}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} = \frac{-|\mathbf{p}|}{E+m} e^{-ip^\mu x_\mu} \right)_e$$

$$\rightarrow \left(\frac{E-m}{-|\mathbf{p}_i|} e^{+ip^\mu x_\mu} - \frac{-|\mathbf{p}_i|}{E+m} e^{+ip^\mu x_\mu} = 0 \right)_p \left(\frac{E-m}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E+m} e^{-ip^\mu x_\mu} = 0 \right)_e$$

$$\rightarrow \left(\begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,-}e^{+iEt} \\ s_{i,+}e^{+iEt} \end{pmatrix} = 0 \right)_p \left(\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} s_{e,+}e^{-iEt} \\ s_{i,-}e^{-iEt} \end{pmatrix} = 0 \right)_e$$

$$\rightarrow \left(\begin{pmatrix} E-e\phi-m & -|\mathbf{p}_i-e\mathbf{A}| \\ -|\mathbf{p}_i-e\mathbf{A}| & E-e\phi+m \end{pmatrix} \begin{pmatrix} s_{e,-}e^{+iEt} \\ s_{i,+}e^{+iEt} \end{pmatrix} = 0 \right)_p \left(\begin{pmatrix} E+e\phi-V-m & -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \\ -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & E+e\phi-V+m \end{pmatrix} \begin{pmatrix} S_{e,+}e^{-iEt} \\ S_{i,-}e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_n$$

In expressions (3.121), (3.122) and (3.123), $()_p$, $()_e$ and $()_n$ indicate proton, electron and neutron respectively. Further, unspinzied proton has charge e, electron has charge -e, $(A^\mu = (\phi, \mathbf{A}))_p$ and $(A^\mu = (\phi, \mathbf{A}))_e$ are the electromagnetic potentials acting on unspinzied proton and tightly bound spinzied electron respectively, and $(V)_e$ is a binding potential from the unspinzied proton acting on the spinzied electron causing tight binding as discussed later.

If $(A^\mu = (\phi, \mathbf{A}))_p$ is negligible due to the fast motion of the tightly bound spinized electron, we have from the last expression in (3.123):

$$\rightarrow \left(\left(\left(\begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \right. \left. \left. \left(\begin{pmatrix} E+e\phi-V-m & -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \\ -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & E+e\phi-V+m \end{pmatrix} \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_n \right. \quad (3.124)$$

Experimental data on charge distribution and g-factor of neutron seem to support a neutron comprising of an unspinized proton and a tightly bound spinized electron.

The Weyl (chiral) form of the last expression in (3.123) and expression (3.124) are respectively as follows:

$$\left(\left(\left(\begin{pmatrix} -e\phi-|\mathbf{p}_i-e\mathbf{A}| & -m \\ -m & -e\phi+|\mathbf{p}_i-e\mathbf{A}| \end{pmatrix} \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \right. \left. \left. \left(\begin{pmatrix} E+e\phi-V-\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & -m \\ -m & E+e\phi-V+\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \end{pmatrix} \begin{pmatrix} S_{e,l} e^{-iEt} \\ S_{i,r} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_n \right. \quad (3.125)$$

$$\left(\left(\left(\begin{pmatrix} E-|\mathbf{p}_i| & -m \\ -m & E+|\mathbf{p}_i| \end{pmatrix} \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \right. \left. \left. \left(\begin{pmatrix} E+e\phi-V-\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & -m \\ -m & E+e\phi-V+\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \end{pmatrix} \begin{pmatrix} S_{e,l} e^{-iEt} \\ S_{i,r} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_n \right. \quad (3.126)$$

Then, GOD may create, sustain and cause evolution of a hydrogen atom comprising of a spinized proton:

$$\left(\left(\begin{pmatrix} E-e\phi-m & -\boldsymbol{\sigma}\cdot(\mathbf{p}_i-e\mathbf{A}) \\ -\boldsymbol{\sigma}\cdot(\mathbf{p}_i-e\mathbf{A}) & E-e\phi+m \end{pmatrix} \begin{pmatrix} S_{e,-} e^{+iEt} \\ S_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \quad (3.127)$$

and a spinized electron:

$$\left(\left(\begin{pmatrix} E+e\phi-m & -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \\ -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & E+e\phi+m \end{pmatrix} \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \right. \quad (3.128)$$

in Dirac form as follows:

$$\begin{aligned}
 1 &= e^h = e^{i0} e^{i0} = 1e^{i0} 1e^{i0} = \left(L e^{-iM+iM} \right)_p \left(L e^{-iM+iM} \right)_e & (3.129) \\
 &= \left(\frac{E^2 - m^2}{\mathbf{p}_i^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} \right)_p \left(\frac{E^2 - m^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \right)_e = \\
 &\left(\left(\frac{E-m}{-|\mathbf{p}_i|} \right) \left(\frac{-|\mathbf{p}_i|}{E+m} \right)^{-1} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \right)_p \left(\left(\frac{E-m}{-|\mathbf{p}|} \right) \left(\frac{-|\mathbf{p}|}{E+m} \right)^{-1} \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1} \right)_e \\
 &\rightarrow \left(\frac{E-m}{-|\mathbf{p}_i|} e^{+ip^\mu x_\mu} = \frac{-|\mathbf{p}_i|}{E+m} e^{+ip^\mu x_\mu} \right)_p \left(\frac{E-m}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} = \frac{-|\mathbf{p}|}{E+m} e^{-ip^\mu x_\mu} \right)_e \\
 &\rightarrow \left(\frac{E-m}{-|\mathbf{p}_i|} e^{+ip^\mu x_\mu} - \frac{-|\mathbf{p}_i|}{E+m} e^{+ip^\mu x_\mu} = 0 \right)_p \left(\frac{E-m}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E+m} e^{-ip^\mu x_\mu} = 0 \right)_e \\
 &\rightarrow \left(\left(\frac{E-m}{-|\mathbf{p}_i|} \quad -|\mathbf{p}_i| \right) \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \left(\left(\frac{E-m}{-|\mathbf{p}|} \quad -|\mathbf{p}| \right) \begin{pmatrix} s_{e,+} e^{-iEt} \\ s_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \\
 &\rightarrow \left(\left(\begin{pmatrix} E-e\phi-m & -\boldsymbol{\sigma} \cdot (\mathbf{p}_i - e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p}_i - e\mathbf{A}) & E-e\phi+m \end{pmatrix} \begin{pmatrix} S_{e,-} e^{+iEt} \\ S_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \\
 &\quad \left. \left(\begin{pmatrix} E+e\phi-m & -\boldsymbol{\sigma} \cdot (\mathbf{p} + e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p} + e\mathbf{A}) & E+e\phi+m \end{pmatrix} \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_h
 \end{aligned}$$

In expressions (3.127), (3.128) and (3.129), $()_p$, $()_e$ and $()_h$ indicate proton, electron and hydrogen atom respectively. Again, proton has charge e , electron has charge $-e$, and $(A^\mu = (\phi, \mathbf{A}))_p$ and $(A^\mu = (\phi, \mathbf{A}))_e$ are the electromagnetic potentials acting on spinized proton and spinized electron respectively.

Again, if $(A^\mu = (\phi, \mathbf{A}))_p$ is negligible due to fast motion of the orbiting spinized electron, we have from the last expression in (3.129):

$$\rightarrow \left(\left(\left(\begin{pmatrix} E-m & -\boldsymbol{\sigma}\cdot\mathbf{p}_i \\ -\boldsymbol{\sigma}\cdot\mathbf{p}_i & E+m \end{pmatrix} \begin{pmatrix} S_{e,-}e^{+iEt} \\ S_{i,+}e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \right. \quad (1.130)$$

$$\left. \left. \left(\begin{pmatrix} E+e\phi-m & -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \\ -\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & E+e\phi+m \end{pmatrix} \begin{pmatrix} S_{e,+}e^{-iEt} \\ S_{i,-}e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_h$$

The Weyl (chiral) form of the last expression in (3.129) and expression (3.130) are respectively as follows:

$$\left(\left(\left(\begin{pmatrix} E-e\phi-\boldsymbol{\sigma}\cdot(\mathbf{p}_i-e\mathbf{A}) & -m \\ -m & E-e\phi+\boldsymbol{\sigma}\cdot(\mathbf{p}_i-e\mathbf{A}) \end{pmatrix} \begin{pmatrix} S_{e,r}e^{+iEt} \\ S_{i,l}e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \right. \quad (3.131)$$

$$\left. \left. \left(\begin{pmatrix} E+e\phi-\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & -m \\ -m & E+e\phi+\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \end{pmatrix} \begin{pmatrix} S_{e,l}e^{-iEt} \\ S_{i,r}e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_h$$

$$\left(\left(\left(\begin{pmatrix} E-\boldsymbol{\sigma}\cdot\mathbf{p}_i & -m \\ -m & E+\boldsymbol{\sigma}\cdot\mathbf{p}_i \end{pmatrix} \begin{pmatrix} S_{e,r}e^{+iEt} \\ S_{i,l}e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \right. \quad (3.132)$$

$$\left. \left. \left(\begin{pmatrix} E+e\phi-\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) & -m \\ -m & E+e\phi+\boldsymbol{\sigma}\cdot(\mathbf{p}+e\mathbf{A}) \end{pmatrix} \begin{pmatrix} S_{e,l}e^{-iEt} \\ S_{i,r}e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_h$$

4. METAMORPHOUS GOD'S EYE VIEW

4.1. Metamorphoses & the Essence of Spin

The preceding sections make it clear that the GOD particle e^0 can take many different forms as different primordial entities and, further, can have different manifestations as different wave functions and/or fields in different contexts even as a single primordial entity. For example, the wave functions of an electron can take the Dirac, Weyl, quaternion or determinant form respectively in different contexts depending on the questions one asks and the answer one seeks. However, the answer one gets is determined by GOD's free will commonly termed as the measurement problem and is understood currently as the randomness of Nature. For another example, depending on the context, the manifestations of an entity such as an electron can take the form of a bi-spinor $(\psi, \psi)^T$ in spinized self-interaction and bi-vector $(\mathbf{E}, i\mathbf{B})^T$ or electromagnetic potential $A^\mu=(\phi, \mathbf{A})$ in electromagnetic interactions. Further, these forms are self-contained through their respective self-referential Matrix Law.

Now, if we ask the question how GOD creates a free fermion, we have shown several versions of it. If we ask the question how an entity participates in weak interaction, the answer is: through fermionic spinization and unspinization. If we ask the question how an entity participates in the strong interaction, the answer is: imaginary momentum (downward self-reference). If we ask the question how an entity participates in an electromagnetic interaction, the answer is: through bosonic spinization and unspinization. If we ask the question, how an entity participates in a gravitational interaction, the answer is: through a timeless, spaceless and/or massless external and internal wave function in prespacetime.

Further, this work also makes it clear that primordial self-referential spin in prespacetime (GOD, ALLAH or Consciousness) is hierarchical and that it is the cause of primordial distinctions for creating the self-referential entities in the dual world. There are several levels of spin: (1) spin in Godhead making primordial external and internal phase distinctions of external and internal wave functions; (2) spin of Godbody (aether) making primordial external and internal wave functions which accompanies the primordial phase distinctions; (3) self-referential mixing of these wave functions through Matrix Law before spatial spinization (energy/time spin); (4) unconfining spatial spin through spatial spinization (electromagnetic and weak interaction) for creating bosonic and fermionic entities; and (5) confining spatial spin (strong interactions) creating the appearance of quarks through imaginary momentum (downward self-reference).

4.2. The Determinant View & the Meaning of Klein-Gordon Equation

In the determinant view, the Matrix Law collapses into Klein-Gordon form as shown in § 3 but so far we have not defined the form of the wave function as a result of the said collapse. Here, we propose that the external and internal wave functions (objects) form a special product state $\psi_e \psi_i^*$ with ψ_i^* containing the hidden variables, quantum potentials or self-gravity as shown below, *visa versa*.

From the following equations for unspined free particle in Dirac and Weyl form respectively:

$$\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi_D = 0 \quad (4.1)$$

and

$$\begin{pmatrix} E-|\mathbf{p}| & -m \\ -m & E+|\mathbf{p}| \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi_W = 0 \quad (4.2)$$

we respectively obtained the following equations in the determinant view (Klein Gordon form):

$$\left(\begin{array}{l} (Det L_M) \psi_{e,+} \psi_{i,-}^* = (E^2 - m^2 - \mathbf{p}^2) \psi_{e,+} \psi_{i,-}^* = 0 \\ (E^2 - m^2 - \mathbf{p}^2) \psi_{e,+} = 0 \\ (E^2 - m^2 - \mathbf{p}^2) \psi_{i,-}^* = 0 \end{array} \right) \quad (4.3)$$

and

$$\left(\begin{array}{l} (Det L_M) \psi_{e,l} \psi_{i,r}^* = (E^2 - \mathbf{p}^2 - m^2) \psi_{e,l} \psi_{i,r}^* = 0 \\ (E^2 - \mathbf{p}^2 - m^2) \psi_{e,l} = 0 \\ (E^2 - \mathbf{p}^2 - m^2) \psi_{i,r}^* = 0 \end{array} \right) \quad (4.4)$$

By way of an example, equation (4.1) has the following plane-wave solution:

$$\left(\begin{array}{l} \psi_{e,+} = a_{e,+} e^{-i(Et - \mathbf{p} \cdot \mathbf{x})} \\ \psi_{e,-} = a_{i,-} e^{-i(Et - \mathbf{p} \cdot \mathbf{x})} \end{array} \right) \quad (4.5)$$

from which we have:

$$\psi_{e,+} \psi_{i,-}^* = \left(a_{e,+} e^{-i(Et - \mathbf{p} \cdot \mathbf{x})} \right)_e \left(a_{i,-}^* e^{+i(Et - \mathbf{p} \cdot \mathbf{x})} \right)_i \quad (4.6)$$

where

$$\left(\begin{array}{l} (Et - \mathbf{p} \cdot \mathbf{x})_e = \phi_e \\ -(Et - \mathbf{p} \cdot \mathbf{x})_i = \phi_i \end{array} \right) \quad (4.7)$$

are respectively the external and internal phase in the determinant view. The variables in $\psi_{i,-}^*$ play the roles of hidden variables to $\psi_{e,+}$ which would be annihilated, if $\psi_{i,-}^*$ were allowed to merged with $\psi_{e,+}$. Indeed, if relativistic mass in the external wave function $\psi_{e,+}$ is considered to be inertial mass, then the relativistic mass in the conjugate internal wave function $\psi_{i,-}^*$ plays the role of gravitational mass. We will discuss quantum potential later.

Similarly, from the following equations for spinized free fermion in Dirac and Weyl form respectively:

$$\left(\begin{array}{cc} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{array} \right) \left(\begin{array}{l} \psi_{e,+} \\ \psi_{i,-} \end{array} \right) = L_M \psi = 0 \quad (4.8)$$

and

$$\left(\begin{array}{cc} E-\boldsymbol{\sigma} \cdot \mathbf{p} & -m \\ -m & E+\boldsymbol{\sigma} \cdot \mathbf{p} \end{array} \right) \left(\begin{array}{l} \psi_{e,l} \\ \psi_{i,r} \end{array} \right) = L_M \psi = 0 \quad (4.9)$$

where $\psi_D = (\psi_{e,+}, \psi_{i,-})^T = (\psi_1, \psi_2, \psi_3, \psi_4)^T$ and $\psi_W = (\psi_{e,l}, \psi_{i,r})^T = (\phi_1, \phi_2, \phi_3, \phi_4)^T$, we respectively obtained following equations in the determinant view (Klein Gordon form):

$$\begin{pmatrix} (Det_{\sigma} L_M) \psi_{e,+} \psi_{i,-}^* = (E^2 - m^2 - \mathbf{p}^2) I_2 \psi_{e,+} \psi_{i,-}^* = 0 \\ (E^2 - m^2 - \mathbf{p}^2) \psi_1 = 0 \\ (E^2 - m^2 - \mathbf{p}^2) \psi_2 = 0 \\ (E^2 - m^2 - \mathbf{p}^2) \psi_3^* = 0 \\ (E^2 - m^2 - \mathbf{p}^2) \psi_4^* = 0 \end{pmatrix} \quad (4.10)$$

and

$$\begin{pmatrix} (Det_{\sigma} L_M) \psi_{e,l} \psi_{i,r}^* = (E^2 - \mathbf{p}^2 - m^2) I_2 \psi_{e,l} \psi_{i,r}^* = 0 \\ (E^2 - \mathbf{p}^2 - m^2) \phi_1 = 0 \\ (E^2 - \mathbf{p}^2 - m^2) \phi_2 = 0 \\ (E^2 - \mathbf{p}^2 - m^2) \phi_3^* = 0 \\ (E^2 - \mathbf{p}^2 - m^2) \phi_4^* = 0 \end{pmatrix} \quad (4.11)$$

In the presence of electromagnetic potential $A^\mu = (\phi, \mathbf{A})$, we have from equations (4.1) and (4.2) the following equations:

$$\begin{pmatrix} E - e\phi - m & -|\mathbf{p} - e\mathbf{A}| \\ -|\mathbf{p} - e\mathbf{A}| & E - e\phi + m \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi_D = 0 \quad (4.12)$$

and

$$\begin{pmatrix} E - e\phi - |\mathbf{p} - e\mathbf{A}| & -m \\ -m & E - e\phi + |\mathbf{p} - e\mathbf{A}| \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi_W = 0 \quad (4.13)$$

from which we respectively obtained the following equations in the determinant view (Klein Gordon form):

$$\begin{pmatrix} (Det L_M) \psi_{e,+} \psi_{i,-}^* = ((E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2) \psi_{e,+} \psi_{i,-}^* = 0 \\ ((E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2) \psi_{e,+} = 0 \\ ((E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2) \psi_{i,-}^* = 0 \end{pmatrix} \quad (4.14)$$

and

$$\begin{pmatrix} (Det L_M) \psi_{e,l} \psi_{i,r}^* = ((E - e\phi)^2 - (\mathbf{p} - e\mathbf{A})^2 - m^2 + \alpha\beta - \beta\alpha) \psi_{e,l} \psi_{i,r}^* = 0 \\ ((E - e\phi)^2 - (\mathbf{p} - e\mathbf{A})^2 - m^2 + \alpha\beta - \beta\alpha) \psi_{e,l} = 0 \\ ((E - e\phi)^2 - (\mathbf{p} - e\mathbf{A})^2 - m^2 + \alpha\beta - \beta\alpha) \psi_{i,r}^* = 0 \end{pmatrix} \quad (4.15)$$

where $\alpha = E - e\phi$ and $\beta = |\mathbf{p} - e\mathbf{A}|$. After spinization of equations (4.12) and (4.13), we have:

$$\begin{pmatrix} E - e\phi - m & -\boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) & E - e\phi + m \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi_D = 0 \quad (4.16)$$

and

$$\begin{pmatrix} E - e\phi - \boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) & -m \\ -m & E - e\phi + \boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi_W = 0 \quad (4.17)$$

from which we respectively obtained the following equations in the determinant view (Klein Gordon form):

$$\begin{pmatrix} (Det_{\sigma} L_M) \psi_{e,+} \psi_{i,-}^* = ((E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2 + e\boldsymbol{\sigma} \cdot \mathbf{B}) I_2 \psi_{e,+} \psi_{i,-}^* = 0 \\ ((E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2 + e\boldsymbol{\sigma} \cdot \mathbf{B}) I_2 \psi_{e,+} = 0 \\ ((E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2 + e\boldsymbol{\sigma} \cdot \mathbf{B}) I_2 \psi_{i,-}^* = 0 \end{pmatrix} \quad (4.18)$$

and

$$\begin{pmatrix} (Det_{\sigma} L_M) \psi_{e,l} \psi_{i,r}^* = ((E - e\phi)^2 - (\mathbf{p} - e\mathbf{A})^2 - m^2 + e\boldsymbol{\sigma} \cdot \mathbf{B} - i\boldsymbol{\sigma} \cdot \mathbf{E}) I_2 \psi_{e,l} \psi_{i,r}^* = 0 \\ ((E - e\phi)^2 - (\mathbf{p} - e\mathbf{A})^2 - m^2 + e\boldsymbol{\sigma} \cdot \mathbf{B} - i\boldsymbol{\sigma} \cdot \mathbf{E}) I_2 \psi_{e,l} = 0 \\ ((E - e\phi)^2 - (\mathbf{p} - e\mathbf{A})^2 - m^2 + e\boldsymbol{\sigma} \cdot \mathbf{B} - i\boldsymbol{\sigma} \cdot \mathbf{E}) I_2 \psi_{i,r}^* = 0 \end{pmatrix} \quad (4.19)$$

In equations (4.16) and (4.17), the couplings of \mathbf{E} and/or \mathbf{B} with spin $\boldsymbol{\sigma}$ are either implicit or hidden. These interactions are due to self-referential Matrix Law L_M which causes mixing of the external and internal wave functions. However, in the determinant view, these interactions are made explicit as shown in equations (4.18) and (4.19) respectively.

4.3. The Meaning of Schrodinger Equation & Quantum Potential

It can be shown that the following Schrodinger Equation is the non-relativistic approximation of equation (4.3) or (4.4):

$$i\partial_t \psi = H\psi = -\frac{1}{2m} \nabla^2 \psi \quad (4.20)$$

where $\psi = \psi_{Re} + i\psi_{Im}$. Equation (4.20) can be written as two coupled equations:

$$\begin{pmatrix} \partial_t \psi_{Re} = H\psi_{Im} \\ \partial_t \psi_{Im} = -H\psi_{Re} \end{pmatrix} \quad \text{or} \quad \begin{pmatrix} \partial_t & -H \\ H & \partial_t \end{pmatrix} \begin{pmatrix} \psi_{Re} \\ \psi_{Im} \end{pmatrix} = 0 \quad (4.21)$$

The above equation describes the non-relativistic self-reference of the wave components ψ_{Re} and ψ_{Im} due to spin i . If we designate ψ_{Re} as external object, ψ_{Im} is the internal object. It is the non-relativistic approximation of the determinant view of an unspined particle (Klein-Gordon form) with self-referential interaction reduced to spin i and contained in the wave function from which the quantum potential Q can be extracted.

For example, in the case:

$$\psi_{e,+} \psi_{i,-}^* = a_{e,+} e^{-i(Et - \mathbf{p} \cdot \mathbf{x})} a_{i,-} e^{+i(Et - \mathbf{p} \cdot \mathbf{x})} \approx \psi = \rho e^{-iS} e^{+i\zeta} \quad (4.22)$$

where $a_{e,+}$ and $a_{i,-}$ are real, ζ contains the hidden variables and:

$$\begin{pmatrix} \rho = a_{e,+} a_{i,-} \\ S = (E_p t - \mathbf{p} \cdot \mathbf{x})_e \\ \zeta = (E_p t - \mathbf{p} \cdot \mathbf{x})_i \\ E_p = \frac{\mathbf{p}^2}{2m} \end{pmatrix} \quad (4.23)$$

we can derive the following quantum potential (details will be given elsewhere):

$$Q = -\frac{1}{2m} (\nabla \zeta)^2 = \left(-\frac{\mathbf{p}^2}{2m} \right)_i = (-E_p)_i \quad (4.24)$$

which originates from spin i in:

$$\psi_{i,-}^* = a_{i,-} e^{i(Et - \mathbf{p} \cdot \mathbf{x})} \approx a_{i,-} e^{+im t} e^{+i\zeta} \quad (4.25)$$

Q would negate the non-relativistic kinetic energy of the external wave function if the external wave function and the conjugate internal wave function would merge.

Further, it can be shown that the Pauli Equation is the non-relativistic approximation of equation (4.18) which is the determinant view of a fermion in an electromagnetic field in Dirac form:

$$i\partial_t \begin{pmatrix} \varphi_1 \\ \varphi_2 \end{pmatrix} = \left(\frac{1}{2m} (-i\nabla - e\mathbf{A})^2 - \frac{e}{2m} \boldsymbol{\sigma} \cdot \mathbf{B} + e\phi \right) \begin{pmatrix} \varphi_1 \\ \varphi_2 \end{pmatrix} \quad (4.24)$$

It contain non-relativistic self-reference due to both spin i and $\boldsymbol{\sigma}$ and will be treated elsewhere in detail when and if time permits.

4.4 The Third State of Matter

Traditionally, a scalar (spinless) particle is presumed to be described by the Klein-Gordon equation and is classified as a boson. However, in this work we have suggested that Klein-Gordon equation is a determinant view of a fermion, boson or an unspinned entity (spinless) in which the external and internal wave functions (objects) form a special product state $\psi_e \psi_i^*$ with ψ_i^* as the origin of hidden variable, quantum potentials or self-gravity. The unspinned entity (spinless) is neither a boson nor a fermion but may be classified as a third state of matter described by the unspinned equation in Dirac or Weyl (chiral) form, for example:

$$\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 \quad (4.25)$$

$$\begin{pmatrix} E-|\mathbf{p}| & -m \\ -m & E+|\mathbf{p}| \end{pmatrix} \begin{pmatrix} a_{e,l} e^{-ip^\mu x_\mu} \\ a_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0 \quad (4.26)$$

The hadronized versions of the above equations in which the momentum is imaginary are respectively as follows:

$$\begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,+} e^{-iEt} \\ s_{i,-} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 \quad (4.27)$$

$$\begin{pmatrix} E-|\mathbf{p}_i| & -m \\ -m & E+|\mathbf{p}_i| \end{pmatrix} \begin{pmatrix} s_{e,l} e^{-iEt} \\ s_{i,r} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0 \quad (4.28)$$

The third state of matter may not be subject to the statistical behavior of either bosons or fermions. The wave functions of a fermion and boson are respectively a bispinor and bi-vector but that of the third state (spinlesson) is two-component complex scalar field. The third state of matter is the precursor of both fermionic and bosonic matters/fields before fermionic or bosonic spinization. Thus, we suggest that it steps into the shoes played by the Higgs field in the standard model which so far has not been found. Further, in this scenario, mass is created by GOD's self-referential spin (imagination).

5. WEAK INTERACTION

Weak interaction is an expressive process (emission or radiation) through fermionic spinization with or without intermediary bosonic spinization and the associated reverse process (capture or absorption). There are two possible kinds of mechanisms at play. One kind is the direct fermionic spinization of an unspinized massive particle as shown in § 3:

$$|\mathbf{p}| = \sqrt{\mathbf{p}^2} = \sqrt{-De\lambda(\boldsymbol{\sigma} \cdot \mathbf{p})} \rightarrow \boldsymbol{\sigma} \cdot \mathbf{p} \quad (5.1)$$

that is, for example:

$$\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \rightarrow \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad (5.2)$$

and the following reverse process:

$$\boldsymbol{\sigma} \cdot \mathbf{p} \rightarrow \sqrt{-De\lambda(\boldsymbol{\sigma} \cdot \mathbf{p})} = \sqrt{\mathbf{p}^2} = |\mathbf{p}| \quad (5.3)$$

that is, for example:

$$\begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \rightarrow \begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad (5.4)$$

Processes (5.1) and (5.3) only conserve spin in the dual world as a whole. If they hold in reality, neutrino may not be needed in the weak interaction as currently understood or assumed.

Accordingly, beta decay of a neutron may involve the spinizing process (5.1) during which an unspined proton (or electron) gains its spin 1/2 and a bound spinized electron becomes free as follows:

- (1) Spinless Proton → Spinized Proton → Release of Bound Electron; or
- (2) Spinless Electron → Spinized Electron → Release of Spinized Electron.

Process (1) seems in closer agreement with experimental data on *g*-factor and charge density of neutron. There is no exchange particle involved in process (1) or (2). In neutron synthesis from proton and electron, if it exists, the reverse process (5.3) occurs during which a spinized proton (or electron) loses its spin and free electron becomes tightly bound to proton.

We suggest that the following equation governs free unspined particles having mass *m* and electric charge *e* respectively but spinless, that is, they are pion-like particles or pion particles π^\pm themselves (their combination generates π^0):

$$\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad \text{or} \quad \begin{pmatrix} (E-m)\psi_e = |\mathbf{p}|\psi_i \\ (E+m)\psi_i = |\mathbf{p}|\psi_e \end{pmatrix} \quad (5.5)$$

After spinization through (5.1), we arrive at Dirac equation:

$$\begin{pmatrix} E-m & -\boldsymbol{\sigma}\cdot\mathbf{p} \\ -\boldsymbol{\sigma}\cdot\mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad \text{or} \quad \begin{pmatrix} (E-m)\psi_e = \boldsymbol{\sigma}\cdot\mathbf{p}\psi_i \\ (E+m)\psi_i = \boldsymbol{\sigma}\cdot\mathbf{p}\psi_e \end{pmatrix} \quad (5.6)$$

Assuming a plane wave $\psi_{e,+} = e^{-ip^\mu x_\mu}$ exists for equation (5.5), we obtain the following solution for said equation (π^- -like plane-wave solution):

$$\begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = \sqrt{\frac{E+m}{2E}} \begin{pmatrix} e^{-ip^\mu x_\mu} \\ \frac{|\mathbf{p}|}{E+m} e^{-ip^\mu x_\mu} \end{pmatrix} = N \begin{pmatrix} 1 \\ \frac{|\mathbf{p}|}{E+m} \end{pmatrix} e^{-ip^\mu x_\mu} \quad (5.7)$$

where N is a normalization factor and where we have utilized the following relation for an energy eigenstate:

$$(E+m)\psi_{i,-} = |\mathbf{p}|\psi_{e,+} \rightarrow \psi_{i,-} = \frac{|\mathbf{p}|}{E+m} \psi_{e,+} \quad (5.8)$$

After spinization of solution (5.7):

$$\left(\frac{1}{E+m} \right) \rightarrow \begin{pmatrix} 1 & 0 \\ 0 & 1 \\ \frac{\boldsymbol{\sigma} \cdot \mathbf{p}}{E+m} \end{pmatrix} = \begin{pmatrix} 1 & 0 \\ 0 & 1 \\ \frac{p_z}{E+m} & \frac{p_x - ip_y}{E+m} \\ \frac{p_x + ip_y}{E+m} & \frac{-p_z}{E+m} \end{pmatrix} \quad (5.9)$$

we arrive at the free plane-wave electron solution for Dirac equation (5.6):

$$\begin{pmatrix} \psi_{e,+}^\uparrow \\ \psi_{i,-} \end{pmatrix} = \sqrt{\frac{E+m}{2E}} \begin{pmatrix} 1 \\ 0 \\ \frac{p_z}{E+m} \\ \frac{p_x + ip_y}{E+m} \end{pmatrix} e^{-ip^\mu x_\mu} \quad \text{and} \quad \begin{pmatrix} \psi_{e,+}^\downarrow \\ \psi_{i,-} \end{pmatrix} = \sqrt{\frac{E+m}{2E}} \begin{pmatrix} 0 \\ 1 \\ \frac{p_x - ip_y}{E+m} \\ \frac{-p_z}{E+m} \end{pmatrix} e^{-ip^\mu x_\mu} \quad (5.10)$$

In the above solutions for external spin up and down respectively, the external spin 1/2 is balanced by the internal spin components which may be deemed as antineutrino such that the total spin in the dual world is still conserved to zero. Therefore, it seems that external spin up or down can be created without the need of a separate antineutrino in beta decay, if any excessive energy ΔE and or momentum $\Delta \mathbf{p}$ are allowed to cancel each other in Godhead:

$$\begin{pmatrix} e^{-i(\Delta E t - \Delta \mathbf{p} \cdot \mathbf{x})} \\ e^{-i(\Delta E t - \Delta \mathbf{p} \cdot \mathbf{x})} \end{pmatrix} \rightarrow e^{-i(\Delta E t - \Delta \mathbf{p} \cdot \mathbf{x})} e^{+i(\Delta E t - \Delta \mathbf{p} \cdot \mathbf{x})} = e^{-i(\Delta E t - \Delta \mathbf{p} \cdot \mathbf{x}) + i(\Delta E t - \Delta \mathbf{p} \cdot \mathbf{x})} = e^0 = 1 \quad (5.11)$$

Further, if GOD allows the following bosonic spinization of massive spinless particle (e.g., as unstable particle with very short life-time):

$$|\mathbf{p}| = \sqrt{\mathbf{p}^2} = \sqrt{-(De\mathbf{t}(\mathbf{s} \cdot \mathbf{p} + I_3) - De\mathbf{t}(I_3))} \leftrightarrow \mathbf{s} \cdot \mathbf{p} \quad (5.12)$$

that is, for example:

$$\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \leftrightarrow \begin{pmatrix} E-m & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad (5.13)$$

and/or

$$|\mathbf{p}| = \sqrt{\mathbf{p}^2} = \sqrt{-(De\mathbf{t}(\mathbf{s} \cdot \mathbf{p} + I_3) - De\mathbf{t}(I_3))} \rightarrow \mathbf{s} \cdot \mathbf{p} \rightarrow (\boldsymbol{\sigma} \cdot \mathbf{p})_1 + (\boldsymbol{\sigma} \cdot \mathbf{p})_2 \quad (5.14)$$

that is, for example:

$$\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \rightarrow \begin{pmatrix} E-m & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad (5.15)$$

$$\rightarrow \left(\left(\begin{matrix} E-m & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E+m \end{matrix} \right) \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \right)_1 \left(\left(\begin{matrix} E & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E \end{matrix} \right) \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \right)_2$$

during which transitory states known as vector bosons W^- , W^+ and/or Z^0 appear and disappear, we have from expression (5.14) the second kind of weak interactions. We point out here that only process (5.14) mediates weak interactions since in process (5.12) vector bosons W^- , W^+ and/or Z^0 are just transitory states that do not decay into fermions.

The spinized equation in expression (5.13) for a free massive spin 1 particle may take the following Dirac form:

$$\begin{pmatrix} E-m & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \begin{pmatrix} \mathbf{E} \\ i\mathbf{B} \end{pmatrix} = L_M \psi = 0 \quad (5.16)$$

or

$$\begin{pmatrix} E-m & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E+m \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \begin{pmatrix} i\mathbf{B} \\ \mathbf{E} \end{pmatrix} = L_M \psi = 0 \quad (5.17)$$

After calculating the determinant:

$$\text{Det}_s \begin{pmatrix} E-m & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E+m \end{pmatrix} = (E-m)(E+m) - (-\mathbf{s} \cdot \mathbf{p})(-\mathbf{s} \cdot \mathbf{p}) \quad (5.18)$$

We obtain the following:

$$\begin{aligned} \text{Det}_s \begin{pmatrix} E-m & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E+m \end{pmatrix} &= (E^2 - \mathbf{p}^2 - m^2) I_3 - \begin{pmatrix} p_x^2 & p_x p_y & p_x p_z \\ p_y p_x & p_y^2 & p_y p_z \\ p_z p_x & p_z p_y & p_z^2 \end{pmatrix} \\ &= (E^2 - \mathbf{p}^2 - m^2) I_3 - M_T \end{aligned} \quad (5.19)$$

As mentioned in § 3, the last term M_T in expression (5.19) makes fundamental relationship $E^2 - \mathbf{p}^2 - m^2 = 0$ not to hold in the determinant view (5.18) unless the action of M_T on the external and internal components of the wave function produces null result, that is:

$$M_T \begin{pmatrix} E_x \\ E_y \\ E_z \end{pmatrix} = (p_x + p_y + p_z) \mathbf{P} \cdot \mathbf{E} = \mathbf{0} \quad (5.20)$$

and

$$M_T \begin{pmatrix} B_x \\ B_y \\ B_z \end{pmatrix} = (p_x + p_y + p_z) \mathbf{P} \cdot \mathbf{B} = \mathbf{0} \quad (5.21)$$

Thus, if GOD allows these violations to exist transitorily, equations (5.16) and (5.17) may describe free vector bosons W^- and W^+ respectively; their combination then describes free vector boson Z^0 and M_T may be deemed as transitory mass (or mass operator).

In contrast to processes (1) and (2), vector bosons W and W^+ or the like mediate the spinization of spinless proton or electron respectively as follows:

- (3) Spinless Proton \rightarrow Spinized Vector Boson W^+ \rightarrow Spinized Proton + Spinized 2nd Fermion \rightarrow Release of Bound Electron + Spinized 2nd Fermion; and
- (4) Spinless Electron \rightarrow Spinized Vector Boson W^- \rightarrow Spinized Electron + Spinized 2nd Fermion \rightarrow Release of Spinized Electron + Spinized 2nd Fermion.

It is hoped that the metamorphous forms of Matrix Law in § 3, their further metamorphoses and the corresponding wave functions that these laws govern will be able to accommodate all known particles in the particle zoo.

Very importantly, there may be no parity violations in weak interactions such as beta decay as the apparent parity violation in the experiment may simply be explained as a spin polarization effect in which the spin polarization influences the dynamics and directions of the emitted electron in an external magnetic field. Also, there may be no need for Higgs boson to generate mass since mass is generated by self-referential spin within Godhead, so the GOD particle is simply $1 = e^0 = e^{iM-iM} \dots$

6. ELECTROMAGNETIC INTERACTION

Electromagnetic interaction is an expressive process (radiation or emission) through bosonic spinization of a massless and spinless entity and the associated reverse process (absorption). There are possibly two kinds of mechanisms at play. One kind is the direct bosonic spinization (spinizing radiation):

$$|\mathbf{p}| = \sqrt{\mathbf{p}^2} = \sqrt{-(De\mathbf{s} \cdot \mathbf{p} + I_3) - De\mathbf{s} \cdot \mathbf{p}} \rightarrow \mathbf{s} \cdot \mathbf{p} \quad (6.1)$$

that is, for example:

$$\begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \rightarrow \begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad (6.2)$$

and the following reverse process (unspinizing absorption):

$$\mathbf{s} \cdot \mathbf{p} \rightarrow \sqrt{-(\text{Det}(\mathbf{s} \cdot \mathbf{p} + I_3) - \text{Det}(I_3))} = \sqrt{\mathbf{p}^2} = |\mathbf{p}| \quad (6.3)$$

that is, for example:

$$\begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \rightarrow \begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad (6.4)$$

The radiation or absorption of a photon during acceleration of a charged particle may be direct bosonic spinizing or unspinizing process respectively:

- (1) Bound Spinless & Massless Particle \rightarrow Bound Spinized Photon \rightarrow Free Spinized Photon; and
- (2) Free Spinized Photon \rightarrow Bound Spinized Photon \rightarrow Bound Spinless & Massless Particle.

These two processes may also occur in nuclear decay and perhaps in other processes.

Assuming a plane wave $\psi_{e,+} = e^{-ip^\mu x_\mu}$ exists for the spinless and massless particle:

$$\begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad \text{or} \quad \begin{pmatrix} E\psi_e = |\mathbf{p}|\psi_i \\ E\psi_i = |\mathbf{p}|\psi_e \end{pmatrix} \quad (6.5)$$

we obtain the following solution for this equation:

$$\begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = \sqrt{\frac{1}{2}} \begin{pmatrix} e^{-ip^\mu x_\mu} \\ \frac{|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} \end{pmatrix} = N \begin{pmatrix} 1 \\ \frac{|\mathbf{p}|}{E} \end{pmatrix} e^{-ip^\mu x_\mu} \quad (6.6)$$

where we have utilized the following relation for an energy eigenstate and N is the normalization factor :

$$E\psi_{i,-} = |\mathbf{p}|\psi_{e,+} \rightarrow \psi_{i,-} = \frac{|\mathbf{p}|}{E} \psi_{e,+} \quad (6.7)$$

After spinization:

$$\frac{|\mathbf{p}|}{E} \rightarrow \frac{\mathbf{s} \cdot \mathbf{p}}{E} = \begin{pmatrix} 0 & -\frac{ip_z}{E} & \frac{ip_y}{E} \\ \frac{ip_z}{E} & 0 & -\frac{ip_x}{E} \\ -\frac{ip_y}{E} & \frac{ip_x}{E} & 0 \end{pmatrix} \quad (6.8)$$

We arrive at the plane-wave solution:

$$\begin{pmatrix} \psi_{e,+}^x \\ \psi_{i,-}^x \end{pmatrix} = \sqrt{\frac{1}{2}} \begin{pmatrix} 1 \\ 0 \\ 0 \\ ip_z \\ E \\ -ip_y \\ E \end{pmatrix} e^{-ip^\mu x_\mu} \quad \begin{pmatrix} \psi_{e,+}^y \\ \psi_{i,-}^y \end{pmatrix} = \sqrt{\frac{1}{2}} \begin{pmatrix} 0 \\ 1 \\ 0 \\ -ip_z \\ E \\ 0 \\ ip_x \\ E \end{pmatrix} e^{-ip^\mu x_\mu} \quad \begin{pmatrix} \psi_{e,+}^z \\ \psi_{i,-}^z \end{pmatrix} = \sqrt{\frac{1}{2}} \begin{pmatrix} 0 \\ 0 \\ 1 \\ ip_y \\ E \\ -ip_x \\ E \\ 0 \end{pmatrix} e^{-ip^\mu x_\mu} \quad (6.9)$$

for the spinized photon equation:

$$\begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad \text{or} \quad \begin{pmatrix} E\psi_e = \mathbf{s} \cdot \mathbf{p}\psi_i \\ E\psi_i = \mathbf{s} \cdot \mathbf{p}\psi_e \end{pmatrix} \quad (6.10)$$

The second kind of electromagnetic interaction is the release (radiation) or binding (absorption) of a spinized photon without unspinization:

(3) Bound Spinized Photon \rightarrow Free Spinized Photon; and

(4) Free Spinized Photon \rightarrow Bound Spinized Photon.

Processes (3) and (4) occur at the openings of an optical cavity or waveguide and may also occur in atomic photon excitation and emission and perhaps other processes.

For bosonic spinization $|\mathbf{p}| = \sqrt{\mathbf{p}^2} \rightarrow \mathbf{s} \cdot \mathbf{p}$, the Maxwell equations in the vacuum ($c=1$; $\epsilon_0=1$) are as follows:

$$\left(\begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \mathbf{E} \\ i\mathbf{B} \end{pmatrix} = 0 \right), \quad \left(\begin{pmatrix} \partial_t & -\nabla \times \\ \nabla \times & \partial_t \end{pmatrix} \begin{pmatrix} \mathbf{E} \\ \mathbf{B} \end{pmatrix} = 0 \right) \quad \text{or} \quad \begin{pmatrix} \partial_t \mathbf{E} = \nabla \times \mathbf{B} \\ \partial_t \mathbf{B} = -\nabla \times \mathbf{E} \\ \nabla \cdot \mathbf{E} = 0 \\ \nabla \cdot \mathbf{B} = 0 \end{pmatrix} \quad (6.11)$$

If we calculate the determinant:

$$Det_s \begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} = E \cdot E - (-\mathbf{s} \cdot \mathbf{p})(-\mathbf{s} \cdot \mathbf{p}) \quad (6.12)$$

We obtain the following:

$$\text{Det}_s \begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} = (E^2 - \mathbf{p}^2) I_3 - \begin{pmatrix} p_x^2 & p_x p_y & p_x p_z \\ p_y p_x & p_y^2 & p_y p_z \\ p_z p_x & p_z p_y & p_z^2 \end{pmatrix} = (E^2 - \mathbf{p}^2) I_3 - M_T \quad (6.13)$$

The last term M_T in expression (6.13) makes fundamental relationship $E^2 - \mathbf{p}^2 = 0$ not hold in the determinant view (6.12) unless the action of M_T on the external and internal components of the wave function produces null result, since equations (5.20) and (5.21) only hold in the source-free region.

At the location of a massive charged particle such as an electron or proton, equations (5.20) and (5.21) are also violated by the photon. That is, the photon appears to have mass M_T at the source, thus particle pairs may be created on collision of a photon with a massive charged particle. In the Maxwell equations, these violations are counter-balanced by adding source to the equations as discussed below. The Maxwell equations with source are, in turn, coupled to the Dirac Equation of the fermions such as electron or proton forming the Dirac-Maxwell system as further discussed in § 11. Indeed, if source $j^\mu = (\rho, \mathbf{j}) \neq 0$, we have instead:

$$\left(\begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \mathbf{E} \\ i\mathbf{B} \end{pmatrix} = \begin{pmatrix} -i\mathbf{j} \\ 0 \end{pmatrix} \right), \left(\begin{pmatrix} \partial_t & -\nabla \times \\ \nabla \times & \partial_t \end{pmatrix} \begin{pmatrix} \mathbf{E} \\ \mathbf{B} \end{pmatrix} = \begin{pmatrix} -\mathbf{j} \\ 0 \end{pmatrix} \right) \text{ or } \begin{pmatrix} \partial_t \mathbf{E} = \nabla \times \mathbf{B} - \mathbf{j} \\ \partial_t \mathbf{B} = -\nabla \times \mathbf{E} \\ \nabla \cdot \mathbf{E} = \rho \\ \nabla \cdot \mathbf{B} = 0 \end{pmatrix} \quad (6.14)$$

Importantly, we can also choose to use fermionic spinization scheme $|\mathbf{p}| = \sqrt{\mathbf{p}^2} \rightarrow \boldsymbol{\sigma} \cdot \mathbf{p}$ to describe Maxwell equations. In this case, the Maxwell equation in the vacuum has the form:

$$\begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \boldsymbol{\sigma} \cdot \mathbf{E} \\ i\boldsymbol{\sigma} \cdot \mathbf{B} \end{pmatrix} = 0 \quad (6.15)$$

which gives:

$$\begin{pmatrix} \partial_t \mathbf{E} = \nabla \times \mathbf{B} \\ \partial_t \mathbf{B} = -\nabla \times \mathbf{E} \\ \nabla \cdot \mathbf{E} = 0 \\ \nabla \cdot \mathbf{B} = 0 \end{pmatrix} \quad (6.16)$$

If source $j^\mu = (\rho, \mathbf{j}) \neq 0$, we have:

$$\begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \boldsymbol{\sigma} \cdot \mathbf{E} \\ i\boldsymbol{\sigma} \cdot \mathbf{B} \end{pmatrix} = \begin{pmatrix} -i\boldsymbol{\sigma} \cdot \mathbf{j} \\ -i\rho \end{pmatrix} \quad (6.17)$$

which gives:

$$\begin{pmatrix} \partial_t \mathbf{E} = \nabla \times \mathbf{B} - \mathbf{j} \\ \partial_t \mathbf{B} = -\nabla \times \mathbf{E} \\ \nabla \cdot \mathbf{E} = \rho \\ \nabla \cdot \mathbf{B} = 0 \end{pmatrix} \quad (6.18)$$

Therefore, in the fermionic spinization scheme, we have in place of the bi-vector wave function a 4x4 tensor comprising of two bi-spinors (instead of the bi-vector itself) generated by projecting the bi-vector comprised of \mathbf{E} and $i\mathbf{B}$ to spin $\boldsymbol{\sigma}$.

Further, we point out here that for a linear photon its electric field \mathbf{E} is the external wave function (external object) and its magnetic field \mathbf{B} is the internal wave function (internal object). These two fields are always self-entangled and their entanglement is their self-gravity. Therefore, the relation between \mathbf{E} and \mathbf{B} in a propagating electromagnetic wave is not that change in \mathbf{E} induces \mathbf{B} *visa versa* but that change in \mathbf{E} is always accompanied by change in \mathbf{B} *visa versa* due to their entanglement (self-gravity). That is, the relationship between \mathbf{E} and \mathbf{B} are gravitational and instantaneous.

7. STRONG INTERACTION

While weak and electromagnetic interactions are expressive processes involving fermionic and bosonic spinizations of spinless entities (the third state of matter) and their respective reverse processes, strong interaction does not involve spinization, that is, strong force is a confining process. It may be assumed that spinless entities in general are unstable and decay through fermionic or bosonic spinization. In order to achieve confinement of a nucleon or stability of the nucleus, we suggest that strong interaction involves imaginary momentum in the confinement zone as illustrated below. There are two types of strong interactions at play. One is the self-confinement of a nucleon such as a proton and the other is the interaction among nucleons such a proton and a neutron.

In the Standard Model, a proton is a composite entity comprised of three quarks confined by massless gluons and the interaction among the nucleons is mediated by mesons comprised of pairs of a quark and an antiquark which in turn interact through gluons. However, since no free quarks have been observed, there is good reason to consider other options. We have suggested in § 3 that the proton may be considered as an elementary particle that accomplishes spatial self-confinement through downward self-reference (imaginary momentum).

Here, we will first derive the condition for producing spatial self-confinement of the nucleon and the nuclear potential known as the Yukawa potential. The equation for a massive but spinless entity in Dirac Form is as follows:

$$\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad \text{or} \quad \begin{pmatrix} (E-m)\psi_e = |\mathbf{p}|\psi_i \\ (E+m)\psi_i = |\mathbf{p}|\psi_e \end{pmatrix} \quad (7.1)$$

Assuming that the wave function has energy eigenstate $-E$ (that is, the external and internal wave functions have energy eigenstate $-E$ and $+E$ respectively in the determinant view), we can write:

$$(E-m)\psi_e = |\mathbf{p}|\psi_i \rightarrow (E-m)e^{+iEt} \phi_e(\mathbf{r}) = |\mathbf{p}|e^{+iEt} \phi_i(\mathbf{r}) \rightarrow (-E-m)\phi_e(\mathbf{r}) = |\mathbf{p}|\phi_i(\mathbf{r}) \quad (7.2)$$

$$(E+m)\psi_i = |\mathbf{p}|\psi_e \rightarrow (E+m)e^{+iEt} \phi_i(\mathbf{r}) = |\mathbf{p}|e^{+iEt} \phi_e(\mathbf{r}) \rightarrow \phi_i(\mathbf{r}) = \frac{|\mathbf{p}|}{-E+m} \phi_e(\mathbf{r}) \quad (7.3)$$

From expressions (7.2) and (7.3), we can derive the following:

$$(E^2 - m^2 - \mathbf{p}^2)\phi_i(\mathbf{r}) = 0 \quad \text{or} \quad (E^2 - m^2 + \nabla^2)\phi_i(\mathbf{r}) = 0 \quad (7.4)$$

Equation (7.4) has radial solution as follows:

$$\phi_i(r) = \frac{1}{4\pi r} e^{-ir\sqrt{E^2-m^2}} \quad (7.5)$$

Then, we have from expression (7.3):

$$\phi_e(r) = \frac{|\mathbf{p}|}{-E-m} \phi_i(r) = \frac{-|\mathbf{p}|}{E+m} \frac{1}{4\pi r} e^{-ir\sqrt{E^2-m^2}} \rightarrow \frac{-\sqrt{E^2-m^2}}{E+m} \frac{1}{4\pi r} e^{-ir\sqrt{E^2-m^2}} \quad (7.6)$$

where we have utilized the following (for reason to be discussed elsewhere):

$$|\mathbf{p}|\phi_i(r) = \sqrt{-\nabla^2} \frac{1}{4\pi r} e^{-ir\sqrt{E^2-m^2}} \rightarrow \sqrt{E^2-m^2} \frac{1}{4\pi r} e^{-ir\sqrt{E^2-m^2}} \quad (7.7)$$

The complete radial solution of equation (7.1) for energy eigenstate $-E$ in Dirac form is:

$$\psi(t, r) = \begin{pmatrix} \psi_{e,-}(t, r) \\ \psi_{i,+}(t, r) \end{pmatrix} = N \begin{pmatrix} \frac{-\sqrt{E^2-m^2}}{E+m} \frac{1}{4\pi r} e^{+iEt-ir\sqrt{E^2-m^2}} \\ \frac{1}{4\pi r} e^{+iEt-ir\sqrt{E^2-m^2}} \end{pmatrix} = N \begin{pmatrix} -\sqrt{\frac{E-m}{E+m}} \\ 1 \end{pmatrix} \frac{1}{4\pi r} e^{+iEt-ir\sqrt{E^2-m^2}} \quad (7.8)$$

where N is a normalization factor.

When $m^2 > E^2$, that is, when the momentum in $E^2 - m^2 = \mathbf{p}^2$ is imaginary, we have from (7.8):

$$\psi(t, r) = \begin{pmatrix} \psi_{e,-}(t, r) \\ \psi_{i,+}(t, r) \end{pmatrix} = N \begin{pmatrix} \frac{-i\sqrt{m^2-E^2}}{E+m} \frac{1}{4\pi r} e^{+iEt-r\sqrt{m^2-E^2}} \\ \frac{1}{4\pi r} e^{+iEt-r\sqrt{m^2-E^2}} \end{pmatrix} = N \begin{pmatrix} -i\beta \\ 1 \end{pmatrix} \frac{1}{4\pi r} e^{+iEt-r\alpha} \quad (7.9)$$

where $\alpha = \sqrt{m^2 - E^2}$ and $\beta = \sqrt{(m-E)(E+m)^{-1}}$. Now, if we consider the special case of a timeless, spinless but massive entity in which $E=0$, that is, the rest mass is all comprised of imaginary momentum \mathbf{p}_i , we have from (7.9):

$$\psi(r) = \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = N \begin{pmatrix} \frac{-i}{4\pi r} e^{-rm} \\ \frac{1}{4\pi r} e^{-rm} \end{pmatrix} = N \begin{pmatrix} -i \\ 1 \end{pmatrix} \frac{1}{4\pi r} e^{-rm} \quad (7.10)$$

Thus, the internal and external wave functions in expression (7.10) have the form of Yukawa potential and its negative imaginary projection, respectively.

We propose that the interior (confinement zone) of an unspinzed nucleon is described by wave functions similar to expressions (7.9) or (7.10) and confinement is achieved through downward self-reference (imaginary momentum \mathbf{p}_i). Therefore, in this scenario, the three colors of the strong force are the three-dimensional imaginary momentum \mathbf{p}_i . Further, another implication of this scenario is that in the Machian quantum universe the timeless edge or outside of this universe (which is embedded in prespacetime) is connected to or simply is the timeless inside of the nucleons.

If we assume that the internal wave function ψ_i (which is self-coupled to the external wave function ψ_e through expression (7.1)) also couples with the external wave function χ_e of another entity (which is also self-coupled to its internal wave function χ_i) as, for example:

$$-g^2 \psi_i \chi_e = -g^2 \frac{1}{4\pi r} e^{-mr} \chi_e = -\frac{g^2}{r} e^{-mr} \chi_e \quad (7.11)$$

where $-g^2$ is a coupling constant, we can write part of the nuclear potential of a nucleon as follows:

$$V = -\frac{g^2}{r} e^{-mr} \quad (7.12)$$

which is in the form of Yukawa Potential. We should point out here that in this work we shall not try to develop a full Hamiltonian for two interacting nucleons.

We now discuss the unspinzed and spinized forms of proton. The spinized proton is the commonly known form of proton and we suggest that the unspinzed proton may reside in the neutron comprised of the unspinzed proton and a spinized electron as illustrated in § 3. The equations for a free unspinzed and spinized proton in Dirac Form are respectively as follows:

$$\begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad (7.13)$$

and

$$\begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p}_i \\ -\boldsymbol{\sigma} \cdot \mathbf{p}_i & E+m \end{pmatrix} \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = 0 \quad (7.14)$$

where \mathbf{p}_i is imaginary momentum. From the above derivation, we may write the wave function of an unspined proton with external and internal energy eigenstate $-E$ and $+E$ respectively as follows (by convention, electron has positive external energy $+E$ and internal energy $-E$):

$$\psi(t, r) = \begin{pmatrix} \psi_{e,-}(t, r) \\ \psi_{i,+}(t, r) \end{pmatrix} = N \begin{pmatrix} \frac{-|\mathbf{p}_i|}{E+m} \frac{1}{4\pi r} e^{+iEt-r\alpha} \\ \frac{1}{4\pi r} e^{+iEt-r\alpha} \end{pmatrix} = N \begin{pmatrix} -i\beta \\ 1 \end{pmatrix} e^{+iEt} \frac{1}{4\pi r} e^{-r\alpha} \quad (7.15)$$

In contrast, an unspined antiproton with external and internal energy eigenstate $+E$ and $-E$ respectively may have the following wave function:

$$\psi(t, r) = \begin{pmatrix} \psi_{e,+}(t, r) \\ \psi_{i,-}(t, r) \end{pmatrix} = N \begin{pmatrix} \frac{1}{4\pi r} e^{-iEt-r\alpha} \\ \frac{|\mathbf{p}_i|}{E+m} \frac{1}{4\pi r} e^{-iEt-r\alpha} \end{pmatrix} = N \begin{pmatrix} 1 \\ i\beta \end{pmatrix} e^{-iEt} \frac{1}{4\pi r} e^{-r\alpha} \quad (7.16)$$

According to this scenario, the nuclear spin of the neutron is solely due to the tightly bound spinized electron. Indeed, experimental data on charge distribution and g -factor of neutron supports this scenario. We further suggest that the nuclear potential causing tight binding of the spinized electron in the neutron may have the form of expression (7.12). Detailed consideration will be given elsewhere.

The wave function of spinized proton described by equation (7.14) can be obtained by spinizing the solution in expression (7.15) as follows:

$$\begin{aligned} |\mathbf{p}_i| &= \sqrt{\mathbf{p}_i^2} = \sqrt{-\text{Det} \boldsymbol{\sigma} \cdot \mathbf{p}_i} \rightarrow \boldsymbol{\sigma} \cdot \mathbf{p}_i = -i\boldsymbol{\sigma} \cdot \nabla \\ &= -i \left(\left(\frac{\partial}{\partial r} + \frac{1}{r} \right) \pm i \frac{j+1/2}{r} \right) I_2 = \left(-i \left(\frac{\partial}{\partial r} + \frac{1}{r} \right) \pm \frac{j+1/2}{r} \right) I_2 \end{aligned} \quad (7.17)$$

where j is the total angular momentum number. Choosing $j=1/2$, we obtain from expression (7.15) two sets of solutions as follows:

$$\psi(t, r) = \begin{pmatrix} \psi_{e,-}(t, r) \\ \psi_{i,+}(t, r) \end{pmatrix} = N \begin{pmatrix} \frac{-(1/r+i\alpha)}{E+m} \frac{1}{4\pi r} e^{+iEt-r\alpha} \\ 0 \\ \frac{1}{4\pi r} e^{+iEt-r\alpha} \\ 0 \end{pmatrix} = N \begin{pmatrix} \frac{-(1/r+i\alpha)}{E+m} \\ 0 \\ 1 \\ 0 \end{pmatrix} \frac{1}{4\pi r} e^{+iEt-r\alpha} \quad (7.18)$$

$$\psi(t, r) = \begin{pmatrix} \psi_{e,-}(t, r) \\ \psi_{i,+}(t, r) \end{pmatrix} = N \begin{pmatrix} 0 \\ -\frac{(-1/r + i\alpha)}{E + m} \frac{1}{4\pi r} e^{+iEt - r\alpha} \\ 0 \\ \frac{1}{4\pi r} e^{+iEt - r\alpha} \end{pmatrix} = N \begin{pmatrix} 0 \\ -\frac{(-1/r + i\alpha)}{E + m} \\ 0 \\ 1 \end{pmatrix} \frac{1}{4\pi r} e^{+iEt - r\alpha} \quad (7.19)$$

where $\alpha = \sqrt{m^2 - E^2}$. In the case of timeless proton (that is, when $E=0$), we have from expressions (7.18) and (7.19) the following:

$$\psi(t, r) = \begin{pmatrix} \psi_{e,-}(t, r) \\ \psi_{i,+}(t, r) \end{pmatrix} = N \begin{pmatrix} -\left(\frac{1}{mr} + i\right) \frac{1}{4\pi r} e^{+iEt - mr} \\ 0 \\ \frac{1}{4\pi r} e^{+iEt - mr} \\ 0 \end{pmatrix} = N \begin{pmatrix} -\frac{1}{mr} - i \\ 0 \\ 1 \\ 0 \end{pmatrix} e^{+iEt} \frac{1}{4\pi r} e^{-mr} \quad (7.18)$$

$$\psi(t, r) = \begin{pmatrix} \psi_{e,-}(t, r) \\ \psi_{i,+}(t, r) \end{pmatrix} = N \begin{pmatrix} 0 \\ \left(\frac{1}{mr} - i\right) \frac{1}{4\pi r} e^{+iEt - mr} \\ 0 \\ \frac{1}{4\pi r} e^{+iEt - mr} \end{pmatrix} = N \begin{pmatrix} 0 \\ \frac{1}{mr} - i \\ 0 \\ 1 \end{pmatrix} e^{+iEt} \frac{1}{4\pi r} e^{-mr} \quad (7.19)$$

In this scenario, spinization of unspinned proton causes loss of tight binding of spinized electron to unspinned proton the possible cause of which will be considered elsewhere.

8. GRAVITY (QUANTUM ENTANGLEMENT)

Gravity is quantum entanglement (instantaneous interaction) across the dual-world (see, e.g., Hu & Wu, 2006a-d, 2007a). There are two types of gravity at play. One is self-gravity (self-interaction) between the external object (external wave function) and internal object (internal wave function) of an entity (wave function) governed by the metamorphous Matrix Law described in this work and the other is the quantum entanglement (instantaneous interaction) between two entities or one entity and the dual-world as a whole which may be either attractive or repulsive. As further shown below, gravitational field (graviton) is just the wave function itself which expresses the intensity distribution and dynamics of self-quantum-entanglement (nonlocality) of an entity. Indeed, strong interaction actually is strong quantum entanglement (strong gravity). We point out here that some have suspected that strong interaction is strong gravity.

We focus here on three particular forms of gravitational fields. One is timeless (zero energy) external and internal wave functions (self-fields) that play the role of timeless graviton, that is, they mediate time-independent interactions through space quantum entanglement. The

second is spaceless external and internal wave functions (self-fields) that play the role of spaceless graviton, that is, they mediate space (distance) independent interactions through proper time (mass) entanglement. The third is massless external and internal wave functions (self-fields) that play the role of massless graviton, that is, they mediate mass (proper-time) independent interactions through massless energy entanglement. The typical wave function (self-fields) contains all three (timeless, spaceless and massless) components. In addition, the typical wave function also contains components related to fermionic or bosonic spinization.

As shown below, timeless quantum entanglement between two entities accounts for Newtonian gravity. Spaceless and/or massless quantum entanglement between two entities may account for dark matter (also see Hu & Wu, 2006) and the Casimir effect. Importantly, gravitational components related to spinization may account for dark energy (also see Hu & Wu, 2006).

When $E=0$, we have from fundamental relationship (3.4):

$$-m^2 - \mathbf{p}^2 = 0 \quad \text{or} \quad m^2 + \mathbf{p}^2 = 0 \quad (8.1)$$

We can regard expression (8.1) as a relationship governing the Machian quantum universe in which the total energy is zero. Classically, this may be seen as: (1) the rest mass m being comprised of imaginary momentum $\mathbf{P}=i\mathbf{P}_i$, or (2) momentum \mathbf{P} being comprised of imaginary rest mass $m=im_i$.

As shown in § 3, the timeless Matrix Law in Dirac and Weyl form is respectively the following:

$$\begin{pmatrix} -m & -|\mathbf{p}| \\ -|\mathbf{p}| & +m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (8.2)$$

$$\begin{pmatrix} -|\mathbf{p}| & -m \\ -m & +|\mathbf{p}| \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (8.3)$$

Thus, the equations of the timeless wave functions (self-fields) are respectively as follows:

$$\begin{pmatrix} -m & -|\mathbf{p}| \\ -|\mathbf{p}| & +m \end{pmatrix} \begin{pmatrix} g_{D,e} e^{-iM} \\ g_{D,i} e^{-iM} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = L_M V_D = 0 \quad (8.4)$$

and

$$\begin{pmatrix} -|\mathbf{p}| & -m \\ -m & +|\mathbf{p}| \end{pmatrix} \begin{pmatrix} g_{W,e} e^{-iM} \\ g_{W,i} e^{-iM} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = L_M V_W = 0 \quad (8.5)$$

Equation (8.4) and (8.5) can be respectively rewritten as:

$$\begin{pmatrix} mV_{D,e} = -|\mathbf{p}|V_{D,i} \\ mV_{D,i} = |\mathbf{p}|V_{D,e} \end{pmatrix} \text{ or } \begin{pmatrix} V_{D,e} = -\frac{|\mathbf{p}|}{m}V_{D,i} \\ V_{D,i} = \frac{|\mathbf{p}|}{m}V_{D,e} \end{pmatrix} \quad (8.6)$$

and

$$\begin{pmatrix} mV_{W,e} = |\mathbf{p}|V_{W,i} \\ mV_{W,i} = -|\mathbf{p}|V_{W,e} \end{pmatrix} \text{ or } \begin{pmatrix} V_{W,e} = \frac{|\mathbf{p}|}{m}V_{W,i} \\ V_{W,i} = -\frac{|\mathbf{p}|}{m}V_{W,e} \end{pmatrix} \quad (8.7)$$

To see the coupling of external and internal wave functions (self-fields) in a different perspective we can rewrite (8.6) and (8.7) respectively as follows:

$$\begin{pmatrix} mmV_{D,e}V_{D,i} = (-|\mathbf{p}|V_{D,i})(|\mathbf{p}|V_{D,e}) \\ (|\mathbf{p}|V_{D,e})(mV_{D,e}) = (mV_{D,i})(-|\mathbf{p}|V_{D,i}) \end{pmatrix} \quad (8.8)$$

and

$$\begin{pmatrix} mmV_{W,e}V_{W,i} = (|\mathbf{p}|V_{W,i})(-|\mathbf{p}|V_{W,e}) \\ (-|\mathbf{p}|V_{W,e})(mV_{W,e}) = (mV_{W,i})(-|\mathbf{p}|V_{W,i}) \end{pmatrix} \quad (8.9)$$

From expression (8.6), we can derive the following:

$$(m^2 + \mathbf{p}^2)V_{D,e} = 0 \quad \text{or} \quad (m^2 - \nabla^2)V_{D,e} = 0 \quad (8.10)$$

Equation (8.10) has radial solution in the form of Yukawa potential:

$$V_{D,e}(r) = \frac{1}{4\pi r} e^{-mr} \quad (8.11)$$

So in expression (8.4), $M=-imr$, that is, momentum is comprised of imaginary mass. The external timeless self-field in expression (8.11) has the form of Newton gravitational or Coulomb electric potential at large distance $r \rightarrow \infty$. We have from expression (8.6):

$$V_{D,i} = \frac{|\mathbf{p}|}{m}V_{D,e} = \frac{|\mathbf{p}|}{m} \frac{1}{4\pi r} e^{-mr} \rightarrow i \frac{1}{4\pi r} e^{-mr} \quad (8.12)$$

where we have utilized the following (for reasons to be discussed elsewhere):

$$|\mathbf{p}|V_{D,e} = \sqrt{-\nabla^2} \frac{1}{4\pi r} e^{-mr} \rightarrow im \frac{1}{4\pi r} e^{-mr} \quad (8.13)$$

The complete radial solution of equation (8.4) is then:

$$V_D(r) = \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = N \begin{pmatrix} \frac{1}{4\pi r} e^{-mr} \\ i \frac{1}{4\pi r} e^{-mr} \end{pmatrix} = N \begin{pmatrix} 1 \\ i \end{pmatrix} \frac{1}{4\pi r} e^{-mr} \quad (8.14)$$

where N is a normalization factor. Indeed, expression (8.7) can have same radial solution as expression (8.6):

$$V_w(r) = \begin{pmatrix} V_{w,e} \\ V_{w,i} \end{pmatrix} = N \begin{pmatrix} \frac{1}{4\pi r} e^{-mr} \\ i \frac{1}{4\pi r} e^{-mr} \end{pmatrix} = N \begin{pmatrix} 1 \\ i \end{pmatrix} \frac{1}{4\pi r} e^{-mr} \quad (8.15)$$

If we assume that the internal self-field $V_{D,i}$ (which is self-coupled to its external self-field $V_{D,e}$ through expression (8.4) or (8.8)) also couples through timeless quantum entanglement with the external wave function ψ_e of another entity of test mass m_t (which is also self-coupled to its internal wave function ψ_i) as, for example:

$$i\kappa m V_{D,i} m_t \psi_e = i\kappa m i \frac{1}{4\pi r} e^{-mr} m_t \psi_e = -G \frac{m}{r} e^{-mr} m_t \psi_e \quad (8.16)$$

where $i\kappa$ is a coupling constant and $G = \kappa/4\pi$ is Newton's Gravitational Constant, we have gravitational potential at large distance $r \rightarrow \infty$ as:

$$V_g = -G \frac{m}{r} \quad (8.17)$$

We should point out here that in this work we shall not try to develop a full Hamiltonian for the two entities interacting through timeless quantum entanglement.

When $|\mathbf{p}|=0$, we have from fundamental relationship (3.4):

$$E^2 - m^2 = 0 \quad (8.18)$$

We can regard expression (8.6) as a relationship governing a spaceless quantum universe. Classically, this may be seen as the rest mass m being comprised of time momentum (energy E). As shown in § 3, the spaceless Matrix Law in Dirac and Weyl form is respectively the following:

$$\begin{pmatrix} E-m & 0 \\ 0 & E+m \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} = L_M \quad (8.19)$$

and

$$\begin{pmatrix} E & -m \\ -m & E \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} = L_M \quad (8.20)$$

and the equation of spaceless wave functions (self- fields) are respectively the follows:

$$\begin{pmatrix} E-m & 0 \\ 0 & E+m \end{pmatrix} \begin{pmatrix} g_{D,e} e^{-imt} \\ g_{D,i} e^{-imt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = L_M V_D = 0 \quad (8.21)$$

and

$$\begin{pmatrix} E & -m \\ -m & E \end{pmatrix} \begin{pmatrix} g_{W,e} e^{-imt} \\ g_{W,i} e^{-imt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = L_M V_W = 0 \quad (8.22)$$

The external and internal (spaceless) wave functions $V_{D,e}$ and $V_{D,i}$ in equation (8.21) are decoupled from each other, but those in equation (8.22), $V_{W,e}$ and $V_{W,i}$, are coupled to each other:

$$\begin{pmatrix} EV_{D,e} = mV_{D,e} \\ EV_{D,i} = -mV_{D,i} \end{pmatrix} \quad \text{but} \quad \begin{pmatrix} EV_{W,e} = mV_{W,i} \\ EV_{W,i} = mV_{W,e} \end{pmatrix} \quad (8.23)$$

It can be easily verified that the solutions to equation (8.21) are in forms of:

$$V_D = \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = N \begin{pmatrix} 1e^{-imt} \\ 0e^{-imt} \end{pmatrix} = N \begin{pmatrix} 1 \\ 0 \end{pmatrix} e^{-im} \quad (8.24)$$

or

$$V_D = \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = N \begin{pmatrix} 0e^{imt} \\ 1e^{imt} \end{pmatrix} = N \begin{pmatrix} 0 \\ 1 \end{pmatrix} e^{im} \quad (8.25)$$

but the solutions to equation (8.22) are in the forms of:

$$V_W = \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = N \begin{pmatrix} 1e^{-imt} \\ 1e^{-imt} \end{pmatrix} = N \begin{pmatrix} 1 \\ 1 \end{pmatrix} e^{-im} \quad (8.26)$$

or

$$V_W = \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = N \begin{pmatrix} 1e^{imt} \\ 1e^{imt} \end{pmatrix} = N \begin{pmatrix} 1 \\ 1 \end{pmatrix} e^{im} \quad (8.27)$$

As we shall illustrate below, most quantum entanglements one speaks of in quantum mechanics are spaceless quantum entanglements (gravity) between two entities; dark matter may be a manifestation of this non-Newtonian gravity; and the Casimir effect may be due to this type of spaceless quantum entanglement or, at least, may have a contribution from spaceless quantum entanglement.

For simplicity, we will consider two masses m_1+m_p and m_2 respectively located at space points 1 and 2. Their respective spaceless wave functions can be written in Weyl form as follows:

$$V_{1W+} = \begin{pmatrix} g_{1W+,e} e^{-i(m_1+m_p)t} \\ g_{1W+,i} e^{-i(m_1+m_p)t} \end{pmatrix} \quad \text{and} \quad V_{2W-} = \begin{pmatrix} g_{2W-,e} e^{-im_2t} \\ g_{2W-,i} e^{-im_2t} \end{pmatrix} \quad (8.28)$$

which form product state $V_{1W+} V_{2W-}$. After m_p leaves V_{1W+} as an emitted particle and get absorbed by V_{2W-} , we may have the following two additional spaceless wave functions in Weyl form:

$$V_{1W-} = \begin{pmatrix} g_{1W-,e} e^{-im_1 t} \\ g_{1W-,i} e^{-im_1 t} \end{pmatrix} \quad \text{and} \quad V_{2W+} = \begin{pmatrix} g_{2W+,e} e^{-i(m_2+m_p)t} \\ g_{2W+,i} e^{-i(m_2+m_p)t} \end{pmatrix} \quad (8.29)$$

which form product state $V_{1W-} V_{2W+}$. The final spaceless quantum state may be written as follows:

$$V = \frac{1}{\sqrt{2}} (V_{1W+} V_{2W-} + V_{1W-} V_{2W+}) = \frac{1}{\sqrt{2}} (|1+\rangle |2-\rangle + |1-\rangle |2+\rangle) \quad (8.30)$$

In this joint spaceless wavefunction, m_1 and m_2 are quantum entangled due to interaction with and through m_p . It is suggested that this space (distance)-independent quantum entanglement (non-Newtonian gravity) between two entities is the cause of dark matter. It is further suggested that this space (distance) independent quantum entanglement (sharing of mass/energy) between two entities after interaction is the cause of or, at least, a contribution to Casimir effect. We should point out here that in this work we shall not try to develop a full Hamiltonian for the two entities interacting through spaceless quantum entanglement.

When $m=0$, we have from fundamental relationship (3.4):

$$E^2 - \mathbf{p}^2 = 0 \quad (8.31)$$

We can regard expression (8.11) as a relationship governing the massless quantum universe in which the total rest mass (proper time) is zero. Classically, this may be seen as energy E being comprised of momentum \mathbf{p} . As shown in § 3, the massless Matrix Law in Dirac and Weyl form is respectively the following:

$$\begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (8.32)$$

and

$$\begin{pmatrix} E-|\mathbf{p}| & 0 \\ 0 & E+|\mathbf{p}| \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (8.33)$$

and the equations of massless wave functions (self-fields) are respectively the following:

$$\begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} g_{D,e} e^{-iM} \\ g_{D,i} e^{-iM} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = L_M V_D = 0 \quad (8.34)$$

and

$$\begin{pmatrix} E-|\mathbf{p}| & 0 \\ 0 & E+|\mathbf{p}| \end{pmatrix} \begin{pmatrix} g_{W,e} e^{-iM} \\ g_{W,i} e^{-iM} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = L_M V_W = 0 \quad (8.35)$$

Equations (8.34) and (8.35) have plane-wave solutions. The external and internal

(massless) wave functions $V_{D,e}$ and $V_{D,i}$ in equation (8.34) are coupled with each other, but those in equations (8.35), $V_{W,e}$ and $V_{W,i}$, are decoupled from each other:

$$\begin{pmatrix} EV_{D,e} = |\mathbf{p}|V_{D,i} \\ EV_{D,i} = |\mathbf{p}|V_{D,e} \end{pmatrix} \quad \text{but} \quad \begin{pmatrix} EV_{W,e} = |\mathbf{p}|V_{W,e} \\ EV_{W,i} = -|\mathbf{p}|V_{W,i} \end{pmatrix} \quad (8.36)$$

For eigenstate of E and $|\mathbf{p}|$, the solutions to equation (8.34) are in the forms of:

$$V_D = \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = N \begin{pmatrix} 1e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \\ |\mathbf{p}| e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \\ E \end{pmatrix} = N \begin{pmatrix} 1 \\ 1 \end{pmatrix} e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \quad (8.37)$$

or

$$V_D = \begin{pmatrix} V_{D,e} \\ V_{D,i} \end{pmatrix} = N \begin{pmatrix} |\mathbf{p}| e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \\ E \\ 1e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \end{pmatrix} = N \begin{pmatrix} 1 \\ 1 \end{pmatrix} e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \quad (8.38)$$

but the solutions to equation (8.35) are in the forms of:

$$V_W = \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = N \begin{pmatrix} 1e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \\ 0e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \end{pmatrix} = N \begin{pmatrix} 1 \\ 0 \end{pmatrix} e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \quad (8.39)$$

or

$$V_W = \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = N \begin{pmatrix} 0e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \\ 1e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \end{pmatrix} = N \begin{pmatrix} 0 \\ 1 \end{pmatrix} e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \quad (8.40)$$

Equations (8.34) and (8.35) describe the self-interaction of external and internal massless and spinless wave functions (self-fields). We can build a quantum-entangled state of two massless and spinless entities similar to that of two spaceless entities. It is suggested that this rest mass-independent quantum entanglement (non-Newtonian gravity) between two massless entities may also contribute to the cause of dark matter (also see, Hu & Wu, 2006).

9. CONSCIOUSNESS

Our experimental results on quantum entanglement of the brain with external substances suggest that consciousness is not located in the brain but associated with prespacetime (Hu & Wu, 2006a-c). Thus, these results support the proposition that the transcendental aspect of consciousness is the basis of reality. Indeed, our view is that reality is an interactive quantum reality centered on consciousness (GOD, ALLAH or prespacetime) and the interaction between consciousness and reality is the most fundamental self-reference (Hu, 2008b & 2009). The perplexing questions we have tried to answer are: (1) Is quantum reality produced and influenced by consciousness; or (2) is consciousness produced and influenced by quantum reality? As shown in the preceding sections, our answers are that

consciousness is both transcendent and immanent, that is, the transcendental aspect of consciousness produces and influences reality through self-referential spin as the interactive output of consciousness and, in turn, reality produces and influences immanent aspect of consciousness as the interactive input to consciousness also through self-referential spin (*Id.*).

We have also been asking the question: Where and what is human consciousness in the big scheme of things? Our answer is that human consciousness is a limited or individualized version of the above dual-aspect consciousness such that we have limited free will and limited observation/experience which is mostly classical at macroscopic levels but quantum at microscopic levels (*Id.*). For example, as a limited transcendental consciousness, we have through free will the choice of what measurement to do in a quantum experiment but not the ability to control the result of measurement (at least not until we can harness the abilities of our consciousness). That is, the result appears to us as random. On the other hand, at the macroscopic level, we also have the choice through free will of what to do but the outcome, depending on context, is sometimes certain and at other times uncertain. Further, as a limited immanent consciousness, we can only observe the measurement result in a quantum experiment that we conduct and experience the macroscopic environment surrounding us as the classical world (*Id.*).

With these “big” questions out of the way, we now focus on some of the details of how human experience (as limited immanent consciousness) is produced through the brain and how human free-will (as limited transcendental consciousness) may operate through the brain. These questions have also been considered by us previously.




Figure 9.1 Interaction between an object and the brain (body) in the dual-world

As illustrated in Figure 9.1, there are two kinds of interactions between an object (entity) outside the brain (body) and the brain (body). The first and commonly known kind is the direct physical and/or chemical interactions such as sensory input through the eyes. The second and lesser-known but experimentally proven to be true kind is the instantaneous interactions through quantum entanglement. The entire world outside our brain (body) is associated with our brain (body) through quantum entanglement thus influencing and/or generating not only our feelings, emotions and dreams but also the physical, chemical and physiological states of our brain and body.

Importantly, quantum entanglement may participate in sensory experience such as vision, for example, as follows (keep in mind that an interaction with the external world is accompanied by its counterpart interaction with the internal world): (1) A light ray reflected and/or emitted from an object outside the brain enters the eye, gets absorbed, converted and amplified in the retina as propagating action potentials which travel to the central nervous system (CNS); (2) In the CNS, the action potentials drive and influence the mind pixels which according our theory is the nuclei such as protons with net nuclear spins and/or electrons with unpaired spins; and (3) Either the driven or influenced dynamic patterns of the mind-pixels in the internal world form the experience of the object, or more likely our visual experience of the object is the direct experience of the object in the external world through quantum entanglement established by the physical interactions. In the latter case, there is no image of the outside world in the brain. Further, in the case in which the object outside the brain is an image such as a photograph, there also exists the possibility that our visual experience is not only the experience of the photograph as such through quantum entanglement but also the experience of the object within the photograph through additional quantum entanglement. We hope that through careful experiments, we can find out which mechanism is actually true or whether both are true in reality.

The action potentials in the retina, the neural pathways and the CNS are driven by voltage-gated ion channels on neural membranes as embodied by the Hodgkin-Huxley model:

$$\partial_t V_m = -\frac{1}{C_m} \left(\sum_i (V_m - E_i) g_i \right) \quad (9.1)$$

where V_m is the electric potential across the neural membranes, C_m is the capacitance of the membranes, g_i is the i th voltage-gated or constant-leak ion channel (also see, Hu & Wu, 2004c & 2004d). The overall effect of the action potentials and other surrounding factors, especially the magnetic dipoles carried by oxygen molecules due to their two unpaired electrons, is that inside the neural membranes and proteins, there exist varying strong electric field \mathbf{E} and fluctuating magnetic field \mathbf{B} that are also governed by the Maxwell equation:

$$\begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \boldsymbol{\sigma} \cdot \mathbf{E} \\ i\boldsymbol{\sigma} \cdot \mathbf{B} \end{pmatrix} = 0 \quad \text{or} \quad \begin{pmatrix} \partial_t \mathbf{E} = \nabla \times \mathbf{B} \\ \partial_t \mathbf{B} = -\nabla \times \mathbf{E} \\ \nabla \cdot \mathbf{E} = 0 \\ \nabla \cdot \mathbf{B} = 0 \end{pmatrix} \quad (9.3)$$

where we have set the classical (macroscopic) electric density and current $j^\mu = (\rho, \mathbf{j}) = 0$ inside the neural membranes. Further, for simplicity, we have not considered the medium effect of the membranes, that is, we have treated the membranes as a vacuum.

Microscopically, electromagnetic fields \mathbf{E} and \mathbf{B} or their electromagnetic potential representation $A^\mu = (\phi, \mathbf{A})$:

$$\begin{pmatrix} \mathbf{E} = -\nabla\phi - \partial_t \mathbf{A} \\ \mathbf{B} = \nabla \times \mathbf{A} \end{pmatrix} \quad (9.4)$$

interact with proton of charge e and unpaired electron of charge $-e$ respectively as the following Dirac-Maxwell systems:

$$\left(\begin{pmatrix} E - e\phi - m & -\boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) & E - e\phi + m \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \right)_p \quad (9.5)$$

$$\begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \boldsymbol{\sigma} \cdot \mathbf{E} \\ i\boldsymbol{\sigma} \cdot \mathbf{B} \end{pmatrix} = \begin{pmatrix} -i\boldsymbol{\sigma} \cdot (\psi^\dagger \boldsymbol{\beta} \boldsymbol{\alpha} \psi) \\ -i(\psi^\dagger \boldsymbol{\beta} \boldsymbol{\beta} \psi) \end{pmatrix}_p \quad (9.6)$$

and

$$\left(\begin{pmatrix} E + e\phi - m & -\boldsymbol{\sigma} \cdot (\mathbf{p} + e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p} + e\mathbf{A}) & E + e\phi + m \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 \right)_e \quad (9.7)$$

$$\begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} \boldsymbol{\sigma} \cdot \mathbf{E} \\ i\boldsymbol{\sigma} \cdot \mathbf{B} \end{pmatrix} = \begin{pmatrix} -i\boldsymbol{\sigma} \cdot (\psi^\dagger \boldsymbol{\beta} \boldsymbol{\alpha} \psi) \\ -i(\psi^\dagger \boldsymbol{\beta} \boldsymbol{\beta} \psi) \end{pmatrix}_e \quad (9.8)$$

where $\boldsymbol{\beta}$ and $\boldsymbol{\alpha}$ are Dirac matrices.

In equations (9.5) and (9.7), the interactions (couplings) of \mathbf{E} and/or \mathbf{B} with proton and/or electron spin operator $(\boldsymbol{\sigma})_p$ and $(\boldsymbol{\sigma})_e$ are hidden. But they are due to the self-referential Matrix Law which causes mixing of the external and internal wave functions and can be made explicit in the determinant view as follows. For Dirac form, we have:

$$\left(\begin{pmatrix} E - e\phi - m & -\boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) & E - e\phi + m \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \right)_p \quad (9.9)$$

$$\begin{aligned} &\rightarrow \left(\left(\begin{array}{c} (E - e\phi - m)(E - e\phi + m) - \\ (-\boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}))(-\boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A})) \end{array} \right) I_2 \psi_{e,-} \psi_{i,+}^* = 0 \right)_p \\ &\rightarrow \left(\left((E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2 + e\boldsymbol{\sigma} \cdot \mathbf{B} \right) I_2 \psi_{e,-} \psi_{i,+}^* = 0 \right)_p \end{aligned}$$

For Weyl (chiral) form, we have:

$$\begin{aligned} &\left(\left(\begin{array}{cc} E - e\phi - \boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) & -m \\ -m & E - e\phi + \boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}) \end{array} \right) \left(\begin{array}{c} \psi_{e,r} \\ \psi_{i,l} \end{array} \right) = 0 \right)_p \quad (9.10) \\ &\rightarrow \left(\left((E - e\phi - \boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A}))(E - e\phi + \boldsymbol{\sigma} \cdot (\mathbf{p} - e\mathbf{A})) - m^2 \right) I_2 \psi_{e,r} \psi_{i,l}^* = 0 \right)_p \\ &\rightarrow \left(\left((E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2 + e\boldsymbol{\sigma} \cdot \mathbf{B} - ie\boldsymbol{\sigma} \cdot \mathbf{E} \right) I_2 \psi_{e,r} \psi_{i,l}^* = 0 \right)_p \end{aligned}$$

These two couplings are also explicitly shown in Dirac-Hestenes formulism or during the process of non-relativistic approximation of the Dirac equation in the present of external electromagnetic potential A^μ . We can carry out the same procedures for an electron to show the explicit couplings of $(\boldsymbol{\sigma})_e$ with \mathbf{E} and \mathbf{B} .

One effect of the couplings is that the action potentials through \mathbf{E} and \mathbf{B} (or A^μ) input information into the mind-pixels in the brain (Hu & Wu, 2004c, 2004d & 2008a). Judging from the above Dirac-Maxwell systems, we are inclined to think that said information is likely carried in the temporal and spatial variations of \mathbf{E} and \mathbf{B} (frequencies and timing of neural electric spikes and their spatial distributions in the CNS). Another possible effect of the couplings is that they allow the transcendental aspect of consciousness through wave functions (the self fields) of the proton and/or electron to back-influence \mathbf{E} and \mathbf{B} (or A^μ) which in turn back-affect the action potentials through the Hodgkin-Huxley neural circuits in the CNS (also see, Hu & Wu, 2007d & 2008a).

We will carry out detailed studies of the above sketched possible mechanisms elsewhere. Here we will speculate a bit about how human free-will as a macroscopic quality of limited transcendental consciousness may originate microscopically under the particular high electric voltage environment inside the neural membranes. For example, one possibility is that the human free will as thought or imagination produces changes in the phase of external and internal wave functions:

$$e^{i0} = e^{-i(\Delta Et - \Delta \mathbf{p} \cdot \mathbf{x}) + i(\Delta Et - \Delta \mathbf{p} \cdot \mathbf{x})} = \left(e^{-i(\Delta Et - \Delta \mathbf{p} \cdot \mathbf{x})} \right)_e \left(e^{+i(\Delta Et - \Delta \mathbf{p} \cdot \mathbf{x})} \right)_i \quad (9.13)$$

where $()_e$ and $()_i$ respectively indicate external and internal wave functions, which in turn back-affect \mathbf{E} and \mathbf{B} (or A^μ) in the high electric voltage neural membranes through the Dirac Maxwell systems illustrated above.

10. APPLICATIONS, PREDICTIONS, QUESTIONS & ANSWERS

As we mentioned earlier, the major breakthrough in this work came in part as we struggled to find answers to fundamental questions posed by our own experimental results (Hu & Wu, 2006b, 2006c, 2006d & 2007a). One of such questions was: How was it possible for a person located in one place to feel the effect of an anesthetic applied to quantum-entangled water sample located at another location without having actually inhaled or ingested said anesthetic? The simplest answer is that our consciousness is not located within spacetime but within prespacetime or is simply prespacetime itself as we have theorized ourselves earlier but might be reluctant to accept without experimental proof (Hu & Wu, 2003, 2004b & 2006a; also see Hu, 2009).

Another key question was: How was it possible for the temperature of a water sample located at one place to increase or decrease against the temperature of its local environment as the quantum-entangled water sample at a different location is manipulated? One answer is that the energies in the two samples can exchange nonlocally. This is permitted within the principle formulated in this work. Yet, another answer is that the external energy and internal energy of the water sample being measured can be created or annihilated locally under the influence of the remote manipulation through quantum entanglement as illustrated in expression (9.13) and (5.11) respectively. This latter answer is also permitted within the principle formulated in this work. Further, it is possible that both these mechanisms are at play. Only further experiments will tell.

Yet a third key question was: How was it possible for the weight of a water sample located at one place to increase or decrease against the gravity of earth at that location as the quantum-entangled water sample at another location is manipulated? One answer is that the weight of the sample being measured can change due to spaceless quantum entanglement with the sample being manipulated as formulated in this work. Further, timeless quantum entanglement as formulated in this work may also play a role in the weight change in the sample being measured.

Indeed, many other applications and predictions can be drawn and they will be considered elsewhere if and when time permits. For now we will list some fundamental questions about existence, life and consciousness and give our answers (some are tentative) to them in the context of the principle of existence illustrated in this work. We hope that these questions and answers will also serve as a response to many anticipated questions related to this work. Finally, we will make some predictions and point out some applications also in the form of the questions and answers below.

Questions & Answers

1. Was there a Creator of the Universe? Yes. The Creator is GOD, ALLAH, Consciousness or Prespacetime which is omnipotent, omniscient and omnipresent.
2. Was there something before the Universe was born (if there was a birth)? Yes. GOD alone ($1=e^0$) without differentiation or dualization. So, it may be said that $1=e^0=e^{iM-iM}$

$e^{iM} e^{-iM} = e^{-iM} / e^{-iM} = e^{iM} / e^{iM} \dots$ is the GOD particle.

3. How does GOD create, sustain and cause evolution of the Universe and all entities in it? GOD does these things by hierarchical self-referential spin of ITS mind and body at ITS free will.
4. Why is there materially something instead of nothing? GOD is restless and loves to create, sustain and make evolutions of different entities so as to entertain ITSELF.
5. How does GOD govern the Universe? GOD governs through metamorphous self-referential Matrix Law.
6. What is matter? Matter is a dualized entity (created through hierarchical self-referential spin of GOD's mind and body) comprised of an external wave function (external object) having positive mass/energy by convention and an internal wave function (internal object) having negative mass/energy by convention.
7. What is antimatter? Antimatter is a dualized entity (created through hierarchical self-referential spin of GOD's mind and body) comprised of an external wave function (external object) having negative mass/energy by convention and an internal wave function (internal object) having positive mass/energy by convention.
8. Is energy conserved in the dual-world? Yes, energy is conserved to zero according to the accounting principle of zero.
9. Is energy conserved in the external (internal) world alone? The answer depends on the context. In most natural processes, external (internal) energy is conserved and transformed into different forms without loss due to cancellation between the external and internal worlds. However, in some processes, especially those involving human consciousness and/or intention (free will), energy conservation in the external (internal) world may be slightly violated so that the free will may function. We emphasize here that experimentation is the key to getting scientific answers for these types of questions. Also, violation of energy conservation in the external (internal) world may occur in certain cosmic processes (e.g., in the Sun) or in certain weak interactions as will be considered elsewhere.
10. What is quantum entanglement? It is the interaction and/or connections between the external and internal wave functions (objects) of a single dualized entity or among different dualized entities through prespacetime which is outside spacetime.
11. What is self-interaction, self-gravity or self-quantum entanglement? Self-interaction is the interaction between the external and internal wave functions (objects) according to the GOD equation governed by the self-referential Matrix Law.

12. What is strong force? It is likely downward self-reference through imaginary momentum. It is strong gravity (strong quantum entanglement).
13. What is weak force? It is fermionic spinization and unspinization of spinless entities with or without bosonic intermediary spinization.
14. What is electromagnetic force? It is bosonic spinization and unspinization of massless and spinless entity.
15. What is gravity? It is quantum entanglement across the dual world which includes self-gravity or self-quantum-entanglement between the external and internal wave functions (objects) of a single dualized entity and gravity or quantum entanglement among different entities.
16. What is Newtonian Gravity? It is instantaneous action at large distance caused by timeless quantum entanglement.
17. What is dark matter? Our tentative answer is that it is a nonlocal effect caused by spaceless quantum entanglement.
18. What is dark energy? Our tentative answer is that it is a nonlocal effect caused by quantum entanglement associated with fermionic and/or bosonic spinization.
19. What is a black hole, white hole or white-black hole? It is likely that the black hole in the sense of General Relativity is a mathematical artifact since it seems that general relativity does not take the internal world or the negation of external world into consideration. Therefore, it is likely that black holes only *appear* to exist. The internal wave function (object) appears to the external wave function (object) as a black hole, *visa versa*. The external wave function (object) alone appears to be a white hole, so an entity comprised of the external and internal wave functions (objects) appear to be a white-black hole depending on one's perspective.
20. What is the origin of the Casimir Effect? The Casimir effect is or has contribution from spaceless quantum entanglement due to energy/mass exchange between two entities.
21. What is the origin of the quantum effect? The origin is primordial hierarchical self-referential spin of GOD's mind and body or prespacetime.
22. Does Higgs Boson exist? No, it is likely a mathematical artifact due to the particular gauge-invariant Lagrangian formulation.
23. What is information? It is a distinction (either quantitative or qualitative) experienced or perceived by a particular consciousness.

24. What is quantum information? It is a distinction or a state of distinction (either quantitative or qualitative) experienced or perceived by a particular consciousness which is due to a quantum effect such as quantum entanglement.

25. What is the meaning of imaginary unit i ? It is the most elementary self-referential process. As imagination in Godhead, it makes phase distinction of an elementary entity and as an element in the Matrix Law it plays a crucial role in GOD's self-referential matrixing creation.

26. What is our view on Godel's Incompleteness Theorem? It is a reflection of the self-referential nature of mathematics.

27. What is our understanding of the measurement problem or how the classical world appears? The classical world appears as the result of hierarchical collapsing or focusing of the quantum reality through the free will of unlimited and/or limited transcendental aspect of consciousness. By way of an example, a stone, mountain or earth appears to a human consciousness as classical object because the unlimited consciousness has already collapsed/focused it for the human consciousness. Therefore, on the macroscopic level, when we are not looking at the moon, the moon is still there and when we throw a stone at two holes, we will be able to observe both the hole the stone will pass through and the location where it will land. On the other hand, microscopically, when we are not measuring the position of an electron, it may be at the location we want to measure or may be not. That is, our limited free will have the choice of where and when to do the measurement but the answer we get appears to be random since the position the electron to be found is determined by GOD's free will.

28. What is Consciousness? Consciousness is the basis of quantum reality. It is GOD, ALLAH, or Prespacetime which is omnipotent, omniscient and omnipresent.

29. What is human consciousness? It is a limited or individualized Consciousness associated with a particular human brain/body.

30. Does human consciousness reside in human brain? No, the human brain is the interface for human consciousness to experience and interact with the external world.

31. What are spirit, soul and/or mind? They are different aspects or properties of Consciousness which is transcendent, immanent and eternal.

32. What is the essence of The Special Theory of Relativity? The essence of The Special Theory of Relativity is that the speed limit c is applicable in interactions in each of the dual worlds but not interactions across the dual worlds. Indeed, the reason that no external object can move faster than the speed of light and said object gets heavier and heavier as it approaches the speed of light is due to its increased quantum entanglement with the internal world through its counterpart the internal object.

33. What is our opinion on General Theory of Relativity? If the speed of gravitational interaction based on General Relativity is limited to the speed of light, General Relativity goes against experience/experiments and is thus ontologically invalid. Otherwise, it should be derivable from the properties of quantum entanglement. In any case, it may still be used or treated as an effective or approximate theory.

34. What is our view on the second law of thermodynamics? It is approximately valid but may be violated under some circumstances such as when human intention/consciousness or nonlocal processes such as those mediated by quantum entanglement are involved.

35. What is our opinion on the so-called hard problem of consciousness? This problem arises as a defect of the materialistic philosophy of consciousness which denies that consciousness is the foundation of quantum reality and conscious experience is a feature of the dual-world which is the universe.

36. Where did we come from? Physically/biologically, we came from GOD as ITS creation. Spiritually, we are an inseparable part of GOD and our consciousness is limited and/or individualized version of GOD's consciousness.

37. Where are we going? Physically/biologically, we disintegrate or die unless we advance our science to the point where death of our biological body becomes a choice, not unavailability. Also, we are of the opinion that advancement in science will eventually enable us to transfer or preserve our individual consciousness associated with our ailing or diseased bodies to another biological or artificial host. Spiritually, we may go back to GOD or reincarnate into a different form of individual consciousness that may be able to recall its past (but we are not yet sure about the latter point).

38. How does the mind influence the brain? Mind influences the brain through free will which acts on subjective entities (internal objects), which in turn affect objective entities (external objects) through the GOD Equation.

39. Do we believe in paranormal phenomena? They are likely real and explainable by quantum entanglement. But the effect is likely very small.

40. What is your opinion on homeopathy? It is likely a real effect and explainable by quantum entanglement. But the effect is very small and clinically maybe ineffective.

41. Do we believe in UFOs? Theoretically, they are plausible.

42. What is the origin of the uncertainty principle? The origin is self-referential spin or zitterbewegung.

43. What is the origin of quantum jump or wave collapse? The free will of GOD or unlimited transcendental consciousness in order to observe or experience the universe IT created. Remember that our limited free will is part of GOD's unlimited free will since we are part of GOD.

44. Is the total entropy of the universe conserved? Yes, it is conserved to zero in the dual world but is not conserved in each world alone.

45. What is your view of the Mach principle? It is our opinion that the Universe is a Machian quantum universe in which the total energy of the dual world is zero.

46. Is information conserved? It is our opinion that information is conserved to zero in the dual world since each distinction in the external world is accompanied by its negation in the internal world. However, information is not conserved in each world alone.

47. What is a graviton? There is no graviton in the sense of a quantum (particle) which mediated gravitational interaction at the speed of light. However, since gravity is quantum entanglement, the wave function of each entity may be treated as a graviton.

48. Does the repulsive gravitational force exist? Maybe - gravity between the electron and proton is possibly repulsive but it needs experimental verification.

49. Is there an absolute reference frame? Yes, it is simply prespacetime (GOD, ALLAH or Consciousness).

11. CONCLUSION

As submitters to truth, searching for truth and our Creator, if IT does exist, is the ultimate treasure hunt. Many before us have been on this sacred journey. Some find it spiritually, some got close, some got lost, some gave up, some gave their lives in the process, and some went astray and hostile. Perhaps, scientifically we have gotten closer and/or even been actually there. As proof, we have brought back and reported in our previous papers and this work what we have found and believed to be a few pieces of this great treasure and a practical map for fellow truth seekers to analyze and use. The pieces we found and brought back are both experimental and theoretical. Experimentally, we have demonstrated that: (1) Consciousness is associated with (or simply is) prespacetime and our brain is the vehicle for conscious experiences and operations (feedbacks); and (2) there exists an instantaneous transcendental force (quantum entanglement or gravity) beyond spacetime which makes omnipotence, omnipresence and omniscience of Consciousness (GOD, ALLAH or prespacetime) possible and feasible. Theoretically, we have presented a detailed model of spin-mediated consciousness previously and, in this work, an ontological and mathematical model (Principle of Existence) centered on Consciousness which through multifaceted and hierarchical self-referential spin creates, sustains, experience and causes evolution of the Universe.

However, since the place of the treasure is so large and the pieces of the treasure so many, we glanced at many but only brought back a few due to our limited capacity and imperfect skills. Or perhaps, some are not brought back so that others may share the joy of finding and bringing them back. After all, what is the fun in bringing back many just by ourselves, even if we have the capacity and skills to do so? Even worse, if the pieces we have brought back were not be genuine or recognized as such, what is the point of bringing back more? It will be far more fulfilling if all truth seekers can both analyze and use the map we have drawn and participate in this most sacred journey and treasure hunt.

One of the key features of the principle of existence illustrated in this work is the development and use of hierarchical self-referential mathematics in order to accommodate both the transcendental and immanent qualities/properties of Consciousness (GOD, ALLAH or Prespacetime). Needless to say, this potential new branch/direction of mathematics is in its infancy and we have not attempted to give a systematic presentation in this work. We hope that mathematicians will see the virtue in our work and, indeed, participate in the development of the new mathematics.

To recapitulate, we have in this work laid out an ontological and mathematical foundation towards a theory of everything which includes gravity and centers on Consciousness. If we are on the right path, we hope that our efforts mark a new beginning in the pursuit of the Holy Grail of science (and religion).

In the beginning there was prespacetime (GOD) e^h by itself $e^0 = 1$ materially empty and spiritually restless. And it began to imagine through primordial self-referential spin $1 = e^0 = e^{iM-iM} = e^{iM} e^{-iM} = e^{iM}/e^{-iM} = e^{iM}/e^{iM} \dots$ such that it created the external object to be observed and internal object as observed, separated them into external world and internal world, caused them to interact through self-referential Matrix Law and thus gave birth to the Universe which it has since passionately loved, sustained and made to evolve.

In this Universe, Godbody (ether or aether), represented by Euler number e , is the ground of existence and can form external and internal wave functions as external and internal objects (each pair forms an elementary entity) and interaction fields between elementary entities which accompany the imaginations of Godhead h . Godbody can be self-acted on by GOD's self-referential Matrix Law L_M . Godhead h has imagining power i to project external and internal objects by projecting, e.g., external and internal phase $\pm M = \pm(Et - \mathbf{p} \cdot \mathbf{x})/\hbar$ above Godbody e . The Universe so created is a dual-world comprising of the external world to be observed and internal world as observed under each relativistic frame $x^\mu = (t, \mathbf{x})$. In one perspective of GOD's eye view, the internal world (which by convention has negative energy) is the negation/image of the external world (which by convention has positive energy). The absolute frame of reference is the Godbody (ether). Thus, if GOD stops imagining ($h=i0=0$), the Universe would disappear into materially nothingness $e^{i0} = e^0 = 1$.

The accounting principle of the dual-world is conservation of zero. For example, the total energy of an external object and its counterpart, the internal object, is zero. Also in this

dual-world, self-gravity is the nonlocal self-interaction (wave mixing) between an external object in the external world and its negation/image in the internal world, that is, the negation appears to its external counterpart as a black hole *visa versa*. Gravity is the nonlocal interaction (quantum entanglement) between an external object with the internal world as a whole. Some other most basic conclusions are: (1) the two spinors of the Dirac electron or positron are respectively the external and internal objects of the electron or positron; (2) the electric and magnetic fields of a linear photon are respectively the external and internal objects of a photon which are always self-entangled; (3) the proton is likely a spatially confined (hadronized) positron through imaginary momentum (downward self-reference); and (4) a neutron is likely comprised of a unspinized (spinless) proton and a bound and spinized electron. In this dual-world, consciousness is simply prespacetime (GOD) having both transcendental and immanent properties/qualities. The transcendental aspect of consciousness is the origin of primordial self-referential spin (including the self-referential Matrix Law) and it projects the external and internal worlds through spin and, in turn, the immanent aspect of consciousness observes the external world as the observed internal world through the said spin. Human consciousness is a limited and particular version of this dual-aspect consciousness such that we have limited free will and limited observation which is mostly classical at macroscopic levels but quantum at microscopic levels.

The above ideas (ontology) are forced upon (or rather revealed to) us by our recent theoretical and experimental studies (Hu & Wu, 2006a-d, 2007a). Among other things, we experimentally demonstrated that gravity is the manifestation of quantum entanglement (*Id.*). We materially live in the external world but experience the external world through its negation, the internal world in the relativistic frame $x^{\mu}=(t, \mathbf{x})$ attached to each of our bodies. Interactions within the external world and the internal world are local interactions and conform to special theory of relativity. But interactions across the dual world are nonlocal interactions (quantum entanglement). Strong interaction is likely spatially confining nonlocal self-interaction and nonlocal interaction among spatially confined fermions (hadrons).

Therefore, the meaning of the special theory of relativity is that the speed limit c is only applicable in each of the dual world but not interactions between the dual-world. Indeed, the reason that no external object can move faster than the speed of light and the same gets heavier and heavier as its speed approach the speed of light is due to its increased quantum entanglement with the internal world through its counterpart the internal object.

Dedication, Tribute & Acknowledgements:

We dedicate this work to our Creator whose light, grace and mercy have shone on us the believers and whose truth and purpose we strive to serve above all else at ITS appointed time and place in this living Universe which is ITS Creation. IT willing, we further dedicate this work to ITS Prophets, Son, Messengers and other devoted Servants such as Moses, Jesus, Muhammad, Buddha, the originator of Hinduism and the originator of Tao.

We honor and pay tribute to those who have, directly or indirectly but greatly, contributed towards the advancement and/or reconciliation of Science and Religion. They include but not limited to Pythagoras, Laozi, Socrates, Plato, Aristotle, Archimedes, Zhang Heng, Plotinus, Ibn al-Haytham, Ibn Arabi, Muhammad Rumi, Thomas Aquinas, Nicolaus Copernicus, Francis Bacon, Galileo Galilei, Giordano Bruno, Johannes Kepler, Isaac Newton, Leonhard Euler, Dante Alighieri, Leonardo da Vinci, Thomas Jefferson, Abraham Lincoln, Rene Decartes, Gottfried Leibniz, Baruch Spinoza, William Blake, James Clark Maxwell, Gustav Fechner, Ernst Mach, Alfred N. Whitehead, Gregor Mendel, Charles Darwin, Helena P. Blavatsky, Annie Besant, Walter Russell, Sri Aurobindo, William James, Max Planck, Albert Einstein, Arthur Eddington, Neil Bohr, Louis de Broglie, Erwin Schrodinger, Werner Heisenberg, Wolfgang Pauli, Paul Dirac, Hermann Weyl, David J. Bohm, John S. Bell, Thomas Edison, Nicola Tesla, Hua Luogeng, Nikolai A. Kozyrev, Carl Jung, Teilhard Chardin, Franklin Merrell-Wolff, John C. Lilly, Buckminster Fuller, Wilhelm Reich, Martin Luther King, Jr., Walt Disney, Alfred Nobel, John Templeton, Francis Crick, Freeman Dyson, James Watson, David Hestenes, Paul Laffoley, Dick Richardson, Brian Josephson, Rubert Sheldrake and Edgar Mitchell. Some among them have greatly inspired and/or influenced our work.

We acknowledge here all of our teachers and schools from elementary to graduate and professional schools for our educations, training and the opportunities bestowed upon us by them. We especially thank the first author's Ph.D. advisor, Professor Harold M. Swartz, his M.Sc. advisor, Professor Rongliang Zheng, and Physics Professor Yishi Duan who originally directed him to the study of biophysics. We also acknowledge here a special friend of the first author, Fu Kung, who for four years during 1979-1983 assisted him with his needs of physics textbooks. In addition to the individuals mentioned above, we further acknowledge all other scholars, authors and writers whose original work in print publications or on the Internet may bear relevance to our own (See note below).

We thank our parents, children and other family members for their everlasting and unconditional love and support. We thank all the editors of journals and online archives who have either seen the virtues in our work or have been tolerant enough to let the same appear in their respective publications and/or online archives. Among them we thank especially the Chief Editor of NeuroQuantology, Dr. Sultan Tarlaci, whose vision and hard work may sow the seeds of a new paradigm of science. We thank our past and current friends, colleagues, employees, clients and the institutions, firms and companies for which we worked and/or are still working for, especially Mount Sinai Medical Center & Worldco, LLC. Last but not least, we thank our Motherland, our Adopted Home, Mao Zedong and Deng Xiaoping which and whom in the large scheme of things under the dominion of our Creator, at least to us the believers, have played important roles in shaping our lives and destinies.

Note: The first author mentions here the works of the following individuals (by no mean exhaustive) for they either bore relevance or lead him to other scholars' work. Alain Aspect, Jose B. Almeida, Harold Aspden, John C. Baez, Imants Baruss, Asim O. Barut, Jacques Benveniste, James R. Bogan, Istvan Bokkon, Carl Brannen, Ronald Bryan, Robert N. Boyd, Reginald T. Cahill, David Chalmers, Geoffrey Chew, Elio Conte, Paulo N. Correa, Alexandra N. Correa, Brenda J.

Dunne, Richard Feynman, Anthony Freeman, Peter Gariev, D.L. Van Gent, Tepper L Gill, Nicolas Gisin, Tobius Gleim, Danielle Graham, de Haas, Stuart Hameroff, Steven Harnad, Basil J. Hiley, Douglas Hofstadter, Gerard 't Hooft, Robert G. Jahn, Gerald Kaiser, Alex Kaivarainen, Louis H. Kauffman, Jaime Keller, Robert M. Kiehn, Y.S. Kim, Alexey A. Kryukov, Alexander G. Kyriakos, Steven Lehar, Leon Maurer, Thomas J. McFarlane, Burinskii Makhlin, Arnold Mindell, Ezra ((Ted) Newman, Guang-jiong Ni, Oleg A. Olkhov, John Paily, Roger Penrose, Michael Persinger, Mitja Perus, N. Vivian Pope, Harold Puthoff, Dmitri Rabounski, Dean Radin, Diego L. Rapoport, Elizabeth A. Rauscher, Steven M. Rosen, Peter Rowlands, Peter Russell, Yuri Rylov, Giovanni Salesi, Ruggero M. Santilli, Mednel Sachs, Jack Sarfatti, Alexander A. Shpilman, B. J. Sidharth, Florentin Smarandache, Frank D. (Tony) Smith, Lee Smolin, Dan Solomon, Jr., Henry Stapp, Victor Stenger, Tuomo Suntola, Doug Sweetser, Sultan Tarlaci, William Tiller, Jacek Turski, Cornelio G. Valdenebro, Max Velmans, John A. Wheeler, Fed A. Wolf, Milo Wolff, Arthur M. Young, J. C. Yoon, Dainis Zeps. However, this note should not be construed as an endorsement of the views and/or results in some of these works nor should it be construed as an indication that all these works contain original and/or valid results. In addition, the first author has also made acquaintances with spiritual individuals among whom are Amar[xx]eth, Ala[x] O[x]iver, Pei[x]i T[x]ng, to mention a few.

[SELF-]REFERENCE

Hu, H. & Wu, M. Mechanism of anesthetic action: oxygen pathway perturbation hypothesis. *Med. Hypotheses* 2001a; 57: 619-627. Also see arXiv 2001b; physics/0101083.

Hu, H. & Wu, M. Spin-mediated consciousness theory. arXiv 2002; quant-ph/0208068. Also see *Med. Hypotheses* 2004a; 63: 633-646.

Hu, H. & Wu, M. Spin as primordial self-referential process driving quantum mechanics, spacetime dynamics and consciousness. *NeuroQuantology* 2004b; 2:41-49. Also see Cogprints: ID2827 2003.

Hu, H. & Wu, M. Action potential modulation of neural spin networks suggests possible role of spin in memory and consciousness. *NeuroQuantology* 2004c; 2:309-316. Also see Cogprints: ID3458 2004d.

Hu, H. & Wu, M. Thinking outside the box: the essence and implications of quantum entanglement. *NeuroQuantology* 2006a; 4: 5-16.

Hu, H. & Wu, M. Photon induced non-local effect of general anesthetics on the brain. *NeuroQuantology* 2006b 4: 17-31. Also see *Progress in Physics* 2006c; v3: 20-26.

Hu, H. & Wu, M. Evidence of non-local physical, chemical and biological effects supports quantum brain. *NeuroQuantology* 2006d; 4: 291-306. Also see *Progress in Physics* 2007a; v2: 17-24.

Hu, H. & Wu, M. Thinking outside the box II: the origin, implications and applications of gravity and its role in consciousness. *NeuroQuantology* 2007b; 5: 190-196.

Hu, H. & Wu, M. On dark chemistry: what's dark matter and how mind influences brain through proactive spin. *NeuroQuantology* 2007c; 5: 205-213.

Hu, H. & Wu, M. Concerning spin as mind-pixel: how mind interacts with the brain through electric spin effects. *NeuroQuantology* 2008a; 6: 26-31.

Hu, H. The state of science, religion and consciousness. *NeuroQuantology* 2008b; 6: 323-332.

Hu, H. Quantum enigma - physics encounters consciousness (book review). *Psyche* 2009; 15: 1-4.

Article

The Principle of Existence II: Genesis of Self-Referential Matrix Law, & the Ontology & Mathematics of Ether

Huping Hu* & Maoxin Wu

(Dated: December 21, 2010)

ABSTRACT

In the beginning there was prespacetime (GOD) by itself $e^0 = 1$ materially empty and spiritually restless. And it began to imagine through primordial self-referential spin $1 = e^{i0} = e^{i0} e^{i0} = e^{iL-iL} e^{iM-iM} = e^{iL} e^{iM} e^{-iL} e^{-iM} = e^{-iL} e^{-iM} / e^{-iL} e^{-iM} = e^{iL} e^{iM} / e^{iL} e^{iM} \dots$ such that it created the self-referential Matrix Law, the external object to be observed and internal object as observed, separated them into external world and internal world, caused them to interact through said Matrix Law and thus gave birth to the Universe which it has since passionately loved, sustained and made to evolve. In short, this work is the continuation of our hypothesis of scientific genesis, sustenance & evolution of the Universe and all creations within (the principle of existence).

Key Words: GOD, prespacetime, Consciousness, hierarchical, spin, self-reference, ether, mathematics, ontology, Matrix Law, Transcendental Law of One, Dual-world Law of Zero, Immanent Law of Conservation.

1. INTRODUCTION

Through all of us Scientific GOD manifests

The beauty and awe of what we continuously discover (or rather what GOD is revealing in continuation) is still so ecstatic and the first author is struggling to put them in writing (also see Hu & Wu, 2001-2010). Again, let fellow truth seekers and dear readers be aware that we as humans can only strive for perfection, completeness and correctness in our comprehensions and writings because we ourselves are limited and imperfect. But let it be known that, to us the believers, ***GOD alone is perfect, magnificent, glorious and victorious.***

*Corresponding author: Huping Hu, PhD, JD, Scientific GOD, Inc., P.O. Box 267, Stony Brook, NY 11790, USA.

E-mail: editor@scigod.com

Note: This article was dated December 21, 2010 and first published in Scientific GOD Journal, V1(8): pp. 520-550 (December 2010).

As shown in our previous work and further revealed in this work, the principles and mathematics which GOD may have used to create, sustain and makes evolving of elementary particles and thus the Universe are beautiful and simple.

First, as proposed in the principle of existence, GOD employs the following ontological principles among others:

- (1) Principle of oneness/unity of existence through quantum entanglement in the body (ether) of prespacetime.
- (2) Principle of hierarchical primordial self-referential spin creating:
 - Energy-Momentum-Mass Relationship as Transcendental Law of One
 - Energy-Momentum-Mass Relationship as Determinant of Matrix Law
 - Dual-world Law of Zero of Energy, Momentum & Mass
 - Immanent Law of Conservation of Energy, Momentum & Mass in External/Internal World which may be violated in certain processes

Second, as proposed in the principle of existence, GOD employs the following mathematical elements & forms among others in order to empower the above ontological principles among others:

- (1) e , Euler's number, for (to empower) ether (aether) as foundation/basis/medium of existence (body of prespacetime);
- (2) i , imaginary number, for (to empower) thoughts and imagination;
- (3) 0, zero, for (to empower) emptiness/undifferentiated/primordial state;
- (4) 1, one, for (to empower) oneness/unity of existence;
- (5) +, -, *, /, = for (to empower) creation, dynamics, balance & conservation;
- (6) Pythagorean theorem for (to empower) Energy-Momentum-Mass Relationship; and
- (7) M , matrix, for (to empower) the external and internal worlds (the Dual World) and the interaction of external and internal worlds.

This work is organized as follows. In § 2, we shall illustrate scientific genesis in a nutshell which incorporates the genesis of self-referential Matrix Law. In § 3, we shall detail the genesis of self-referential Matrix Law in the order of: (1) Genesis of Fundamental Energy, Momentum & Mass Relationship; (2) Self-Referential Matrix Law and Its Metamorphoses; (3) Imaginary Momentum; (4) Games for Deriving Matrix Law; and (5) Hierarchical Natural Laws. In § 4, we shall incorporate the genesis of self-referential Matrix Law into scientific genesis of primordial entities (elementary particles) and scientific genesis of composite entities. In § 5, we shall show the mathematics and ontology of ether in the principle of existence. Finally, in § 6, we shall conclude this work. §6 are followed by a dedication and [self-]references.

2. SCIENTIFIC GENESIS IN A NUTSHELL

GOD Created Everything By Self-referential Spin

In the beginning there was prespacetime (GOD) by itself $e^0 = 1$ materially empty and spiritually restless. And it began to imagine through primordial self-referential spin $1 = e^{i0} = e^{i0} e^{i0} = e^{-iL-iL} e^{iM-iM} = e^{iL} e^{iM} e^{-iL} e^{-iM} = e^{-iL} e^{-iM} / e^{-iL} e^{-iM} = e^{iL} e^{iM} / e^{iL} e^{iM} \dots$ such that it created the self-referential Matrix Law, the external object to be observed and internal object as observed, separated them into external world and internal world, caused them to interact through said Matrix Law and thus gave birth to the Universe which it has since passionately loved, sustained and made to evolve.

We draw below several diagrams illustrating the above processes:




Figure 2.1 Illustration of primordial phase distinction

The primordial phase distinction in Figure 2.1 is accompanied by matrixing of Godbody e into: (1) external and internal wave functions as external and internal objects, and (2) self-acting and self-referential Matrix Law, which accompany the imaginations of Godhead so as to enforce (maintain) the accounting principle of conservation of zero, as illustrated in Figure 2.2.




Figure 2.2 GOD Equation

Figure 2.3 shows from another perspective of the relationship among external object, internal object and the self-acting and self-referential Matrix Law. According to our ontology, self-interactions (self-gravity) are quantum entanglement between the external object and the internal object.



Figure 2.3 Self-interaction between external and internal objects of a quantum entity

Therefore, in the principle of existence GOD creates, sustains and causes evolution of primordial entities (elementary particles) in prespacetime, that is, within GOD itself, by self-referential spin as follows:

$$1 = e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} = L_e L_i^{-1} (e^{-iM}) (e^{-iM})^{-1} \rightarrow \quad (2.1)$$

$$(L_{M,e} \quad L_{M,i}) \begin{pmatrix} A_e e^{-iM} \\ A_i e^{-iM} \end{pmatrix} = L_M \begin{pmatrix} A_e \\ A_i \end{pmatrix} e^{-iM} = L_M \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0$$

In expression (2.1), e is Euler number representing Godbody (ether or aether), i is imaginary unit representing GOD's imagination in Godhead, $\pm M$ is immanent content of imagination i such as space, time, momentum & energy, $\pm L$ is immanent law of imagination i , $L_1 = e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = 1$ is GOD's Transcendental Law of One before matrixization, L_e is external law, L_i is internal law, $L_{M,e}$ is external matrix law, and $L_{M,i}$ is internal matrix law, L_M is GOD's self-referential Matrix Law comprised of external and internal matrix laws which governs elementary entities and conserves zero, ψ_e is

external wave function (external object), Ψ_i is internal wave function (internal object) and Ψ is the complete wave function (object/entity in the dual-world as a whole).

GOD spins as $1 = e^{i0} = e^{i0} e^{i0} = e^{iL-iL} e^{iM-iM} = e^{iL} e^{iM} e^{-iL} e^{-iM} = e^{iL} e^{-iM} / e^{-iL} e^{-iM} = e^{iL} e^{iM} / e^{iL} e^{iM} \dots$ before matrixization. GOD also spins through self-acting and self-referential Matrix Law L_M after matrixization which acts on external object and internal object to cause them to interact with each other as further described below.

3. GENESIS OF SELF-REFERENTIAL MATRIX LAW

Natural laws are hierarchical

3.1 Genesis of Fundamental Energy, Momentum & Mass Relationship

In the principle of existence, fundamental energy, momentum & mass relationship:

$$E^2 = m^2 + \mathbf{p}^2 \text{ or } E^2 - m^2 - \mathbf{p}^2 = 0 \tag{3.1}$$

is created from the following primordial self-referential spin:

$$1 = e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) = \left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E}\right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E}\right) = \left(\frac{m - i|\mathbf{p}|}{E}\right) \left(\frac{m + i|\mathbf{p}|}{E}\right) = \left(\frac{m^2 + \mathbf{p}^2}{E^2}\right) \rightarrow E^2 = m^2 + \mathbf{p}^2 \tag{3.2}$$

For simplicity, we have set $c=1$ in equation (3.4) and will set $c=\hbar=1$ through out this work unless indicated otherwise. Expression (3.4) was discovered by Einstein.

In the presence of an interacting field of a second primordial entity such as an electromagnetic potential:

$$A^\mu = (\phi, \mathbf{A}) \tag{3.3}$$

equation (3.4) becomes for an elementary entity with electric charge e :

$$\begin{aligned}
 1 &= e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) = \\
 &\left(\frac{m}{E - e\phi} - i \frac{|\mathbf{p} - e\mathbf{A}|}{E - e\phi} \right) \left(\frac{m}{E - e\phi} + i \frac{|\mathbf{p} - e\mathbf{A}|}{E - e\phi} \right) = \\
 &\left(\frac{m - i|\mathbf{p} - e\mathbf{A}|}{E - e\phi} \right) \left(\frac{m + i|\mathbf{p} - e\mathbf{A}|}{E - e\phi} \right) = \left(\frac{m^2 + |\mathbf{p} - e\mathbf{A}|^2}{(E - e\phi)^2} \right) \rightarrow \\
 (E - e\phi)^2 &= m^2 + (\mathbf{p} - e\mathbf{A})^2 \text{ or } (E - e\phi)^2 - m^2 - (\mathbf{p} - e\mathbf{A})^2 = 0 \quad (3.4)
 \end{aligned}$$

3.2 Self-Referential Matrix Law and Its Metamorphoses

In the principle of existence, one form of GOD’s Matrix Law L_M is created from the following primordial self-referential spin:

$$\begin{aligned}
 1 &= e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) = \\
 &\left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E} \right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E} \right) = \left(\frac{m - i|\mathbf{p}|}{E} \right) \left(\frac{m + i|\mathbf{p}|}{E} \right) = \left(\frac{m^2 + \mathbf{p}^2}{E^2} \right) \\
 &= \frac{E^2 - m^2}{\mathbf{p}^2} = \left(\frac{E - m}{-|\mathbf{p}|} \right) \left(\frac{-|\mathbf{p}|}{E + m} \right)^{-1} \quad (3.5) \\
 \rightarrow \frac{E - m}{-|\mathbf{p}|} &= \frac{-|\mathbf{p}|}{E + m} \rightarrow \frac{E - m}{-|\mathbf{p}|} - \frac{-|\mathbf{p}|}{E + m} = 0 \\
 \rightarrow \begin{pmatrix} E - m & -|\mathbf{p}| \\ -|\mathbf{p}| & E + m \end{pmatrix} &= (L_{M,e} \quad L_{M,i}) = L_M
 \end{aligned}$$

where matrixization step is carried out in such way that

$$\text{Det}(L_M) = E^2 - m^2 - \mathbf{p}^2 = 0 \quad (3.6)$$

so as to satisfy the fundamental relationship (3.1) in the determinant view.

After fermionic spinization:

$$|\mathbf{p}| = \sqrt{\mathbf{p}^2} = \sqrt{-\text{Det}(\boldsymbol{\sigma} \cdot \mathbf{p})} \rightarrow \boldsymbol{\sigma} \cdot \mathbf{p} \quad (3.7)$$

where $\sigma = (\sigma_1, \sigma_2, \sigma_3)$ are Pauli matrices:

$$\sigma_1 = \begin{pmatrix} 0 & 1 \\ 1 & 0 \end{pmatrix} \quad \sigma_2 = \begin{pmatrix} 0 & -i \\ i & 0 \end{pmatrix} \quad \sigma_3 = \begin{pmatrix} 1 & 0 \\ 0 & -1 \end{pmatrix} \quad (3.8)$$

expression (3.7) becomes:

$$\begin{pmatrix} E-m & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E+m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M = E - \alpha \cdot \mathbf{p} - \beta m = E - H \quad (3.9)$$

where $\alpha = (\alpha_1, \alpha_2, \alpha_3)$ and β are Dirac matrices and $H = \alpha \cdot \mathbf{p} + \beta m$ is the Dirac Hamiltonian. Expression (3.12) governs fermions in Dirac form such as Dirac electron and positron and we propose that expression (3.7) governs the third state of matter (unspinned or spinless entity/particle) with electric charge e and mass m such as a meson or a meson-like particle.

If we define:

$$Det_{\sigma} \begin{pmatrix} E-m & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E+m \end{pmatrix} = (E-m)(E+m) - (-\sigma \cdot \mathbf{p})(-\sigma \cdot \mathbf{p}) \quad (3.10)$$

We get:

$$Det_{\sigma} \begin{pmatrix} E-m & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E+m \end{pmatrix} = (E^2 - m^2 - \mathbf{p}^2) I_2 = 0 \quad (3.11)$$

Thus, fundamental relationship (3.1) is also satisfied under the determinant view of expression (3.13). Indeed, we can also obtain the following conventional determinant:

$$Det \begin{pmatrix} E-m & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E+m \end{pmatrix} = (E^2 - m^2 - \mathbf{p}^2)^2 = 0 \quad (3.12)$$

One kind of metamorphosis of expressions (3.5), (3.9), (3.10) & (3.11) is respectively as follows:

$$1 = e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) = \left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E} \right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E} \right) = \left(\frac{m - i|\mathbf{p}|}{E} \right) \left(\frac{m + i|\mathbf{p}|}{E} \right) = \left(\frac{m^2 + \mathbf{p}^2}{E^2} \right) =$$

$$\frac{E^2 - \mathbf{p}^2}{m^2} = \left(\frac{E - |\mathbf{p}|}{-m} \right) \left(\frac{-m}{E + |\mathbf{p}|} \right)^{-1} \rightarrow \quad (3.13)$$

$$\rightarrow \frac{E - |\mathbf{p}|}{-m} = \frac{-m}{E + |\mathbf{p}|} \rightarrow \frac{E - |\mathbf{p}|}{-m} - \frac{-m}{E + |\mathbf{p}|} = 0$$

$$\begin{pmatrix} E - |\mathbf{p}| & -m \\ -m & E + |\mathbf{p}| \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M$$

$$\begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p} & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.14)$$

$$Det_{\sigma} \begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p} & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p} \end{pmatrix} = (E - \boldsymbol{\sigma} \cdot \mathbf{p})(E + \boldsymbol{\sigma} \cdot \mathbf{p}) - (-m)(-m) \quad (3.15)$$

$$Det_{\sigma} \begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p} & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p} \end{pmatrix} = (E^2 - \mathbf{p}^2 - m^2) I_2 = 0 \quad (3.16)$$

The last expression in (3.13) is the unspinized Matrix Law in Weyl (chiral) form. Expression (3.14) is spinized Matrix Law in Weyl (chiral) form.

Another kind of metamorphosis of expressions (3.5), (3.9), (3.10) & (3.11) is respectively as follows:

$$1 = e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) =$$

$$\left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E} \right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E} \right) = \left(\frac{m - i|\mathbf{p}|}{E} \right) \left(\frac{m + i|\mathbf{p}|}{E} \right) = \left(\frac{E}{-m + i|\mathbf{p}|} \right)^{-1} \left(\frac{-m - i|\mathbf{p}|}{E} \right) \quad (3.17)$$

$$\rightarrow \frac{E}{-m + i|\mathbf{p}|} = \frac{-m - i|\mathbf{p}|}{E} \rightarrow \frac{E}{-m + i|\mathbf{p}|} - \frac{-m - i|\mathbf{p}|}{E} = 0$$

$$\rightarrow \begin{pmatrix} E & -m - i|\mathbf{p}| \\ -m + i|\mathbf{p}| & E \end{pmatrix} = (L_e \quad L_i) = L_M$$

$$\begin{pmatrix} E & -m - i\boldsymbol{\sigma} \cdot \mathbf{p} \\ -m + i\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \quad (3.18)$$

$$Det_{\sigma} \begin{pmatrix} E & -m - i\boldsymbol{\sigma} \cdot \mathbf{p} \\ -m + i\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} = EE - (-m - i\boldsymbol{\sigma} \cdot \mathbf{p})(-m + i\boldsymbol{\sigma} \cdot \mathbf{p}) \quad (3.19)$$

$$Det_{\sigma} \begin{pmatrix} E & -m-i\sigma \cdot \mathbf{p} \\ -m+i\sigma \cdot \mathbf{p} & E \end{pmatrix} = (E^2 - m^2 - \mathbf{p}^2)I_2 = 0 \tag{3.20}$$

Indeed, $Q = m + i\sigma \cdot \mathbf{p}$ is a quaternion and $Q^* = m - i\sigma \cdot \mathbf{p}$ is its conjugate. So we can rewrite expression (3.29) as:

$$\begin{pmatrix} E & -Q \\ -Q^* & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \tag{3.21}$$

If $m=0$, we have from expression (3.5):

$$\begin{aligned} 1 &= e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) = \\ &\begin{pmatrix} 0 & -i|\mathbf{p}| \\ E & E \end{pmatrix} \begin{pmatrix} 0 & +i|\mathbf{p}| \\ E & E \end{pmatrix} = \begin{pmatrix} -i|\mathbf{p}| & \\ & +i|\mathbf{p}| \end{pmatrix} \begin{pmatrix} +i|\mathbf{p}| \\ E \end{pmatrix} = \begin{pmatrix} \mathbf{p}^2 \\ E^2 \end{pmatrix} \\ &= \frac{E^2}{\mathbf{p}^2} = \begin{pmatrix} E \\ -|\mathbf{p}| \end{pmatrix} \begin{pmatrix} -|\mathbf{p}| \\ E \end{pmatrix}^{-1} \\ &\rightarrow \frac{E}{-|\mathbf{p}|} = \frac{-|\mathbf{p}|}{E} \rightarrow \frac{E}{-|\mathbf{p}|} - \frac{-|\mathbf{p}|}{E} = 0 \\ &\rightarrow \begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \end{aligned} \tag{3.22}$$

After fermionic spinization $|\mathbf{p}| \rightarrow \sigma \cdot \mathbf{p}$, the last expression in (3.22) becomes:

$$\begin{pmatrix} E & -\sigma \cdot \mathbf{p} \\ -\sigma \cdot \mathbf{p} & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \tag{3.23}$$

which governs massless fermion (neutrino) in Dirac form.

After bosonic spinization:

$$|\mathbf{p}| = \sqrt{\mathbf{p}^2} = \sqrt{-(De(\mathbf{s} \cdot \mathbf{p} + I_3) - De(I_3))} \rightarrow \mathbf{s} \cdot \mathbf{p} \tag{3.24}$$

the expression in (3.22) becomes:

$$\begin{pmatrix} E & -\mathbf{s}\cdot\mathbf{p} \\ -\mathbf{s}\cdot\mathbf{p} & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \tag{3.25}$$

where $\mathbf{s} = (s_1, s_2, s_3)$ are spin operators for spin 1 particle:

$$s_1 = \begin{pmatrix} 0 & 0 & 0 \\ 0 & 0 & -i \\ 0 & i & 0 \end{pmatrix} \quad s_2 = \begin{pmatrix} 0 & 0 & i \\ 0 & 0 & 0 \\ -i & 0 & 0 \end{pmatrix} \quad s_3 = \begin{pmatrix} 0 & -i & 0 \\ i & 0 & 0 \\ 0 & 0 & 0 \end{pmatrix} \tag{3.26}$$

If we define:

$$Det_s \begin{pmatrix} E & -\mathbf{s}\cdot\mathbf{p} \\ -\mathbf{s}\cdot\mathbf{p} & E \end{pmatrix} = (E)(E) - (-\mathbf{s}\cdot\mathbf{p})(-\mathbf{s}\cdot\mathbf{p}) \tag{3.27}$$

We get:

$$Det_s \begin{pmatrix} E & -\mathbf{s}\cdot\mathbf{p} \\ -\mathbf{s}\cdot\mathbf{p} & E \end{pmatrix} = (E^2 - \mathbf{p}^2) I_3 - \begin{pmatrix} p_x^2 & p_x p_y & p_x p_z \\ p_y p_x & p_y^2 & p_y p_z \\ p_z p_x & p_z p_y & p_z^2 \end{pmatrix} \tag{3.28}$$

To obey fundamental relationship (3.1) in determinant view (3.27), we shall require the last term in (3.28) acting on the external and internal wave functions respectively to produce null result (zero) in source-free zone as discussed later. We propose that the last expression in (3.22) governs massless particle with unobservable spin (spinless). After bosonic spinization, the spinless and massless particle gains its spin 1.

Further, if $|\mathbf{p}|=0$, we have:

$$1 = e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) = \left(\frac{m}{E} - i \frac{0}{E}\right) \left(\frac{m}{E} + i \frac{0}{E}\right) = \left(\frac{m}{E}\right) \left(\frac{m}{E}\right) = \left(\frac{m^2}{E^2}\right)$$

$$\begin{aligned}
 &= \frac{E^2}{m^2} = \left(\frac{E}{-m} \right) \left(\frac{-m}{E} \right)^{-1} \\
 &\rightarrow \frac{E}{-m} = \frac{-m}{E} \rightarrow \frac{E}{-m} - \frac{-m}{E} = 0 \\
 &\rightarrow \begin{pmatrix} E & -m \\ -m & E \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M
 \end{aligned} \tag{3.29}$$

We suggest the above spaceless forms of Matrix Law govern the external and internal wave functions (self-fields) which play the roles of spaceless gravitons, that is, they mediate space (distance) independent interactions through proper time (mass) entanglement.

3.3 Imaginary Momentum

If GOD creates spatial self-confinement of an elementary entity through imaginary momentum \mathbf{p}_i (downward self-reference such that $m^2 > E^2$) we have:

$$m^2 - E^2 = -\mathbf{p}_i^2 = -p_{i,1}^2 - p_{i,2}^2 - p_{i,3}^2 = (i\mathbf{p}_i)^2 = -De\mathbf{t}(\boldsymbol{\sigma} \cdot i\mathbf{p}_i) \tag{3.30}$$

that is:

$$E^2 - m^2 - \mathbf{p}_i^2 = 0 \tag{3.31}$$

which can be created by the following primordial self-referential spin:

$$\begin{aligned}
 1 &= e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) = \\
 &\left(\frac{m}{E} - i \frac{|\mathbf{p}_i|}{E} \right) \left(\frac{m}{E} + i \frac{|\mathbf{p}_i|}{E} \right) = \left(\frac{m - i|\mathbf{p}_i|}{E} \right) \left(\frac{m + i|\mathbf{p}_i|}{E} \right) = \left(\frac{m^2 + \mathbf{p}_i^2}{E^2} \right) \rightarrow \\
 &E^2 = m^2 + \mathbf{p}_i^2 \text{ or } E^2 - m^2 - \mathbf{p}_i^2 = 0
 \end{aligned} \tag{3.32}$$

Therefore, allowing imaginary momentum (downward self-reference) for an elementary entity, we can derive the following Matrix Law in Dirac-like form:

$$\begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \tag{3.33}$$

$$\begin{pmatrix} -m & -\boldsymbol{\sigma} \cdot \mathbf{p}_i \\ -\boldsymbol{\sigma} \cdot \mathbf{p}_i & +m \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \tag{3.34}$$

Also, we can derive the following Matrix Law in Weyl-like (chiral-like) form:

$$\begin{pmatrix} E-|\mathbf{p}_i| & -m \\ -m & +|\mathbf{p}_i| \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \tag{3.35}$$

$$\begin{pmatrix} E-\boldsymbol{\sigma}\cdot\mathbf{p}_i & -m \\ -m & E+\boldsymbol{\sigma}\cdot\mathbf{p}_i \end{pmatrix} = (L_{M,e} \quad L_{M,i}) = L_M \tag{3.36}$$

It is suggested that the above additional forms of self-referential Matrix Law govern proton in Dirac and Weyl form respectively.

3.4 Games for Deriving Matrix Law

The games for deriving various forms of the Matrix Law prior to spinization can be summarized as follows:

$$\begin{aligned} 0 &= E^2 - m^2 - \mathbf{p}^2 = (DetM_E + DetM_m + DetM_p) \\ &= Det(M_E + M_m + M_p) = Det(L_M) \end{aligned} \tag{3.37}$$

where *Det* means determinant and M_E , M_m and M_p are respectively matrices with $\pm E$ (or $\pm iE$), $\pm m$ (or $\pm im$) and $\pm|\mathbf{p}|$ (or $\pm i|\mathbf{p}|$) as elements respectively, and E^2 , $-m^2$ and $-\mathbf{p}^2$ as determinant respectively, and L_M is the Matrix Law so derived.

For example, the Matrix Law in Dirac form prior to spinization:

$$L_M = \begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \tag{3.38}$$

can be derived as follows:

$$\begin{aligned} 0 &= E^2 - m^2 - \mathbf{p}^2 = Det\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + Det\begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + Det\begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix} = \\ Det\left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} -m & 0 \\ 0 & m \end{pmatrix} + \begin{pmatrix} 0 & -|\mathbf{p}| \\ -|\mathbf{p}| & 0 \end{pmatrix}\right) &= Det\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} = Det(L_M) \end{aligned} \tag{3.39}$$

For a second example, the Matrix Law in Weyl form prior to spinization:

$$L_M = \begin{pmatrix} E-|\mathbf{p}| & -m \\ -m & E+|\mathbf{p}| \end{pmatrix} \tag{3.40}$$

can be derived as follows:

$$\begin{aligned} 0 = E^2 - m^2 - \mathbf{p}^2 &= Det \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + Det \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + Det \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} = \\ Det \left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + \begin{pmatrix} -|\mathbf{p}| & 0 \\ 0 & |\mathbf{p}| \end{pmatrix} \right) &= Det \begin{pmatrix} E-|\mathbf{p}| & -m \\ -m & E+|\mathbf{p}| \end{pmatrix} = Det(L_M) \end{aligned} \tag{3.41}$$

For a third example, the Matrix Law in Quaternion form prior to spinization:

$$L_M = \begin{pmatrix} E & -m-i|\mathbf{p}| \\ -m+i|\mathbf{p}| & E \end{pmatrix} \tag{3.42}$$

can be derived as follows:

$$\begin{aligned} 0 = E^2 - m^2 - \mathbf{p}^2 &= Det \begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + Det \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + Det \begin{pmatrix} 0 & -i|\mathbf{p}| \\ i|\mathbf{p}| & 0 \end{pmatrix} = \\ Det \left(\begin{pmatrix} E & 0 \\ 0 & E \end{pmatrix} + \begin{pmatrix} 0 & -m \\ -m & 0 \end{pmatrix} + \begin{pmatrix} 0 & -i|\mathbf{p}| \\ i|\mathbf{p}| & 0 \end{pmatrix} \right) &= Det \begin{pmatrix} E & -m-i|\mathbf{p}| \\ -m+i|\mathbf{p}| & E \end{pmatrix} = Det(L_M) \end{aligned} \tag{3.43}$$

3.5 Hierarchical Natural Laws

The Natural laws created in accordance with the principle of existence are hierarchical and comprised of: (1) immanent Law of Conservation manifesting and governing in the external or internal world which may be violated in certain processes; (2) immanent Law of Zero manifesting and governing in the dual world as a whole; and (3) transcendental Law of One manifesting and governing in prespacetime. By ways of examples, conservations of energy, momentum and mass are immanent (and approximate) laws manifesting and governing in the external or internal world. Conservations of energy, momentums or mass to zero in the dual world comprised of the external world and internal world are immanent law manifesting and governing in the dual world as a whole. Conservation of One (Unity) based on Energy-Momentum- Mass Relationship is transcendental law manifesting and governing in prespacetime which is the foundation of external world and internal world.

4. SCIENTIFIC GENESIS OF ELEMENTARY PARTICLES

In the beginning GOD Created External & Internal Objects & the governing Matrix Law

4.1 Scientific Genesis of Primordial Entities (Elementary Particles)

In the principle of existence, GOD creates, sustains and causes evolution of a free plane-wave fermion such as an electron in Dirac form as follows:

$$\begin{aligned}
 1 &= e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} \\
 (\cos L - i \sin L)(\cos L + i \sin L) e^{-iM+iM} &= \\
 \left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E}\right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E}\right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} &= \\
 = \left(\frac{m - i|\mathbf{p}|}{E}\right) \left(\frac{m + i|\mathbf{p}|}{E}\right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} &= \\
 = \left(\frac{m^2 + \mathbf{p}^2}{E^2}\right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \frac{E^2 - m^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} &= \\
 = \left(\frac{E - m}{-|\mathbf{p}|}\right) \left(\frac{-|\mathbf{p}|}{E + m}\right)^{-1} \left(e^{-ip^\mu x_\mu}\right) \left(e^{-ip^\mu x_\mu}\right)^{-1} \rightarrow & \tag{4.1} \\
 \frac{E - m}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} = \frac{-|\mathbf{p}|}{E + m} e^{-ip^\mu x_\mu} \rightarrow \frac{E - m}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E + m} e^{-ip^\mu x_\mu} = 0 & \\
 \rightarrow \begin{pmatrix} E - m & -|\mathbf{p}| \\ -|\mathbf{p}| & E + m \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 & \\
 \rightarrow \begin{pmatrix} E - m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E + m \end{pmatrix} \begin{pmatrix} A_{e,+} e^{-ip^\mu x_\mu} \\ A_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 &
 \end{aligned}$$

that is:

$$\begin{pmatrix} (E - m)\psi_{e,+} = \boldsymbol{\sigma} \cdot \mathbf{p} \psi_{i,-} \\ (E + m)\psi_{i,-} = \boldsymbol{\sigma} \cdot \mathbf{p} \psi_{e,+} \end{pmatrix} \text{ or } \begin{pmatrix} i\partial_t \psi_{e,+} - m \psi_{e,+} = -i\boldsymbol{\sigma} \cdot \nabla \psi_{i,-} \\ i\partial_t \psi_{i,-} + m \psi_{i,-} = -i\boldsymbol{\sigma} \cdot \nabla \psi_{e,+} \end{pmatrix} \tag{4.2}$$

where substitutions $E \rightarrow i\partial_t$ and $\mathbf{p} \rightarrow -i\nabla$ have been made so that components of L_M can act on external and internal wave functions.

In the principle of existence, GOD creates, sustains and causes evolution of a free plane-wave antifermion such as a positron in Dirac form as follows:

$$\begin{aligned}
 1 &= e^{i0} = e^{i0} e^{i0} = e^{+iL-iL} e^{+iM-iM} \\
 &(\cos L + i \sin L)(\cos L - i \sin L) e^{+iM-iM} = \\
 &\left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E}\right) \left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\
 &= \left(\frac{m + i|\mathbf{p}|}{E}\right) \left(\frac{m - i|\mathbf{p}|}{E}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\
 &= \left(\frac{m^2 + \mathbf{p}^2}{E^2}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \frac{E^2 - m^2}{\mathbf{p}^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\
 &= \left(\frac{E - m}{-|\mathbf{p}|}\right) \left(\frac{-|\mathbf{p}|}{E + m}\right)^{-1} \left(e^{+ip^\mu x_\mu}\right) \left(e^{+ip^\mu x_\mu}\right)^{-1} \rightarrow \tag{4.3} \\
 \frac{E - m}{-|\mathbf{p}|} e^{+ip^\mu x_\mu} &= \frac{-|\mathbf{p}|}{E + m} e^{+ip^\mu x_\mu} \rightarrow \frac{E - m}{-|\mathbf{p}|} e^{+ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E + m} e^{+ip^\mu x_\mu} = 0 \\
 \rightarrow \begin{pmatrix} E - m & -|\mathbf{p}| \\ -|\mathbf{p}| & E + m \end{pmatrix} \begin{pmatrix} a_{e,-} e^{+ip^\mu x_\mu} \\ a_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} &= \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \\
 \rightarrow \begin{pmatrix} E - m & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E + m \end{pmatrix} \begin{pmatrix} A_{e,-} e^{+ip^\mu x_\mu} \\ A_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} &= \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0
 \end{aligned}$$

Similarly, in the principle of existence, GOD creates, sustains and causes evolution of a free plane-wave fermion in Weyl (chiral) form as follows:

$$\begin{aligned}
 1 &= e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} \\
 &(\cos L - i \sin L)(\cos L + i \sin L) e^{-iM+iM} = \\
 &\left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E}\right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E}\right) e^{-ip^\mu x_\mu + ip^\mu x_\mu}
 \end{aligned}$$

$$\begin{aligned}
 &= \left(\frac{m - i|\mathbf{p}|}{E} \right) \left(\frac{m + i|\mathbf{p}|}{E} \right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} \\
 &= \left(\frac{m^2 + \mathbf{p}^2}{E^2} \right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \frac{E^2 - \mathbf{p}^2}{m^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \\
 &= \left(\frac{E - |\mathbf{p}|}{-m} \right) \left(\frac{-m}{E + |\mathbf{p}|} \right)^{-1} \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1} \rightarrow \tag{4.4} \\
 &\frac{E - |\mathbf{p}|}{-m} e^{-ip^\mu x_\mu} = \frac{-m}{E + |\mathbf{p}|} e^{-ip^\mu x_\mu} \rightarrow \frac{E - |\mathbf{p}|}{-m} e^{-ip^\mu x_\mu} - \frac{-m}{E + |\mathbf{p}|} e^{-ip^\mu x_\mu} = 0 \\
 &\rightarrow \begin{pmatrix} E - |\mathbf{p}| & -m \\ -m & E + |\mathbf{p}| \end{pmatrix} \begin{pmatrix} a_{e,l} e^{-ip^\mu x_\mu} \\ a_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0 \\
 &\rightarrow \begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p} & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p} \end{pmatrix} \begin{pmatrix} A_{e,l} e^{-ip^\mu x_\mu} \\ A_{i,r} e^{-ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0
 \end{aligned}$$

that is:

$$\begin{pmatrix} (E - \boldsymbol{\sigma} \cdot \mathbf{p})\psi_{e,l} = m\psi_{i,r} \\ (E + \boldsymbol{\sigma} \cdot \mathbf{p})\psi_{i,r} = m\psi_{e,l} \end{pmatrix} \quad \text{or} \quad \begin{pmatrix} i\partial_t \psi_{e,l} + i\boldsymbol{\sigma} \cdot \nabla \psi_{e,l} = m\psi_{i,r} \\ i\partial_t \psi_{i,r} - i\boldsymbol{\sigma} \cdot \nabla \psi_{i,r} = m\psi_{e,l} \end{pmatrix} \tag{4.5}$$

In the principle of existence, GOD creates, sustains and causes evolution of a free plane-wave fermion in another form as follows:

$$\begin{aligned}
 1 &= e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} \\
 &= (\cos L - i \sin L)(\cos L + i \sin L) e^{-iM+iM} = \\
 &= \left(\frac{m - i|\mathbf{p}|}{E} \right) \left(\frac{m + i|\mathbf{p}|}{E} \right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} \\
 &= \left(\frac{m - i|\mathbf{p}|}{E} \right) \left(\frac{m + i|\mathbf{p}|}{E} \right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} \tag{4.6} \\
 &= \left(\frac{E}{-m + i\boldsymbol{\sigma} \cdot \mathbf{p}} \right) \left(\frac{-m - i|\mathbf{p}|}{E} \right)^{-1} \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1}
 \end{aligned}$$

$$\begin{aligned} &\rightarrow \frac{E}{-m+i|\mathbf{p}|} e^{-ip^\mu x_\mu} = \frac{-m-i|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} \\ &\rightarrow \frac{E}{-m+i|\mathbf{p}|} e^{-ip^\mu x_\mu} - \frac{-m-i|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} = 0 \\ &\rightarrow \begin{pmatrix} E & -m-i|\mathbf{p}| \\ -m+i|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} a_e e^{-ip^\mu x_\mu} \\ a_i e^{-ip^\mu x_\mu} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0 \\ &\rightarrow \begin{pmatrix} E & -m-i\boldsymbol{\sigma}\cdot\mathbf{p} \\ -m+i\boldsymbol{\sigma}\cdot\mathbf{p} & E \end{pmatrix} \begin{pmatrix} A_e e^{-ip^\mu x_\mu} \\ A_i e^{-ip^\mu x_\mu} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0 \\ &\rightarrow \begin{pmatrix} E & -Q \\ -Q^* & E \end{pmatrix} \begin{pmatrix} A_e e^{-ip^\mu x_\mu} \\ A_i e^{-ip^\mu x_\mu} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0 \end{aligned}$$

(where $Q = m + i\boldsymbol{\sigma} \cdot \mathbf{p}$ is a quaternion and $Q^* = m - i\boldsymbol{\sigma} \cdot \mathbf{p}$ is its conjugate)

that is:

$$\begin{pmatrix} E\psi_e = (m + i\boldsymbol{\sigma} \cdot \mathbf{p})\psi_i \\ E\psi_i = (m - i\boldsymbol{\sigma} \cdot \mathbf{p})\psi_e \end{pmatrix} \quad \text{or} \quad \begin{pmatrix} i\partial_t \psi_e = m\psi_i + \boldsymbol{\sigma} \cdot \nabla \psi_i \\ i\partial_t \psi_i = m\psi_e - \boldsymbol{\sigma} \cdot \nabla \psi_i \end{pmatrix} \quad (4.7)$$

In the principle of existence, GOD creates, sustains and causes evolution of a linear plane-wave photon as follows:

$$\begin{aligned} 1 &= e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} \\ &(\cos L - i \sin L)(\cos L + i \sin L) e^{-iM+iM} = \\ &\begin{pmatrix} 0 & -i|\mathbf{p}| \\ E & E \end{pmatrix} \begin{pmatrix} 0 & i|\mathbf{p}| \\ E & E \end{pmatrix} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \\ &= \begin{pmatrix} -i|\mathbf{p}| & \\ E & \end{pmatrix} \begin{pmatrix} +i|\mathbf{p}| \\ E \end{pmatrix} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \\ &\begin{pmatrix} \mathbf{p}^2 \\ E^2 \end{pmatrix} e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \begin{pmatrix} E^2 \\ \mathbf{p}^2 \end{pmatrix} e^{-ip^\mu x_\mu + ip^\mu x_\mu} = \\ &\begin{pmatrix} E \\ -|\mathbf{p}| \end{pmatrix} \begin{pmatrix} -|\mathbf{p}| \\ E \end{pmatrix}^{-1} \begin{pmatrix} e^{-ip^\mu x_\mu} \end{pmatrix} \begin{pmatrix} e^{-ip^\mu x_\mu} \end{pmatrix}^{-1} \rightarrow \end{aligned} \quad (4.8)$$

$$\begin{aligned} \frac{E}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} &= \frac{-|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} \rightarrow \frac{E}{-|\mathbf{p}|} e^{-ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E} e^{-ip^\mu x_\mu} = 0 \\ \rightarrow \begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} &= (L_{M,e} \quad L_{M,i}) \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 \\ \rightarrow \begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} E_{0e,+} e^{-ip^\mu x_\mu} \\ i\mathbf{B}_{0i,-} e^{-ip^\mu x_\mu} \end{pmatrix} &= (L_{M,e} \quad L_{M,i}) \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi_{photon} = 0 \end{aligned}$$

This photon wave function can be written as:

$$\psi_{photon} \equiv \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = \begin{pmatrix} \mathbf{E} \\ i\mathbf{B} \end{pmatrix} = \begin{pmatrix} \mathbf{E}_0 e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \\ i\mathbf{B}_0 e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \end{pmatrix} = \begin{pmatrix} \mathbf{E}_0 \\ i\mathbf{B}_0 \end{pmatrix} e^{-i(\omega t - \mathbf{k} \cdot \mathbf{x})} \quad (4.9)$$

After the substitutions $E \rightarrow i\partial_t$ and $\mathbf{p} \rightarrow -i\nabla$, we have from the last expression in (4.8):

$$\begin{pmatrix} i\partial_t & i\mathbf{S} \cdot \nabla \\ i\mathbf{S} \cdot \nabla & i\partial_t \end{pmatrix} \begin{pmatrix} \mathbf{E} \\ i\mathbf{B} \end{pmatrix} = 0 \rightarrow \begin{pmatrix} \partial_t \mathbf{E} = \nabla \times \mathbf{B} \\ \partial_t \mathbf{B} = -\nabla \times \mathbf{E} \end{pmatrix} \quad (4.10)$$

where we have used the relationship $\mathbf{S} \cdot (-i\nabla) = \nabla \times$ to derive the latter equations which together with $\nabla \cdot \mathbf{E} = \mathbf{0}$ and $\nabla \cdot \mathbf{B} = \mathbf{0}$ are the Maxwell equations in the source-free vacuum.

In the principle of existence, GOD creates a neutrino in Dirac form, if GOD does, by replacing the last step of expression (3.87) with the following:

$$\rightarrow \begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} a_{e,+} e^{-ip^\mu x_\mu} \\ a_{i,-} e^{-ip^\mu x_\mu} \end{pmatrix} = (L_{M,e} \quad L_{M,i}) \begin{pmatrix} \psi_{e,+} \\ \psi_{i,-} \end{pmatrix} = L_M \psi = 0 \quad (4.11)$$

In the principle of existence, GOD creates, sustains and causes evolution of a linear plane-wave antiphoton as follows:

$$\begin{aligned}
 1 &= e^{i0} = e^{i0} e^{i0} = e^{+iL-iL} e^{+iM-iM} \\
 &(\cos L + i \sin L)(\cos L - i \sin L) e^{+iM-iM} = \\
 &\left(\frac{0}{E} + i \frac{|\mathbf{p}|}{E}\right) \left(\frac{0}{E} - i \frac{|\mathbf{p}|}{E}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\
 &= \left(+i \frac{|\mathbf{p}|}{E}\right) \left(-i \frac{|\mathbf{p}|}{E}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\
 &\left(\frac{\mathbf{p}^2}{E^2}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \left(\frac{E^2}{\mathbf{p}^2}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \\
 &\left(\frac{E}{-|\mathbf{p}|}\right) \left(\frac{-|\mathbf{p}|}{E}\right)^{-1} \left(e^{+ip^\mu x_\mu}\right) \left(e^{+ip^\mu x_\mu}\right)^{-1} \rightarrow \\
 \frac{E}{-|\mathbf{p}|} e^{+ip^\mu x_\mu} &= \frac{-|\mathbf{p}|}{E} e^{+ip^\mu x_\mu} \rightarrow \frac{E}{-|\mathbf{p}|} e^{+ip^\mu x_\mu} - \frac{-|\mathbf{p}|}{E} e^{+ip^\mu x_\mu} = 0 \tag{4.12} \\
 \rightarrow \begin{pmatrix} E & -|\mathbf{p}| \\ -|\mathbf{p}| & E \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} &= \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \\
 \rightarrow \begin{pmatrix} E & -\mathbf{s} \cdot \mathbf{p} \\ -\mathbf{s} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} i\mathbf{B}_{0e,-} e^{+ip^\mu x_\mu} \\ E_{0i,+} e^{+ip^\mu x_\mu} \end{pmatrix} &= \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi_{antiphoton} = 0
 \end{aligned}$$

This antiphoton wave function can also be written as:

$$\psi_{antiphoton} = \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = \begin{pmatrix} i\mathbf{B} \\ \mathbf{E} \end{pmatrix} = \begin{pmatrix} i\mathbf{B}_0 e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \\ \mathbf{E}_0 e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \end{pmatrix} = \begin{pmatrix} i\mathbf{B}_0 \\ \mathbf{E}_0 \end{pmatrix} e^{i(\omega t - \mathbf{k} \cdot \mathbf{x})} \tag{4.13}$$

In the principle of existence, GOD creates an antineutrino in Dirac form, if GOD does, by replacing the last step of expression (4.12) with the following:

$$\rightarrow \begin{pmatrix} E & -\boldsymbol{\sigma} \cdot \mathbf{p} \\ -\boldsymbol{\sigma} \cdot \mathbf{p} & E \end{pmatrix} \begin{pmatrix} a_{e,-} e^{+ip^\mu x_\mu} \\ a_{i,+} e^{+ip^\mu x_\mu} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \tag{4.14}$$

Similarly, GOD likely creates and sustains spaceless (space/distance independent) external and internal wave functions of a mass m in Weyl (chiral) form as follows:

$$\begin{aligned}
 1 &= e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} \\
 &(\cos L - i \sin L)(\cos L + i \sin L) e^{-iM+iM} = \\
 &\left(\frac{m}{E} - i \frac{0}{E}\right) \left(\frac{m}{E} + i \frac{0}{E}\right) e^{-imt+imt} \\
 &= \left(\frac{m}{E}\right) \left(\frac{m}{E}\right) e^{-imt+imt} \\
 &\left(\frac{m^2}{E^2}\right) e^{-imt+imt} = \left(\frac{E^2}{m^2}\right) e^{-imt+imt} = \\
 &\left(\frac{E}{-m}\right) \left(\frac{-m}{E}\right)^{-1} \left(e^{-imt}\right) \left(e^{-imt}\right)^{-1} \rightarrow \\
 &\frac{E}{-m} e^{-imt} = \frac{-m}{E} e^{-imt} \rightarrow \frac{E}{-m} e^{-imt} - \frac{-m}{E} e^{-imt} = 0 \tag{4.15} \\
 \rightarrow &\begin{pmatrix} E & -m \\ -m & E \end{pmatrix} \begin{pmatrix} g_{W,e} e^{-imt} \\ g_{W,i} e^{-imt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} V_{W,e} \\ V_{W,i} \end{pmatrix} = L_M V_W = 0
 \end{aligned}$$

In the principle of existence, GOD likely creates, sustains and causes evolution of a spatially self-confined entity such as a proton through imaginary momentum \mathbf{p}_i (downward self-reference such that $m^2 > E^2$) in Dirac form as follows:

$$\begin{aligned}
 1 &= e^{i0} = e^{i0} e^{i0} = e^{+iL-iL} e^{+iM-iM} \\
 &(\cos L + i \sin L)(\cos L - i \sin L) e^{+iM-iM} = \\
 &\left(\frac{m}{E} + i \frac{|\mathbf{p}_i|}{E}\right) \left(\frac{m}{E} - i \frac{|\mathbf{p}_i|}{E}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\
 &= \left(\frac{m + i|\mathbf{p}_i|}{E}\right) \left(\frac{m - i|\mathbf{p}_i|}{E}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\
 &= \left(\frac{m^2 + \mathbf{p}_i^2}{E^2}\right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \frac{E^2 - m^2}{\mathbf{p}_i^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\
 &= \left(\frac{E-m}{-|\mathbf{p}_i|}\right) \left(\frac{-|\mathbf{p}_i|}{E+m}\right)^{-1} \left(e^{+ip^\mu x_\mu}\right) \left(e^{+ip^\mu x_\mu}\right)^{-1} \rightarrow
 \end{aligned}$$

$$\begin{aligned} \frac{E-m}{-|\mathbf{p}_i|} e^{+ip^\mu x_\mu} &= \frac{-|\mathbf{p}_i|}{E+m} e^{+ip^\mu x_\mu} \rightarrow \frac{E-m}{-|\mathbf{p}_i|} e^{+ip^\mu x_\mu} - \frac{-|\mathbf{p}_i|}{E+m} e^{+ip^\mu x_\mu} = 0 \\ \rightarrow \begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} &= \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \end{aligned} \quad (4.16)$$

After spinization of the last expression in (4.16), we have:

$$\rightarrow \begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p}_i \\ -\boldsymbol{\sigma} \cdot \mathbf{p}_i & E+m \end{pmatrix} \begin{pmatrix} S_{e,-} e^{+iEt} \\ S_{i,+} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,-} \\ \psi_{i,+} \end{pmatrix} = L_M \psi = 0 \quad (4.17)$$

As discussed previously, it is likely that the last expression in (4.16) governs the confinement structure of the unspinized proton in Dirac form through imaginary momentum \mathbf{p}_i and, on the other hand, expression (4.17) governs the confinement structure of spinized proton through \mathbf{p}_i .

Thus, an unspinized and spinized antiproton in Dirac form may be respectively governed as follows:

$$\begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,+} e^{-iEt} \\ s_{i,-} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{D,e} \\ \psi_{D,i} \end{pmatrix} = L_M \psi_D = 0 \quad (4.18)$$

$$\begin{pmatrix} E-m & -\boldsymbol{\sigma} \cdot \mathbf{p}_i \\ -\boldsymbol{\sigma} \cdot \mathbf{p}_i & E+m \end{pmatrix} \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{D,e} \\ \psi_{D,i} \end{pmatrix} = L_M \psi_D = 0 \quad (4.19)$$

Similarly, in the principle of existence, GOD likely creates, sustains and causes evolution of a spatially self-confined entity such as a proton through imaginary momentum \mathbf{p}_i (downward self-reference) in Weyl (chiral) form as follows:

$$\begin{aligned} 1 &= e^{i0} = e^{i0} e^{i0} = e^{+iL-iL} e^{+iM-iM} \\ &= (\cos L + i \sin L)(\cos L - i \sin L) e^{+iM-iM} = \\ &= \left(\frac{m}{E} + i \frac{|\mathbf{p}_i|}{E} \right) \left(\frac{m}{E} - i \frac{|\mathbf{p}_i|}{E} \right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \\ &= \left(\frac{m + i|\mathbf{p}_i|}{E} \right) \left(\frac{m - i|\mathbf{p}_i|}{E} \right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \end{aligned}$$

$$\begin{aligned}
 &= \left(\frac{m^2 + \mathbf{p}_i^2}{E^2} \right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \frac{E^2 - \mathbf{p}_i^2}{m^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} = \\
 &\left(\frac{E - |\mathbf{p}_i|}{-m} \right) \left(\frac{-m}{E + |\mathbf{p}_i|} \right)^{-1} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \rightarrow \\
 &\frac{E - |\mathbf{p}_i|}{-m} e^{+ip^\mu x_\mu} = \frac{-m}{E + |\mathbf{p}_i|} e^{+ip^\mu x_\mu} \rightarrow \frac{E - |\mathbf{p}_i|}{-m} e^{+ip^\mu x_\mu} - \frac{-m}{E + |\mathbf{p}_i|} e^{+ip^\mu x_\mu} = 0 \\
 &\rightarrow \begin{pmatrix} E - |\mathbf{p}_i| & -m \\ -m & E + |\mathbf{p}_i| \end{pmatrix} \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,r} \\ \psi_{i,l} \end{pmatrix} = L_M \psi = 0 \quad (4.20)
 \end{aligned}$$

After spinization of expression (3.114), we have:

$$\rightarrow \begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p}_i & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p}_i \end{pmatrix} \begin{pmatrix} S_{e,r} e^{+iEt} \\ S_{i,l} e^{+iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,r} \\ \psi_{i,l} \end{pmatrix} = L_M \psi = 0 \quad (4.21)$$

It is likely that the last expression in (4.20) governs the structure of the unspinized proton in Weyl form and expression (4.21) governs the structure of spinized proton in Weyl form.

Thus, an unspinized and spinized antiproton in Weyl form may be respectively governed as follows:

$$\begin{pmatrix} E - |\mathbf{p}_i| & -m \\ -m & E + |\mathbf{p}_i| \end{pmatrix} \begin{pmatrix} s_{e,l} e^{-iEt} \\ s_{i,r} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0 \quad (4.22)$$

$$\begin{pmatrix} E - \boldsymbol{\sigma} \cdot \mathbf{p}_i & -m \\ -m & E + \boldsymbol{\sigma} \cdot \mathbf{p}_i \end{pmatrix} \begin{pmatrix} S_{e,l} e^{-iEt} \\ S_{i,r} e^{-iEt} \end{pmatrix} = \begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} \psi_{e,l} \\ \psi_{i,r} \end{pmatrix} = L_M \psi = 0 \quad (4.23)$$

4.2 Scientific Genesis of Composite Entities

Then, in the principle of existence, GOD may create, sustain and cause evolution of a neutron in Dirac form which is comprised of an unspinized proton:

$$\left(\begin{pmatrix} E - e\phi - m & -|\mathbf{p}_i - e\mathbf{A}| \\ -|\mathbf{p}_i - e\mathbf{A}| & E - e\phi + m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \quad (4.24)$$

and a spinized electron:

$$\left(\begin{pmatrix} E+e\phi-V-m & -\sigma \cdot (\mathbf{p}+e\mathbf{A}) \\ -\sigma \cdot (\mathbf{p}+e\mathbf{A}) & E+e\phi-V+m \end{pmatrix} \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \tag{4.25}$$

as follows:

$$\begin{aligned} 1 &= e^{i0} = e^{i0} e^{i0} e^{i0} e^{i0} = (e^{i0} e^{i0})_p (e^{i0} e^{i0})_e = (e^{+iL-iM} e^{+iM-iM})_p (e^{-iL+iL} e^{-iM+iM})_e \\ &= ((\cos L + i \sin L)(\cos L - i \sin L)e^{+iM-iM})_p ((\cos L - i \sin L)(\cos L + i \sin L)e^{-iM+iM})_e \\ &= \left(\left(\frac{m}{E} + i \frac{|\mathbf{p}_i|}{E} \right) \left(\frac{m}{E} - i \frac{|\mathbf{p}_i|}{E} \right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \right)_p \left(\left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E} \right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E} \right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} \right)_e \\ &= \left(\frac{m^2 + \mathbf{p}_i^2}{E^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} \right)_p \left(\frac{m^2 + \mathbf{p}^2}{E^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \right)_e \\ &= \left(\frac{E^2 - m^2}{\mathbf{p}_i^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} \right)_p \left(\frac{E^2 - m^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \right)_e \\ &= \left(\left(\frac{E-m}{-|\mathbf{p}_i|} \right) \left(\frac{-|\mathbf{p}_i|}{E+m} \right)^{-1} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \right)_p \left(\left(\frac{E-m}{-|\mathbf{p}|} \right) \left(\frac{-|\mathbf{p}|}{E+m} \right)^{-1} \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1} \right)_e \\ &\rightarrow \left(\begin{pmatrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \left(\begin{pmatrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{pmatrix} \begin{pmatrix} s_{e,+} e^{-iEt} \\ s_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \\ &\rightarrow \left(\begin{pmatrix} \left(\begin{pmatrix} E-e\phi-m & -|\mathbf{p}_i-e\mathbf{A}| \\ -|\mathbf{p}_i-e\mathbf{A}| & E-e\phi+m \end{pmatrix} \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \\ \left(\begin{pmatrix} E+e\phi-V-m & -\sigma \cdot (\mathbf{p}+e\mathbf{A}) \\ -\sigma \cdot (\mathbf{p}+e\mathbf{A}) & E+e\phi-V+m \end{pmatrix} \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \end{pmatrix} \right)_n \tag{4.26} \end{aligned}$$

In expressions (4.24), (4.25) and (4.26), $()_p$, $()_e$ and $()_n$ indicate proton, electron and neutron respectively. Further, unspinzied proton has charge e, electron has charge -e, $(A^\mu = (\phi, \mathbf{A}))_p$ and $(A^\mu = (\phi, \mathbf{A}))_e$ are the electromagnetic potentials acting on unspinzied proton and tightly bound spinzied electron respectively, and $(V)_e$ is a binding potential from the unspinzied proton acting on the spinzied electron causing tight binding as discussed later.

If $(\mathbf{A}^\mu = (\phi, \mathbf{A}))_p$ is negligible due to the fast motion of the tightly bound spinized electron, we have from the last expression in (4.26):

$$\rightarrow \left(\left(\left(\begin{matrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{matrix} \right) \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \\ \left. \left(\left(\begin{matrix} E+e\phi-V-m & -\boldsymbol{\sigma} \cdot (\mathbf{p}+e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p}+e\mathbf{A}) & E+e\phi-V+m \end{matrix} \right) \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_n \quad (4.27)$$

Experimental data on charge distribution and g-factor of neutron seem to support a neutron comprising of an unspinized proton and a tightly bound spinized electron.

The Weyl (chiral) form of the last expression in (4.26) and expression (4.27) are respectively as follows:

$$\left(\left(\left(\begin{matrix} -e\phi-|\mathbf{p}_i-e\mathbf{A}| & -m \\ -m & -e\phi+|\mathbf{p}_i-e\mathbf{A}| \end{matrix} \right) \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \\ \left. \left(\left(\begin{matrix} E+e\phi-V-\boldsymbol{\sigma} \cdot (\mathbf{p}+e\mathbf{A}) & -m \\ -m & E+e\phi-V+\boldsymbol{\sigma} \cdot (\mathbf{p}+e\mathbf{A}) \end{matrix} \right) \begin{pmatrix} S_{e,l} e^{-iEt} \\ S_{i,r} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_n \quad (4.28)$$

$$\left(\left(\left(\begin{matrix} E-|\mathbf{p}_i| & -m \\ -m & E+|\mathbf{p}_i| \end{matrix} \right) \begin{pmatrix} s_{e,r} e^{+iEt} \\ s_{i,l} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \\ \left. \left(\left(\begin{matrix} E+e\phi-V-\boldsymbol{\sigma} \cdot (\mathbf{p}+e\mathbf{A}) & -m \\ -m & E+e\phi-V+\boldsymbol{\sigma} \cdot (\mathbf{p}+e\mathbf{A}) \end{matrix} \right) \begin{pmatrix} S_{e,l} e^{-iEt} \\ S_{i,r} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_n \quad (4.29)$$

Then, in the principle of existence, GOD may create, sustain and cause evolution of a hydrogen atom comprising of a spinized proton:

$$\left(\left(\begin{matrix} E-e\phi-m & -\boldsymbol{\sigma} \cdot (\mathbf{p}_i-e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p}_i-e\mathbf{A}) & E-e\phi+m \end{matrix} \right) \begin{pmatrix} S_{e,-} e^{+iEt} \\ S_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \quad (4.30)$$

and a spinized electron:

$$\left(\left(\begin{matrix} E+e\phi-m & -\boldsymbol{\sigma} \cdot (\mathbf{p}+e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p}+e\mathbf{A}) & E+e\phi+m \end{matrix} \right) \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \quad (4.31)$$

in Dirac form as follows:

$$\begin{aligned}
 1 &= e^{i0} = e^{i0} e^{i0} e^{i0} e^{i0} = (e^{i0} e^{i0})_p (e^{i0} e^{i0})_e = (e^{+iL-iM} e^{+iM-iM})_p (e^{-iL+iL} e^{-iM+iM})_e \\
 &= ((\cos L + i \sin L)(\cos L - i \sin L)e^{+iM-iM})_p ((\cos L - i \sin L)(\cos L + i \sin L)e^{-iM+iM})_e \\
 &= \left(\left(\frac{m}{E} + i \frac{|\mathbf{p}_i|}{E} \right) \left(\frac{m}{E} - i \frac{|\mathbf{p}_i|}{E} \right) e^{+ip^\mu x_\mu - ip^\mu x_\mu} \right)_p \left(\left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E} \right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E} \right) e^{-ip^\mu x_\mu + ip^\mu x_\mu} \right)_e \\
 &= \left(\frac{m^2 + \mathbf{p}_i^2}{E^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} \right)_p \left(\frac{m^2 + \mathbf{p}^2}{E^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \right)_e \\
 &= \left(\frac{E^2 - m^2}{\mathbf{p}_i^2} e^{+ip^\mu x_\mu - ip^\mu x_\mu} \right)_p \left(\frac{E^2 - m^2}{\mathbf{p}^2} e^{-ip^\mu x_\mu + ip^\mu x_\mu} \right)_e = \\
 &= \left(\left(\frac{E-m}{-|\mathbf{p}_i|} \right) \left(\frac{-|\mathbf{p}_i|}{E+m} \right)^{-1} \left(e^{+ip^\mu x_\mu} \right) \left(e^{+ip^\mu x_\mu} \right)^{-1} \right)_p \left(\left(\frac{E-m}{-|\mathbf{p}|} \right) \left(\frac{-|\mathbf{p}|}{E+m} \right)^{-1} \left(e^{-ip^\mu x_\mu} \right) \left(e^{-ip^\mu x_\mu} \right)^{-1} \right)_e \\
 &\rightarrow \left(\left(\begin{matrix} E-m & -|\mathbf{p}_i| \\ -|\mathbf{p}_i| & E+m \end{matrix} \right) \begin{pmatrix} s_{e,-} e^{+iEt} \\ s_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \left(\left(\begin{matrix} E-m & -|\mathbf{p}| \\ -|\mathbf{p}| & E+m \end{matrix} \right) \begin{pmatrix} s_{e,+} e^{-iEt} \\ s_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \\
 &\rightarrow \left(\left(\begin{pmatrix} E-e\phi-m & -\boldsymbol{\sigma} \cdot (\mathbf{p}_i - e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p}_i - e\mathbf{A}) & E-e\phi+m \end{pmatrix} \begin{pmatrix} S_{e,-} e^{+iEt} \\ S_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \\
 &\quad \left. \left(\begin{pmatrix} E+e\phi-m & -\boldsymbol{\sigma} \cdot (\mathbf{p} + e\mathbf{A}) \\ -\boldsymbol{\sigma} \cdot (\mathbf{p} + e\mathbf{A}) & E+e\phi+m \end{pmatrix} \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_h \tag{4.32}
 \end{aligned}$$

In expressions (4.30), (4.31) and (4.32), $()_p$, $()_e$ and $()_h$ indicate proton, electron and hydrogen atom respectively. Again, proton has charge e , electron has charge $-e$, and $(A^\mu = (\phi, \mathbf{A}))_p$ and $(A^\mu = (\phi, \mathbf{A}))_e$ are the electromagnetic potentials acting on spinized proton and spinized electron respectively.

Again, if $(A^\mu = (\phi, \mathbf{A}))_p$ is negligible due to fast motion of the orbiting spinized electron, we have from the last expression in (3.129):

$$\rightarrow \left(\left(\left(\begin{matrix} E-m & -\sigma \cdot \mathbf{p}_i \\ -\sigma \cdot \mathbf{p}_i & E+m \end{matrix} \right) \begin{pmatrix} S_{e,-} e^{+iEt} \\ S_{i,+} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \\ \left. \left(\left(\begin{matrix} E+e\phi-m & -\sigma \cdot (\mathbf{p}+e\mathbf{A}) \\ -\sigma \cdot (\mathbf{p}+e\mathbf{A}) & E+e\phi+m \end{matrix} \right) \begin{pmatrix} S_{e,+} e^{-iEt} \\ S_{i,-} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_h \quad (4.33)$$

The Weyl (chiral) form of the last expression in (3.129) and expression (3.130) are respectively as follows:

$$\left(\left(\left(\begin{matrix} E-e\phi-\sigma \cdot (\mathbf{p}_i-e\mathbf{A}) & -m \\ -m & E-e\phi+\sigma \cdot (\mathbf{p}_i-e\mathbf{A}) \end{matrix} \right) \begin{pmatrix} S_{e,r} e^{+iEt} \\ S_{i,l} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \\ \left. \left(\left(\begin{matrix} E+e\phi-\sigma \cdot (\mathbf{p}+e\mathbf{A}) & -m \\ -m & E+e\phi+\sigma \cdot (\mathbf{p}+e\mathbf{A}) \end{matrix} \right) \begin{pmatrix} S_{e,l} e^{-iEt} \\ S_{i,r} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_h \quad (4.34)$$

$$\left(\left(\left(\begin{matrix} E-\sigma \cdot \mathbf{p}_i & -m \\ -m & E+\sigma \cdot \mathbf{p}_i \end{matrix} \right) \begin{pmatrix} S_{e,r} e^{+iEt} \\ S_{i,l} e^{+iEt} \end{pmatrix} = 0 \right)_p \right. \\ \left. \left(\left(\begin{matrix} E+e\phi-\sigma \cdot (\mathbf{p}+e\mathbf{A}) & -m \\ -m & E+e\phi+\sigma \cdot (\mathbf{p}+e\mathbf{A}) \end{matrix} \right) \begin{pmatrix} S_{e,l} e^{-iEt} \\ S_{i,r} e^{-iEt} \end{pmatrix} = 0 \right)_e \right)_h \quad (4.35)$$

5. MATHEMATICS & ONTOLOGY OF ETHER

*Ether is Mathematical,
Immanent & Transcendental*

5.1 Mathematical Aspect of Ether

In the principle of existence, it is our comprehension that:

(1) The mathematical representation of the primordial ether in prespacetime is the Euler's number (Euler's Constant) e which makes the Euler's identity possible:

$$e^{i\pi} + 1 = 0 \quad (5.1)$$

(2) Euler's number e is the foundation of primordial distinction in prespacetime:

$$1 = e^{i0} = e^{i0} e^{i0} = e^{iL-iL} e^{iM-iM} = e^{iL} e^{iM} e^{-iL} e^{-iM} = e^{iL} e^{-iM} / e^{-iL} e^{-iM} = e^{iL} e^{iM} / e^{iL} e^{iM} \dots \quad (5.2)$$

(3) Euler’s number e is the foundation of the genesis of energy, momentum & mass relationship in prespacetime:

$$1 = e^{i0} = e^{-iL+iL} = L_e L_i^{-1} = (\cos L - i \sin L)(\cos L + i \sin L) = \tag{5.3}$$

$$\left(\frac{m}{E} - i \frac{|\mathbf{p}|}{E}\right) \left(\frac{m}{E} + i \frac{|\mathbf{p}|}{E}\right) = \left(\frac{m - i|\mathbf{p}|}{E}\right) \left(\frac{m + i|\mathbf{p}|}{E}\right) = \left(\frac{m^2 + \mathbf{p}^2}{E^2}\right) \rightarrow$$

$$E^2 = m^2 + \mathbf{p}^2$$

(4) Euler’s number e is the foundation of the genesis, sustenance and evolution of an elementary particle in prespacetime:

$$1 = e^{i0} = e^{i0} e^{i0} = e^{-iL+iL} e^{-iM+iM} = L_e L_i^{-1} (e^{-iM}) (e^{-iM})^{-1} \rightarrow \tag{5.4}$$

$$\begin{pmatrix} L_{M,e} & L_{M,i} \end{pmatrix} \begin{pmatrix} A_e e^{-iM} \\ A_i e^{-iM} \end{pmatrix} = L_M \begin{pmatrix} A_e \\ A_i \end{pmatrix} e^{-iM} = L_M \begin{pmatrix} \psi_e \\ \psi_i \end{pmatrix} = L_M \psi = 0$$

(5) Euler’s number e is also the foundation of quantum entanglement or gravity in prespacetime.

(6) Euler’s number is immanent in the sense that it is the ingredient of (1) to (5) thus all “knowing” and all “present.”

(7) Euler’s number is also transcendental in the sense that is the foundation of existence thus “omnipotent” and beyond creation.

5.2 Immanent Aspect of Ether

In the principle of existence, the immanent aspect of ether associated with an individual entity (“i-ether”) has following attributes:

- i-ether is the ingredient of atoms, of molecules, of cells, of a body;
- i-ether is in space, time, motion, rest;
- i-ether is governed by the laws of physics, chemistry, biology;
- i-ether is the ingredient of this world, the Earth, the Solar System.

- i-ether is the ingredient of awareness, feeling, imagination, free will;
- i-ether is in love, passion, hope, despair;
- i-ether is governed by the laws of psychology, economics, sociology;
- i-ether is the ingredient of mind, soul, spirit.

In the principle of existence, the immanent of ether associated with the universal entity (“I-ETHER”) has following attributes:

I-ETHER IS atoms, molecules, cells, body;
 I-ETHER IS space, time, motion, rest;
 I-ETHER IS laws of physics, chemistry, biology, physiology;
 I-ETHER IS this World, the Earth, the Solar System.

I-ETHER IS awareness, feeling, imagination, free will;
 I-ETHER IS love, passion, hope, despair;
 I-ETHER IS the laws of psychology, economics, sociology;
 I-ETHER IS mind, soul, spirit.

5.3 Transcendental Aspect of Ether

In the principle of existence, the transcendental aspect of ether associated with individual/entity (“t-ether”) has following attributes:

t-ether is not the ingredient of atoms, of molecules, of cells, of a body;
 t-ether is not in space, time, motion, rest;
 t-ether is not governed by the laws of physics, chemistry, biology;
 t-ether is not the ingredient of this world, the Earth, the Solar System.

t-ether is beyond awareness, feeling, imagination, free will;
 t-ether is beyond love, passion, hope, despair;
 t-ether is beyond the laws of psychology, economics, sociology;
 t-ether is beyond mind, soul, spirit.

In the principle of existence, the transcendental aspect of ether associated with the universal entity (“T-ETHER”) has following attributes:

T-ETHER IS NOT the atoms, molecules, cells, body;
 T-ETHER IS NOT the space, time, motion, rest;
 T-ETHER IS NOT the laws of physics, chemistry, biology;
 T-ETHER IS NOT this world, the Earth, the Solar System.

T-ETHER IS NOT awareness, feeling, imagination, free will;
 T-ETHER IS NOT love, passion, hope, despair;
 T-ETHER IS NOT the laws of psychology, economics, sociology;
 T-ETHER IS NOT mind, soul, spirit.

6. CONCLUSION

This work is the continuation of the principle of existence. It has mainly dealt with the genesis of self-referential Matrix Law and the ontology & mathematics of ether which have been discovered by us in continuation or rather revealed to us, the submitters to truth, by

GOD. Yet again, we caution fellow truth seekers and dear readers that we as humans can only strive for perfection, completeness and correctness in our comprehensions and writings because we ourselves are limited and imperfect. But let it be known that, to us the believers, ***GOD alone is perfect, magnificent, glorious and victorious.***

According to the principle of existence, in the beginning there was prespacetime (GOD) by itself $e^0 = 1$ materially empty and spiritually restless. And it began to imagine through primordial self-referential spin $1 = e^{i0} = e^{i0} e^{i0} = e^{iL-iL} e^{iM-iM} = e^{iL} e^{iM} e^{-iL} e^{-iM} = e^{iL} e^{-iM} / e^{-iL} e^{-iM} = e^{iL} e^{iM} / e^{iL} e^{iM} \dots$ such that it created the self-referential Matrix Law, the external object to be observed and internal object as observed, separated them into external world and internal world, caused them to interact through said Matrix Law and thus gave birth to the Universe which it has since passionately loved, sustained and made to evolve. The Natural laws created in accordance with the principle of existence are hierarchical and comprised of: (1) immanent Law of Conservation manifesting and governing in the external or internal world which may be violated in certain processes; (2) immanent Law of Zero manifesting and governing in the dual world as a whole; and (3) transcendental Law of One manifesting and governing in prespacetime.

Let it also be known that the principle of existence is supported by experiments (or has sound basis in empirical evidence), since experimentally, we demonstrated that: (1) Consciousness is associated with (or simply is) prespacetime and our brain is the vehicle for conscious experiences and interactions; and (2) there exists an instantaneous transcendental force (quantum entanglement or gravity) beyond spacetime which makes omnipotence, omnipresence and omniscience of Prespacetime (GOD) possible and feasible (see Hu & Wu, 2001-2010).

In the principle of existence, the principles and mathematics which GOD have used to create, sustain and makes evolving of elementary particles are beautiful and simple. First, GOD employs the following ontological principles among others: (1) Principle of oneness/unity of existence through quantum entanglement in the body (ether) of prespacetime; and (2) Principle of hierarchical primordial self-referential spin creating:

- Energy-Momentum-Mass Relationship as Transcendental Law of One
- Energy-Momentum-Mass Relationship as Determinant of Matrix Law
- Dual-world Law of Zero of Energy, Momentum & Mass
- Immanent Law of Conservation of Energy, Momentum & Mass in External/Internal World which may be violated in certain processes

Second, GOD employs the following mathematical elements & forms among others in order to empower the above ontological principles among others:

- (1) e , Euler's number, for (to empower) ether (aether) as foundation/basis/medium of existence (body of prespacetime);
- (2) i , imaginary number, for (to empower) thoughts and imagination;
- (3) 0, zero, for (to empower) emptiness/undifferentiated/primordial state;
- (4) 1, one, for (to empower) oneness/unity of existence;

- (5) +, -, *, /, = for (to empower) creation, dynamics, balance & conservation; and
 (6) Pythagorean theorem for (to empower) Energy-Momentum-Mass Relationship;
 (7) *M*, matrix, for (to empower) the external and internal worlds (the Dual World) and the interaction of external and internal worlds.

DEDICATION:

We dedicate this work to our Creator whose light, grace and mercy have shone on us the believers and whose truth and purpose we strive to serve above all else at ITS appointed time and place in this living Universe which is ITS Creation. IT willing, we further dedicate this work to ITS Prophets, Son, Messengers and other devoted Servants such as Moses, Jesus, Muhammad, Buddha, the originator of Hinduism and the originator of Tao.

[SELF-]REFERENCE

- Hu, H. & Wu, M. 2001a, Mechanism of anesthetic action: oxygen pathway perturbation hypothesis. *Med. Hypotheses*, 57: 619-627. Also see arXiv 2001b; physics/0101083.
- Hu, H. & Wu, M. 2002, Spin-mediated consciousness theory. arXiv: quant-ph/0208068. Also see *Med. Hypotheses* 2004a: 63: 633-646.
- Hu, H. & Wu, M. 2004b, Spin as primordial self-referential process driving quantum mechanics, spacetime dynamics and consciousness. *NeuroQuantology*, 2:41-49. Also see Cogprints: ID2827 2003.
- Hu, H. & Wu, M. 2004c, Action potential modulation of neural spin networks suggests possible role of spin in memory and consciousness. *NeuroQuantology*, 2:309-316. Also see Cogprints: ID3458 2004d.
- Hu, H. & Wu, M. 2006a, Thinking outside the box: the essence and implications of quantum entanglement. *NeuroQuantology*, 4: 5-16.
- Hu, H. & Wu, M. 2006b, Photon induced non-local effect of general anesthetics on the brain. *NeuroQuantology*, 4: 17-31. Also see *Progress in Physics* 2006c; v3: 20-26.
- Hu, H. & Wu, M. 2006d, Evidence of non-local physical, chemical and biological effects supports quantum brain. *NeuroQuantology*, 4: 291-306. Also see *Progress in Physics* 2007a; v2: 17-24.
- Hu, H. & Wu, M. 2007b, Thinking outside the box II: the origin, implications and applications of gravity and its role in consciousness. *NeuroQuantology*, 5: 190-196.
- Hu, H. & Wu, M. 2007c, On dark chemistry: what's dark matter and how mind influences brain through proactive spin. *NeuroQuantology*, 5: 205-213.
- Hu, H. & Wu, M. 2008a, Concerning spin as mind-pixel: how mind interacts with the brain through electric spin effects. *NeuroQuantology*, 6: 26-31.
- Hu, H. 2008b, The state of science, religion and consciousness. *NeuroQuantology*, 6: 323-332.
- Hu, H. 2009, Quantum enigma - physics encounters consciousness (book review). *Psyche*, 15: 1-4.
- Hu, H. & Wu, M. (2010), Let All Truth Seekers Be the Scientific & Spiritual Vessels to Carry Science & Religion to New Heights, *Scientific GOD Journal* 1:1, pp. 1-7.

- Hu, H. & Wu, M. (2010), The Principle of Existence: Toward a Scientific Theory of Everything, Scientific GOD Journal 1:1, pp. 8-77.
- Hu, H. (2010), GOD's Scientific Truth Is Marching on (Poem), Scientific GOD Journal 1:1, pp. 78-79.
- Hu, H. & Wu, M. (2010), Let All Truth Seekers Be the Vessels to Carry Consciousness Research to New Heights, JCER 1:1, pp. 1-4.
- Hu, H. & Wu, M. (2010), The Principle of Existence: Towards a Science of Consciousness, JCER 1:1, pp. 50-119.
- Hu, H. (2010), Let All Truth Seekers Be the Vessels to Carry Physics Research to New Heights, Prespacetime journal 1:1, pp. 1-3.
- Hu, H. & Wu, M. (2010), Prespacetime Model of Elementary Particles, Four Forces & Consciousness, Prespacetime journal 1:1, pp. 77-146.
- Hu, H. (2010), Song to Immanence & Transcendence (Poem), Scientific GOD Journal 1:6, pp. 455-456.
- Hu, H. (2010), Oh My Atheist Colleagues in Science (Poem), Scientific GOD Journal 1:7, pp. 518-519.
- Hu, H. & Wu, M. (2010), Current Landscape and Future Direction of Theoretical & Experimental Quantum Brain/Mind/Consciousness Research, JCER 1:8, pp. 888-897.
- Hu, H. & Wu, M. (2010), Experimental Support of Spin-mediated Consciousness Theory from Various Sources, JCER 1:8, pp. 907-936.
- Hu, H. & Wu, M. (2010), Consciousness-mediated Spin Theory: The Transcendental Ground of Quantum Reality, JCER 1:8, pp. 937-970.